

Helicobacter Pylori Virus

References to Supplementary Web Tables, Section 2

- Abu Al-Soud W, Stenram U, Ljungh A *et al.* (2008). DNA of Helicobacter spp. and common gut bacteria in primary liver carcinoma. *Dig Liver Dis*, 40:126–131. [doi:10.1016/j.dld.2007.09.011](https://doi.org/10.1016/j.dld.2007.09.011) [PMID:18083084](https://pubmed.ncbi.nlm.nih.gov/18083084/)
- Anandasabapathy S, Jhamb J, Davila M *et al.* (2007). Clinical and endoscopic factors predict higher pathologic grades of Barrett dysplasia. *Cancer*, 109:668–674. [doi:10.1002/cncr.22451](https://doi.org/10.1002/cncr.22451) [PMID:17211862](https://pubmed.ncbi.nlm.nih.gov/17211862/)
- Anderson LA, Murphy SJ, Johnston BT *et al.* (2008). Relationship between Helicobacter pylori infection and gastric atrophy and the stages of the oesophageal inflammation, metaplasia, adenocarcinoma sequence: results from the FINBAR case-control study. *Gut*, 57:734–739. [doi:10.1136/gut.2007.132662](https://doi.org/10.1136/gut.2007.132662) [PMID:18025067](https://pubmed.ncbi.nlm.nih.gov/18025067/)
- Aromaa A, Kosunen TU, Knekt P *et al.* (1996). Circulating anti-Helicobacter pylori immunoglobulin A antibodies and low serum pepsinogen I level are associated with increased risk of gastric cancer. *Am J Epidemiol*, 144:142–149. [PMID:8678045](https://pubmed.ncbi.nlm.nih.gov/8678045/)
- Avenaudo P, Marais A, Monteiro L *et al.* (2000). Detection of Helicobacter species in the liver of patients with and without primary liver carcinoma. *Cancer*, 89:1431–1439. [doi:10.1002/1097-0142\(20001001\)89:7<1431::AID-CNCR4>3.0.CO;2-5](https://doi.org/10.1002/1097-0142(20001001)89:7<1431::AID-CNCR4>3.0.CO;2-5) [PMID:11013355](https://pubmed.ncbi.nlm.nih.gov/11013355/)
- Aygenç E, Selçuk A, Celikkanat S *et al.* (2001). The role of Helicobacter pylori infection in the cause of squamous cell carcinoma of the larynx. *Otolaryngol Head Neck Surg*, 125:520–521. [PMID:11700453](https://pubmed.ncbi.nlm.nih.gov/11700453/)
- Bayerdörffer E, Neubauer A, Rudolph B *et al.*; MALT Lymphoma Study Group (1995). Regression of primary gastric lymphoma of mucosa-associated lymphoid tissue type after cure of Helicobacter pylori infection. *Lancet*, 345:1591–1594. [doi:10.1016/S0140-6736\(95\)90113-2](https://doi.org/10.1016/S0140-6736(95)90113-2) [PMID:7783535](https://pubmed.ncbi.nlm.nih.gov/7783535/)
- Blaser MJ, Perez-Perez GI, Klebanoff H *et al.* (1995). Infection with Helicobacter pylori strains possessing cagA is associated with an increased risk of developing adenocarcinoma of the stomach. *Cancer Res*, 55:2111–2115. [PMID:7743510](https://pubmed.ncbi.nlm.nih.gov/7743510/)
- Bohr UR, Kuester D, Meyer F *et al.* (2007). Low prevalence of Helicobacteraceae in gall-stone disease and gall-bladder carcinoma in the German population. *Clin Microbiol Infect*, 13:525–531. [doi:10.1111/j.1469-0691.2007.01690.x](https://doi.org/10.1111/j.1469-0691.2007.01690.x) [PMID:17346303](https://pubmed.ncbi.nlm.nih.gov/17346303/)
- Borgström A, Johansen D, Manjer J (2004). Chronic Helicobacter pylori infection does not increase the risk to develop pancreatic cancer. *Pancreas*, 29:330–331. [doi:10.1097/00006676-200411000-00032](https://doi.org/10.1097/00006676-200411000-00032)
- Bulajic M, Maisonneuve P, Schneider-Brachert W *et al.* (2002). Helicobacter pylori and the risk of benign and malignant biliary tract disease. *Cancer*, 95:1946–1953. [doi:10.1002/cncr.10893](https://doi.org/10.1002/cncr.10893) [PMID:12404289](https://pubmed.ncbi.nlm.nih.gov/12404289/)
- Chen LT, Lin JT, Shyu RY *et al.* (2001). Prospective study of Helicobacter pylori eradication therapy in stage I(E) high-grade mucosa-associated lymphoid tissue lymphoma of the stomach. *J Clin Oncol*, 19:4245–4251. [PMID:11709568](https://pubmed.ncbi.nlm.nih.gov/11709568/)
- Chen LT, Lin JT, Tai JJ *et al.* (2005). Long-term results of anti-Helicobacter pylori therapy in early-stage gastric high-grade transformed MALT lymphoma. *J Natl Cancer Inst*, 97:1345–1353. [doi:10.1093/jnci/dji277](https://doi.org/10.1093/jnci/dji277) [PMID:16174856](https://pubmed.ncbi.nlm.nih.gov/16174856/)
- Chow WH, Blaser MJ, Blot WJ *et al.* (1998). An inverse relation between cagA+ strains of Helicobacter pylori infection and risk of esophageal and gastric cardia adenocarcinoma. *Cancer Res*, 58:588–590. [PMID:9485003](https://pubmed.ncbi.nlm.nih.gov/9485003/)
- Coppola N, De Stefano G, Marrocco C *et al.* (2003). Helicobacter spp. and liver diseases. *Infez Med*, 11:201–207. [PMID:14988668](https://pubmed.ncbi.nlm.nih.gov/14988668/)
- D’Onghia V, Leoncini R, Carli R *et al.* (2007). Circulating gastrin and ghrelin levels in patients with colorectal cancer: correlation with tumour stage, Helicobacter pylori infection and BMI. *Biomed Pharmacother*, 61:137–141. [doi:10.1016/j.biopha.2006.08.007](https://doi.org/10.1016/j.biopha.2006.08.007) [PMID:17258885](https://pubmed.ncbi.nlm.nih.gov/17258885/)
- de Martel C, Llosa AE, Farr SM *et al.* (2005). Helicobacter pylori infection and the risk of development of esophageal adenocarcinoma. *J Infect Dis*, 191:761–767. [doi:10.1086/427659](https://doi.org/10.1086/427659) [PMID:15688293](https://pubmed.ncbi.nlm.nih.gov/15688293/)

- de Martel C, Llosa AE, Friedman GD *et al.* (2008). Helicobacter pylori infection and development of pancreatic cancer. *Cancer Epidemiol Biomarkers Prev*, 17:1188–1194. [doi:10.1158/1055-9965.EPI-08-0185](https://doi.org/10.1158/1055-9965.EPI-08-0185) [PMID:18483341](https://pubmed.ncbi.nlm.nih.gov/18483341/)
- de Martel C, Plummer M, Parsonnet J *et al.* (2009). Helicobacter species in cancers of the gallbladder and extrahepatic biliary tract. *Br J Cancer*, 100:194–199. [doi:10.1038/sj.bjc.6604780](https://doi.org/10.1038/sj.bjc.6604780) [PMID:19034278](https://pubmed.ncbi.nlm.nih.gov/19034278/)
- de Sanjose S, Dickie A, Alvaro T *et al.* (2004). Helicobacter pylori and malignant lymphoma in Spain. *Cancer Epidemiol Biomarkers Prev*, 13:944–948. [PMID:15184250](https://pubmed.ncbi.nlm.nih.gov/15184250/)
- Derakhshan MH, Malekzadeh R, Watabe H *et al.* (2008). Combination of gastric atrophy, reflux symptoms and histological subtype indicates two distinct aetiologies of gastric cardia cancer. *Gut*, 57:298–305. [doi:10.1136/gut.2007.137364](https://doi.org/10.1136/gut.2007.137364) [PMID:17965056](https://pubmed.ncbi.nlm.nih.gov/17965056/)
- Dore MP, Realdi G, Mura D *et al.* (2002). Helicobacter infection in patients with HCV-related chronic hepatitis, cirrhosis, and hepatocellular carcinoma. *Dig Dis Sci*, 47:1638–1643. [doi:10.1023/A:1015848009444](https://doi.org/10.1023/A:1015848009444) [PMID:12141829](https://pubmed.ncbi.nlm.nih.gov/12141829/)
- Ece F, F Hatabay N, Erdal N *et al.* (2005). Does Helicobacter pylori infection play a role in lung cancer? *Respir Med*, 99:1258–1262. [doi:10.1016/j.rmed.2005.02.038](https://doi.org/10.1016/j.rmed.2005.02.038) [PMID:16140226](https://pubmed.ncbi.nlm.nih.gov/16140226/)
- El-Omar EM, Rabkin CS, Gammon MD *et al.* (2003). Increased risk of noncardia gastric cancer associated with proinflammatory cytokine gene polymorphisms. *Gastroenterology*, 124:1193–1201. [doi:10.1016/S0016-5085\(03\)00157-4](https://doi.org/10.1016/S0016-5085(03)00157-4) [PMID:12730860](https://pubmed.ncbi.nlm.nih.gov/12730860/)
- El-Zahabi LM, Jamali FR, El-Hajj II *et al.* (2007). The value of EUS in predicting the response of gastric mucosa-associated lymphoid tissue lymphoma to Helicobacter pylori eradication. *Gastrointest Endosc*, 65:89–96. [doi:10.1016/j.gie.2006.05.009](https://doi.org/10.1016/j.gie.2006.05.009) [PMID:17185085](https://pubmed.ncbi.nlm.nih.gov/17185085/)
- Fallone CA, Tran S, Semret M *et al.* (2003). Helicobacter DNA in bile: correlation with hepato-biliary diseases. *Aliment Pharmacol Ther*, 17:453–458. [doi:10.1046/j.1365-2036.2003.01424.x](https://doi.org/10.1046/j.1365-2036.2003.01424.x) [PMID:12562460](https://pubmed.ncbi.nlm.nih.gov/12562460/)
- Fan XG, Peng XN, Huang Y *et al.* (2002). Helicobacter species ribosomal DNA recovered from the liver tissue of chinese patients with primary hepatocellular carcinoma. *Clin Infect Dis*, 35:1555–1557. [doi:10.1086/344770](https://doi.org/10.1086/344770) [PMID:12471577](https://pubmed.ncbi.nlm.nih.gov/12471577/)
- Fireman Z, Trost L, Kopelman Y *et al.* (2000). Helicobacter pylori: seroprevalence and colorectal cancer. *Isr Med Assoc J*, 2:6–9. [PMID:10892362](https://pubmed.ncbi.nlm.nih.gov/10892362/)
- Fischbach W, Goebeler-Kolve ME, Dragosics B *et al.* (2004). Long term outcome of patients with gastric marginal zone B cell lymphoma of mucosa associated lymphoid tissue (MALT) following exclusive Helicobacter pylori eradication therapy: experience from a large prospective series. *Gut*, 53:34–37. [doi:10.1136/gut.53.1.34](https://doi.org/10.1136/gut.53.1.34) [PMID:14684573](https://pubmed.ncbi.nlm.nih.gov/14684573/)
- Forman D, Newell DG, Fullerton F *et al.* (1991). Association between infection with Helicobacter pylori and risk of gastric cancer: evidence from a prospective investigation. *BMJ*, 302:1302–1305. [doi:10.1136/bmj.302.6788.1302](https://doi.org/10.1136/bmj.302.6788.1302) [PMID:2059685](https://pubmed.ncbi.nlm.nih.gov/2059685/)
- Früh M, Zhou W, Zhai R *et al.* (2008). Polymorphisms of inflammatory and metalloproteinase genes, Helicobacter pylori infection and the risk of oesophageal adenocarcinoma. *Br J Cancer*, 98:689–692. [doi:10.1038/sj.bjc.6604234](https://doi.org/10.1038/sj.bjc.6604234) [PMID:18253117](https://pubmed.ncbi.nlm.nih.gov/18253117/)
- Fujimori S, Kishida T, Kobayashi T *et al.* (2005). Helicobacter pylori infection increases the risk of colorectal adenoma and adenocarcinoma, especially in women. *J Gastroenterol*, 40:887–893. [doi:10.1007/s00535-005-1649-1](https://doi.org/10.1007/s00535-005-1649-1) [PMID:16211345](https://pubmed.ncbi.nlm.nih.gov/16211345/)
- Fukuda K, Kuroki T, Tajima Y *et al.* (2002). Comparative analysis of Helicobacter DNAs and biliary pathology in patients with and without hepatobiliary cancer. *Carcinogenesis*, 23:1927–1932. [doi:10.1093/carcin/23.11.1927](https://doi.org/10.1093/carcin/23.11.1927) [PMID:12419842](https://pubmed.ncbi.nlm.nih.gov/12419842/)
- Ghiara P, Rossi M, Marchetti M *et al.* (1997). Therapeutic intragastric vaccination against Helicobacter pylori in mice eradicates an otherwise chronic infection and confers protection against reinfection. *Infect Immun*, 65:4996–5002. [PMID:9393788](https://pubmed.ncbi.nlm.nih.gov/9393788/)
- Gocyk W, Nikliński T, Olechnowicz H *et al.* (2000). Helicobacter pylori, gastrin and cyclooxygenase-2 in lung cancer. *Med Sci Monit*, 6:1085–1092. [PMID:11208460](https://pubmed.ncbi.nlm.nih.gov/11208460/)
- Grandis JR, Perez-Perez GI, Yu VL *et al.* (1997). Lack of serologic evidence for Helicobacter pylori infection in head and neck cancer. *Head Neck*, 19:216–218. [doi:10.1002/\(SICI\)1097-0347\(199705\)19:3<216::AID-HED9>3.0.CO;2-5](https://doi.org/10.1002/(SICI)1097-0347(199705)19:3<216::AID-HED9>3.0.CO;2-5) [PMID:9142522](https://pubmed.ncbi.nlm.nih.gov/9142522/)
- Grimley CE, Holder RL, Loft DE *et al.* (1999). Helicobacter pylori-associated antibodies in patients with duodenal ulcer, gastric and oesophageal adenocarcinoma. *Eur J Gastroenterol Hepatol*, 11:503–509. [doi:10.1097/00042737-199905000-00007](https://doi.org/10.1097/00042737-199905000-00007) [PMID:10755253](https://pubmed.ncbi.nlm.nih.gov/10755253/)

- Gwack J, Shin A, Kim CS *et al.* (2006). CagA-producing *Helicobacter pylori* and increased risk of gastric cancer: a nested case-control study in Korea. *Br J Cancer*, 95:639–641.[doi:10.1038/sj.bjc.6603309](https://doi.org/10.1038/sj.bjc.6603309) PMID:16909137
- Hansen S, Melby KK, Aase S *et al.*; S. Hansen, K. K. Melby, S. Aase, E. (1999). *Helicobacter pylori* infection and risk of cardia cancer and non-cardia gastric cancer. A nested case-control study. *Scand J Gastroenterol*, 34:353–360.[doi:10.1080/003655299750026353](https://doi.org/10.1080/003655299750026353) PMID:10365894
- Hansen S, Vollset SE, Derakhshan MH *et al.* (2007). Two distinct aetiologies of cardia cancer; evidence from premorbid serological markers of gastric atrophy and *Helicobacter pylori* status. *Gut*, 56:918–925.[doi:10.1136/gut.2006.114504](https://doi.org/10.1136/gut.2006.114504) PMID:17317788
- Hartwich A, Konturek SJ, Pierzchalski P *et al.* (2001). *Helicobacter pylori* infection, gastrin, cyclooxygenase-2, and apoptosis in colorectal cancer. *Int J Colorectal Dis*, 16:202–210.[doi:10.1007/s003840100288](https://doi.org/10.1007/s003840100288) PMID:11515678
- Helicobacter and Cancer Collaborative Group (2001). Gastric cancer and *Helicobacter pylori*: a combined analysis of 12 case control studies nested within prospective cohorts. *Gut*, 49:347–353.[doi:10.1136/gut.49.3.347](https://doi.org/10.1136/gut.49.3.347) PMID:11511555
- Hong SS, Jung HY, Choi KD *et al.* (2006). A prospective analysis of low-grade gastric malt lymphoma after *Helicobacter pylori* eradication. *Helicobacter*, 11:569–573.[doi:10.1111/j.1523-5378.2006.00460.x](https://doi.org/10.1111/j.1523-5378.2006.00460.x) PMID:17083379
- Hsu PI, Lai KH, Hsu PN *et al.* (2007). *Helicobacter pylori* infection and the risk of gastric malignancy. *Am J Gastroenterol*, 102:725–730.[doi:10.1111/j.1572-0241.2006.01109.x](https://doi.org/10.1111/j.1572-0241.2006.01109.x) PMID:17324128
- Huang Q, Ai L, Zhang ZY *et al.* (2004). Promoter hypermethylation and protein expression of the p16 gene: analysis of 43 cases of B-cell primary gastric lymphomas from China. *Mod Pathol*, 17:416–422.[doi:10.1038/modpathol.3800072](https://doi.org/10.1038/modpathol.3800072) PMID:14976529
- Iijima K, Koike T, Abe Y *et al.* (2007). Extensive gastric atrophy: an increased risk factor for superficial esophageal squamous cell carcinoma in Japan. *Am J Gastroenterol*, 102:1603–1609.[doi:10.1111/j.1572-0241.2007.01257.x](https://doi.org/10.1111/j.1572-0241.2007.01257.x) PMID:17488251
- Islami F, Kamangar F (2008). *Helicobacter pylori* and esophageal cancer risk: a meta-analysis. *Cancer Prev Res (Phila)*, 1:329–338.[doi:10.1158/1940-6207.CAPR-08-0109](https://doi.org/10.1158/1940-6207.CAPR-08-0109) PMID:19138977
- Ito K, Nakamura M, Toda G *et al.* (2004). Potential role of *Helicobacter pylori* in hepatocarcinogenesis. *Int J Mol Med*, 13:221–227. PMID:14719127
- Jones M, Helliwell P, Pritchard C *et al.* (2007). *Helicobacter pylori* in colorectal neoplasms: is there an aetiological relationship? *World J Surg Oncol*, 5:51.[doi:10.1186/1477-7819-5-51](https://doi.org/10.1186/1477-7819-5-51) PMID:17498313
- Kamangar F, Dawsey SM, Blaser MJ *et al.* (2006). Opposing risks of gastric cardia and noncardia gastric adenocarcinomas associated with *Helicobacter pylori* seropositivity. *J Natl Cancer Inst*, 98:1445–1452.[doi:10.1093/jnci/djj393](https://doi.org/10.1093/jnci/djj393) PMID:17047193
- Kamangar F, Qiao YL, Blaser MJ *et al.* (2007). *Helicobacter pylori* and oesophageal and gastric cancers in a prospective study in China. *Br J Cancer*, 96:172–176.[doi:10.1038/sj.bjc.6603517](https://doi.org/10.1038/sj.bjc.6603517) PMID:17179990
- Knekt P, Teppo L, Aromaa A *et al.* (2006). *Helicobacter pylori* IgA and IgG antibodies, serum pepsinogen I and the risk of gastric cancer: changes in the risk with extended follow-up period. *Int J Cancer*, 119:702–705.[doi:10.1002/ijc.21884](https://doi.org/10.1002/ijc.21884) PMID:16496404
- Kobayashi T, Harada K, Miwa K, Nakanuma Y (2005). *Helicobacter* genus DNA fragments are commonly detectable in bile from patients with extrahepatic biliary diseases and associated with their pathogenesis. *Dig Dis Sci*, 50:862–867.[doi:10.1007/s10620-005-2654-1](https://doi.org/10.1007/s10620-005-2654-1) PMID:15906758
- Lehtinen M, Ogmundsdottir HM, Bloigu A *et al.* (2005). Associations between three types of maternal bacterial infection and risk of leukemia in the offspring. *Am J Epidemiol*, 162:662–667.[doi:10.1093/aje/kwi261](https://doi.org/10.1093/aje/kwi261) PMID:16120707
- Leone N, Pellicano R, Brunello F *et al.* (2003). *Helicobacter pylori* seroprevalence in patients with cirrhosis of the liver and hepatocellular carcinoma. *Cancer Detect Prev*, 27:494–497.[doi:10.1016/j.cdp.2003.07.004](https://doi.org/10.1016/j.cdp.2003.07.004) PMID:14642558
- Li N, Zhang SH, Xuan SY, Qiang X (2006). [Study on *Helicobacter* infection in liver tissue from hepatocellular carcinoma]. *Zhonghua Liu Xing Bing Xue Za Zhi*, 27:894–896. PMID:17343186
- Limburg P, Qiao Y, Mark S *et al.* (2001). *Helicobacter pylori* seropositivity and subsite-specific gastric cancer risks in Linxian, China. *J Natl Cancer Inst*, 93:226–233.[doi:10.1093/jnci/93.3.226](https://doi.org/10.1093/jnci/93.3.226) PMID:11158192
- Limburg PJ, Stolzenberg-Solomon RZ, Colbert LH *et al.* (2002). *Helicobacter pylori* seropositivity and colorectal cancer risk: a prospective study of male smokers. *Cancer Epidemiol Biomarkers Prev*, 11:1095–1099. PMID:12376513

- Lin JT, Wang LY, Wang JT *et al.* (1995). A nested case-control study on the association between *Helicobacter pylori* infection and gastric cancer risk in a cohort of 9775 men in Taiwan. *Anticancer Res*, 15:603–606. [PMID:7763044](#)
- Lindkvist B, Johansen D, Borgström A, Manjer J (2008). A prospective study of *Helicobacter pylori* in relation to the risk for pancreatic cancer. *BMC Cancer*, 8:321. [doi:10.1186/1471-2407-8-321](#) [PMID:18986545](#)
- Lord RV, Frommer DJ, Inder S *et al.* (2000). Prevalence of *Helicobacter pylori* infection in 160 patients with Barrett's oesophagus or Barrett's adenocarcinoma. *Aust N Z J Surg*, 70:26–33. [doi:10.1046/j.1440-1622.2000.01737.x](#) [PMID:10696939](#)
- Machida-Montani A, Sasazuki S, Inoue M *et al.* (2007). Atrophic gastritis, *Helicobacter pylori*, and colorectal cancer risk: a case-control study. *Helicobacter*, 12:328–332. [doi:10.1111/j.1523-5378.2007.00513.x](#) [PMID:17669106](#)
- Matsukura N, Yokomuro S, Yamada S *et al.* (2002). Association between *Helicobacter bilis* in bile and biliary tract malignancies: *H. bilis* in bile from Japanese and Thai patients with benign and malignant diseases in the biliary tract. *Jpn J Cancer Res*, 93:842–847. [PMID:12149151](#)
- Meucci G, Tatarella M, Vecchi M *et al.* (1997). High prevalence of *Helicobacter pylori* infection in patients with colonic adenomas and carcinomas. *J Clin Gastroenterol*, 25:605–607. [doi:10.1097/00004836-199712000-00011](#) [PMID:9451672](#)
- Mitchell H, English DR, Elliott F *et al.* (2008). Immunoblotting using multiple antigens is essential to demonstrate the true risk of *Helicobacter pylori* infection for gastric cancer. *Aliment Pharmacol Ther*, 28:903–910. [PMID:18624791](#)
- Moss SF, Neugut AI, Garbowski GC *et al.* (1995). *Helicobacter pylori* seroprevalence and colorectal neoplasia: evidence against an association. *J Natl Cancer Inst*, 87:762–763. [doi:10.1093/jnci/87.10.762](#) [PMID:7563155](#)
- Murata H, Tsuji S, Tsujii M *et al.* (2004). *Helicobacter bilis* infection in biliary tract cancer. *Aliment Pharmacol Ther*, 20 Suppl 1:90–94. [doi:10.1111/j.1365-2036.2004.01972.x](#) [PMID:15298612](#)
- Najafizadeh K, Falah Tafti S, Shieh-morteza M *et al.* (2007). *H. pylori* seroprevalence in patients with lung cancer. *World J Gastroenterol*, 13:2349–2351. [PMID:17511036](#)
- Nakamura S, Matsumoto T, Suekane H *et al.* (2005). Long-term clinical outcome of *Helicobacter pylori* eradication for gastric mucosa-associated lymphoid tissue lymphoma with a reference to second-line treatment. *Cancer*, 104:532–540. [doi:10.1002/cncr.21152](#) [PMID:15937928](#)
- Nakamura T, Seto M, Tajika M *et al.* (2008). Clinical features and prognosis of gastric MALT lymphoma with special reference to responsiveness to *H. pylori* eradication and API2-MALT1 status. *Am J Gastroenterol*, 103:62–70. [PMID:17894851](#)
- Neubauer A, Thiede C, Morgner A *et al.* (1997). Cure of *Helicobacter pylori* infection and duration of remission of low-grade gastric mucosa-associated lymphoid tissue lymphoma. *J Natl Cancer Inst*, 89:1350–1355. [doi:10.1093/jnci/89.18.1350](#) [PMID:9308704](#)
- Nilsson HO, Mulchandani R, Tranberg KG *et al.* (2001). *Helicobacter* species identified in liver from patients with cholangiocarcinoma and hepatocellular carcinoma. *Gastroenterology*, 120:323–324. [doi:10.1053/gast.2001.21382](#) [PMID:11246512](#)
- Nomura A, Stemmermann GN, Chyou PH *et al.* (1991). *Helicobacter pylori* infection and gastric carcinoma among Japanese Americans in Hawaii. *N Engl J Med*, 325:1132–1136. [doi:10.1056/NEJM199110173251604](#) [PMID:1891021](#)
- Nomura AM, Lee J, Stemmermann GN *et al.* (2002). *Helicobacter pylori* CagA seropositivity and gastric carcinoma risk in a Japanese American population. *J Infect Dis*, 186:1138–1144. [doi:10.1086/343808](#) [PMID:12355365](#)
- Nurgalieva ZZ, Graham DY, Dahlstrom KR *et al.* (2005). A pilot study of *Helicobacter pylori* infection and risk of laryngopharyngeal cancer. *Head Neck*, 27:22–27. [doi:10.1002/hed.20108](#) [PMID:15459921](#)
- Öberg S, Peters JH, Nigro JJ *et al.* (1999). *Helicobacter pylori* is not associated with the manifestations of gastroesophageal reflux disease. *Arch Surg*, 134:722–726. [doi:10.1001/archsurg.134.7.722](#) [PMID:10401822](#)
- Palli D, Masala G, Del Giudice G *et al.* (2007). CagA+ *Helicobacter pylori* infection and gastric cancer risk in the EPIC-EURGAST study. *Int J Cancer*, 120:859–867. [doi:10.1002/ijc.22435](#) [PMID:17131317](#)
- Parsonnet J, Friedman GD, Vandersteen DP *et al.* (1991). *Helicobacter pylori* infection and the risk of gastric carcinoma. *N Engl J Med*, 325:1127–1131. [doi:10.1056/NEJM199110173251603](#) [PMID:1891020](#)

- Parsonnet J, Hansen S, Rodriguez L *et al.* (1994). Helicobacter pylori infection and gastric lymphoma. *N Engl J Med*, 330:1267–1271. [doi:10.1056/NEJM199405053301803](https://doi.org/10.1056/NEJM199405053301803) [PMID:8145781](https://pubmed.ncbi.nlm.nih.gov/8145781/)
- Peek RM Jr, Vaezi MF, Falk GW *et al.* (1999). Role of Helicobacter pylori cagA(+) strains and specific host immune responses on the development of premalignant and malignant lesions in the gastric cardia. *Int J Cancer*, 82:520–524. [doi:10.1002/\(SICI\)1097-0215\(19990812\)82:4<520::AID-IJC9>3.0.CO;2-7](https://doi.org/10.1002/(SICI)1097-0215(19990812)82:4<520::AID-IJC9>3.0.CO;2-7) [PMID:10404065](https://pubmed.ncbi.nlm.nih.gov/10404065/)
- Pellicano R, Mazzaferro V, Grigioni WF *et al.* (2004). Helicobacter species sequences in liver samples from patients with and without hepatocellular carcinoma. *World J Gastroenterol*, 10:598–601. [PMID:14966925](https://pubmed.ncbi.nlm.nih.gov/14966925/)
- Penman ID, el-Omar E, Ardill JE *et al.* (1994). Plasma gastrin concentrations are normal in patients with colorectal neoplasia and unaltered following tumor resection. *Gastroenterology*, 106:1263–1270. [PMID:8174887](https://pubmed.ncbi.nlm.nih.gov/8174887/)
- Philippou N, Koursarakos P, Anastasakou E *et al.* (2004). Helicobacter pylori seroprevalence in patients with lung cancer. *World J Gastroenterol*, 10:3342–3344. [PMID:15484314](https://pubmed.ncbi.nlm.nih.gov/15484314/)
- Pinotti G, Zucca E, Roggero E *et al.* (1997). Clinical features, treatment and outcome in a series of 93 patients with low-grade gastric MALT lymphoma. *Leuk Lymphoma*, 26:527–537. [PMID:9389360](https://pubmed.ncbi.nlm.nih.gov/9389360/)
- Raderer M, Wrba F, Kornek G *et al.* (1998). Association between Helicobacter pylori infection and pancreatic cancer. *Oncology*, 55:16–19. [doi:10.1159/000011830](https://doi.org/10.1159/000011830) [PMID:9428370](https://pubmed.ncbi.nlm.nih.gov/9428370/)
- Rocha M, Avenaud P, Ménard A *et al.* (2005). Association of Helicobacter species with hepatitis C cirrhosis with or without hepatocellular carcinoma. *Gut*, 54:396–401. [doi:10.1136/gut.2004.042168](https://doi.org/10.1136/gut.2004.042168) [PMID:15710989](https://pubmed.ncbi.nlm.nih.gov/15710989/)
- Roe IH, Kim JT, Lee HS, Lee JH (1999). Detection of Helicobacter DNA in bile from bile duct diseases. *J Korean Med Sci*, 14:182–186. [PMID:10331565](https://pubmed.ncbi.nlm.nih.gov/10331565/)
- Rokkas T, Pistiolas D, Sechopoulos P *et al.* (2007). Relationship between Helicobacter pylori infection and esophageal neoplasia: a meta-analysis. *Clin Gastroenterol Hepatol*, 5:1413–1417, 1417, e1–e2.
- Rubin JS, Benjamin E, Prior A, Lavy J (2003). The prevalence of Helicobacter pylori infection in malignant and premalignant conditions of the head and neck. *J Laryngol Otol*, 117:118–121. [doi:10.1258/002221503762624558](https://doi.org/10.1258/002221503762624558) [PMID:12625884](https://pubmed.ncbi.nlm.nih.gov/12625884/)
- Sasazuki S, Inoue M, Iwasaki M *et al.*; Japan Public Health Center Study Group (2006). Effect of Helicobacter pylori infection combined with CagA and pepsinogen status on gastric cancer development among Japanese men and women: a nested case-control study. *Cancer Epidemiol Biomarkers Prev*, 15:1341–1347. [doi:10.1158/1055-9965.EPI-05-0901](https://doi.org/10.1158/1055-9965.EPI-05-0901) [PMID:16835334](https://pubmed.ncbi.nlm.nih.gov/16835334/)
- Savio A, Zamboni G, Capelli P *et al.* (2000). Relapse of low-grade gastric MALT lymphoma after Helicobacter pylori eradication: true relapse or persistence? Long-term post-treatment follow-up of a multicenter trial in the north-east of Italy and evaluation of the diagnostic protocol's adequacy. *Recent Results Cancer Res*, 156:116–124. [PMID:10802871](https://pubmed.ncbi.nlm.nih.gov/10802871/)
- Shin A, Shin HR, Kang D *et al.* (2005). A nested case-control study of the association of Helicobacter pylori infection with gastric adenocarcinoma in Korea. *Br J Cancer*, 92:1273–1275. [doi:10.1038/sj.bjc.6602467](https://doi.org/10.1038/sj.bjc.6602467) [PMID:15756269](https://pubmed.ncbi.nlm.nih.gov/15756269/)
- Shmueli H, Passaro D, Figer A *et al.* (2001). Relationship between Helicobacter pylori CagA status and colorectal cancer. *Am J Gastroenterol*, 96:3406–3410. [doi:10.1111/j.1572-0241.2001.05342.x](https://doi.org/10.1111/j.1572-0241.2001.05342.x) [PMID:11774957](https://pubmed.ncbi.nlm.nih.gov/11774957/)
- Siddheshwar RK, Muhammad KB, Gray JC, Kelly SB (2001). Seroprevalence of Helicobacter pylori in patients with colorectal polyps and colorectal carcinoma. *Am J Gastroenterol*, 96:84–88. [doi:10.1111/j.1572-0241.2001.03355.x](https://doi.org/10.1111/j.1572-0241.2001.03355.x) [PMID:11197293](https://pubmed.ncbi.nlm.nih.gov/11197293/)
- Simán JH, Engstrand L, Berglund G *et al.* (2007). Helicobacter pylori and CagA seropositivity and its association with gastric and oesophageal carcinoma. *Scand J Gastroenterol*, 42:933–940. [doi:10.1080/00365520601173863](https://doi.org/10.1080/00365520601173863) [PMID:17613922](https://pubmed.ncbi.nlm.nih.gov/17613922/)
- Simán JH, Forsgren A, Berglund G, Florén CH (1997). Association between Helicobacter pylori and gastric carcinoma in the city of Malmö, Sweden. A prospective study. *Scand J Gastroenterol*, 32:1215–1221. [doi:10.3109/00365529709028150](https://doi.org/10.3109/00365529709028150) [PMID:9438319](https://pubmed.ncbi.nlm.nih.gov/9438319/)
- Stathis A, Chini C, Bertoni F *et al.* (2009). Long-term outcome following Helicobacter pylori eradication in a retrospective study of 105 patients with localized gastric marginal zone B-cell lymphoma of MALT type. *Ann Oncol*, 20:1086–1093. [doi:10.1093/annonc/mdn760](https://doi.org/10.1093/annonc/mdn760) [PMID:19193705](https://pubmed.ncbi.nlm.nih.gov/19193705/)

- Stolte M, Eidt S, Bayerdörffer E *et al.* (1994) *H. Pylori*-associated gastric lymphoma. In: Hunt RH, Tytgat GNJ (eds) *Helicobacter Pylori. Basic Mechanisms to Clinical Cure*. Dordrecht: Kluwer, 498-503.
- Stolzenberg-Solomon RZ, Blaser MJ, Limburg PJ *et al.*; ATBC Study (2001). Helicobacter pylori seropositivity as a risk factor for pancreatic cancer. *J Natl Cancer Inst*, 93:937–941.[doi:10.1093/jnci/93.12.937](https://doi.org/10.1093/jnci/93.12.937) PMID:11416115
- Terai S, Iijima K, Kato K *et al.* (2008). Long-term outcomes of gastric mucosa-associated lymphoid tissue lymphomas after Helicobacter pylori eradication therapy. *Tohoku J Exp Med*, 214:79–87.[doi:10.1620/tjem.214.79](https://doi.org/10.1620/tjem.214.79) PMID:18212490
- Thorburn CM, Friedman GD, Dickinson CJ *et al.* (1998). Gastrin and colorectal cancer: a prospective study. *Gastroenterology*, 115:275–280.[doi:10.1016/S0016-5085\(98\)70193-3](https://doi.org/10.1016/S0016-5085(98)70193-3) PMID:9679032
- Uemura N, Okamoto S, Yamamoto S *et al.* (2001). Helicobacter pylori infection and the development of gastric cancer. *N Engl J Med*, 345:784–789.[doi:10.1056/NEJMoa001999](https://doi.org/10.1056/NEJMoa001999) PMID:11556297
- Verhoef C, Pot RG, de Man RA *et al.* (2003). Detection of identical Helicobacter DNA in the stomach and in the non-cirrhotic liver of patients with hepatocellular carcinoma. *Eur J Gastroenterol Hepatol*, 15:1171–1174.[doi:10.1097/00042737-200311000-00004](https://doi.org/10.1097/00042737-200311000-00004) PMID:14560149
- Vicari JJ, Peek RM, Falk GW *et al.* (1998). The seroprevalence of cagA-positive Helicobacter pylori strains in the spectrum of gastroesophageal reflux disease. *Gastroenterology*, 115:50–57.[doi:10.1016/S0016-5085\(98\)70364-6](https://doi.org/10.1016/S0016-5085(98)70364-6) PMID:9649458
- Vieth M, Masoud B, Meining A, Stolte M (2000). Helicobacter pylori infection: protection against Barrett's mucosa and neoplasia? *Digestion*, 62:225–231.[doi:10.1159/000007820](https://doi.org/10.1159/000007820) PMID:11070405
- Vivekanandan P, Torbenson M (2008). Low frequency of Helicobacter DNA in benign and malignant liver tissues from Baltimore, United States. *Hum Pathol*, 39:213–216.[doi:10.1016/j.humpath.2007.06.003](https://doi.org/10.1016/j.humpath.2007.06.003) PMID:17949788
- Wald NJ, Law MR, Morris JK, Bagnall AM (1997). Helicobacter pylori infection and mortality from ischaemic heart disease: negative result from a large, prospective study. *BMJ*, 315:1199–1201.[PMID:9393222](https://pubmed.ncbi.nlm.nih.gov/9393222/)
- Wang KX, Wang XF, Peng JL *et al.* (2003). Detection of serum anti-Helicobacter pylori immunoglobulin G in patients with different digestive malignant tumors. *World J Gastroenterol*, 9:2501–2504. [PMID:14606084](https://pubmed.ncbi.nlm.nih.gov/14606084/)
- Watabe H, Mitsushima T, Yamaji Y *et al.* (2005). Predicting the development of gastric cancer from combining Helicobacter pylori antibodies and serum pepsinogen status: a prospective endoscopic cohort study. *Gut*, 54:764–768.[doi:10.1136/gut.2004.055400](https://doi.org/10.1136/gut.2004.055400) PMID:15888780
- Watanabe Y, Kurata JH, Mizuno S *et al.* (1997). Helicobacter pylori infection and gastric cancer. A nested case-control study in a rural area of Japan. *Dig Dis Sci*, 42:1383–1387.[doi:10.1023/A:1018833819860](https://doi.org/10.1023/A:1018833819860) PMID:9246033
- Webb PM, Yu MC, Forman D *et al.* (1996). An apparent lack of association between Helicobacter pylori infection and risk of gastric cancer in China. *Int J Cancer*, 67:603–607.[doi:10.1002/\(SICI\)1097-0215\(19960904\)67:5<603::AID-IJC2>3.0.CO;2-Y](https://doi.org/10.1002/(SICI)1097-0215(19960904)67:5<603::AID-IJC2>3.0.CO;2-Y) PMID:8782645
- Weston AP, Badr AS, Topalovski M *et al.* (2000). Prospective evaluation of the prevalence of gastric Helicobacter pylori infection in patients with GERD, Barrett's esophagus, Barrett's dysplasia, and Barrett's adenocarcinoma. *Am J Gastroenterol*, 95:387–394.[doi:10.1111/j.1572-0241.2000.01758.x](https://doi.org/10.1111/j.1572-0241.2000.01758.x) PMID:10685740
- Wotherspoon AC, Doglioni C, Diss TC *et al.* (1993). Regression of primary low-grade B-cell gastric lymphoma of mucosa-associated lymphoid tissue type after eradication of Helicobacter pylori. *Lancet*, 342:575–577.[doi:10.1016/0140-6736\(93\)91409-F](https://doi.org/10.1016/0140-6736(93)91409-F) PMID:8102719
- Wu AH, Crabtree JE, Bernstein L *et al.* (2003). Role of Helicobacter pylori CagA+ strains and risk of adenocarcinoma of the stomach and esophagus. *Int J Cancer*, 103:815–821.[doi:10.1002/ijc.10887](https://doi.org/10.1002/ijc.10887) PMID:12516104
- Wu DC, Wu IC, Lee JM *et al.* (2005). Helicobacter pylori infection: a protective factor for esophageal squamous cell carcinoma in a Taiwanese population. *Am J Gastroenterol*, 100:588–593.[doi:10.1111/j.1572-0241.2005.40623.x](https://doi.org/10.1111/j.1572-0241.2005.40623.x) PMID:15743356
- Wündisch T, Thiede C, Morgner A *et al.* (2005). Long-term follow-up of gastric MALT lymphoma after Helicobacter pylori eradication. *J Clin Oncol*, 23:8018–8024.[doi:10.1200/JCO.2005.02.3903](https://doi.org/10.1200/JCO.2005.02.3903) PMID:16204012
- Xuan SY, Li N, Qiang X *et al.* (2006). Helicobacter infection in hepatocellular carcinoma tissue. *World J Gastroenterol*, 12:2335–2340. [PMID:16688821](https://pubmed.ncbi.nlm.nih.gov/16688821/)

- Xuan SY, Xin YN, Chen AJ *et al.* (2008). Association between the presence of H pylori in the liver and hepatocellular carcinoma: a meta-analysis. *World J Gastroenterol*, 14:307–312.[doi:10.3748/wjg.14.307](https://doi.org/10.3748/wjg.14.307) PMID:18186573
- Yamagata H, Kiyohara Y, Aoyagi K *et al.* (2000). Impact of Helicobacter pylori infection on gastric cancer incidence in a general Japanese population: the Hisayama study. *Arch Intern Med*, 160:1962–1968.[doi:10.1001/archinte.160.13.1962](https://doi.org/10.1001/archinte.160.13.1962) PMID:10888970
- Yanaoka K, Oka M, Yoshimura N *et al.* (2008). Risk of gastric cancer in asymptomatic, middle-aged Japanese subjects based on serum pepsinogen and Helicobacter pylori antibody levels. *Int J Cancer*, 123:917–926.[doi:10.1002/ijc.23571](https://doi.org/10.1002/ijc.23571) PMID:18508314
- Ye W, Held M, Lagergren J *et al.* (2004). Helicobacter pylori infection and gastric atrophy: risk of adenocarcinoma and squamous-cell carcinoma of the esophagus and adenocarcinoma of the gastric cardia. *J Natl Cancer Inst*, 96:388–396.[doi:10.1093/jnci/djh057](https://doi.org/10.1093/jnci/djh057) PMID:14996860
- You WC, Zhang L, Gail MH *et al.* (2000). Gastric dysplasia and gastric cancer: Helicobacter pylori, serum vitamin C, and other risk factors. *J Natl Cancer Inst*, 92:1607–1612.[doi:10.1093/jnci/92.19.1607](https://doi.org/10.1093/jnci/92.19.1607) PMID:11018097
- Yuan JM, Yu MC, Xu WW *et al.* (1999). Helicobacter pylori infection and risk of gastric cancer in Shanghai, China: updated results based upon a locally developed and validated assay and further follow-up of the cohort. *Cancer Epidemiol Biomarkers Prev*, 8:621–624. PMID:10428200
- Zhang SQ, Bao Y, Zu MH (2004). The correlation between Helicobacter infection and hepatocellular carcinoma. *Zhong guo Zhongliu Linchuang*, 31, 761–764
- Zhuo X, Zhang Y, Wang Y *et al.* (2008). Helicobacter pylori infection and oesophageal cancer risk: association studies via evidence-based meta-analyses. *Clin Oncol (R Coll Radiol)*, 20:757–762. PMID:18793831
- Zumkeller N, Brenner H, Chang-Claude J *et al.* (2007). Helicobacter pylori infection, interleukin-1 gene polymorphisms and the risk of colorectal cancer: evidence from a case-control study in Germany. *Eur J Cancer*, 43:1283–1289.[doi:10.1016/j.ejca.2007.03.005](https://doi.org/10.1016/j.ejca.2007.03.005) PMID:17446060
- Zumkeller N, Brenner H, Zwahlen M, Rothenbacher D (2006). Helicobacter pylori infection and colorectal cancer risk: a meta-analysis. *Helicobacter*, 11:75–80.[doi:10.1111/j.1523-5378.2006.00381.x](https://doi.org/10.1111/j.1523-5378.2006.00381.x) PMID:16579836