

## ***Ortho-Toluidine***

### **References to Supplementary Web Tables, Section 2**

- Carreón T, Hein MJ, Viet SM et al. (2010). Increased bladder cancer risk among workers exposed to o-toluidine and aniline: a reanalysis. *Occup Environ Med*, 67:348–350. [doi:10.1136/oem.2009.051136](https://doi.org/10.1136/oem.2009.051136) PMID:19884651
- Case RAM, Pearson JT (1954). Tumours of the urinary bladder in workmen engaged in the manufacture and use of certain dyestuff intermediates in the British chemical industry. II. Further consideration of the role of aniline and of the manufacture of auramine and magenta (fuchsine) as possible causative agents. *Br J Ind Med*, 11:213–216. PMID:13182161
- Ott MG, Langner RR (1983). A mortality survey of men engaged in the manufacture of organic dyes. *Journal of Occupational Medicine*, 25:763–768 [doi:10.1097/00043764-198310000-00018](https://doi.org/10.1097/00043764-198310000-00018). PMID:6631562
- Rubino GF, Scansetti G, Piolatto G, Pira E (1982). The carcinogenic effect of aromatic amines: an epidemiological study on the role of o-toluidine and 4,4'-methylene bis (2-methylaniline) in inducing bladder cancer in man. *Environmental Research*, 27:241–254 [doi:10.1016/0013-9351\(82\)90079-2](https://doi.org/10.1016/0013-9351(82)90079-2). PMID:7084156
- Sorahan T (2008). Bladder cancer risks in workers manufacturing chemicals for the rubber industry. *Occup Med (Lond)*, 58:496–501.[doi:10.1093/occmed/kqn104](https://doi.org/10.1093/occmed/kqn104) PMID:18725381
- Sorahan T, Hamilton L, Jackson JR (2000). A further cohort study of workers employed at a factory manufacturing chemicals for the rubber industry, with special reference to the chemicals 2-mercaptobenzothiazole (MBT), aniline, phenyl-beta-naphthylamine and o-toluidine. *Occupational and Environmental Medicine*, 57:106–115 [doi:10.1136/oem.57.2.106](https://doi.org/10.1136/oem.57.2.106). PMID:10711278
- Stasik MJ (1988). Carcinomas of the urinary bladder in a 4-chloro-o-toluidine cohort. *International Archives of Occupational and Environmental Health*, 60:21–24 [doi:10.1007/BF00409374](https://doi.org/10.1007/BF00409374). PMID:3350600
- Ward E, Carpenter A, Markowitz S et al. (1991). Excess number of bladder cancers in workers exposed to ortho-toluidine and aniline. *Journal of the National Cancer Institute*, 83:501–506 [doi:10.1093/jnci/83.7.501](https://doi.org/10.1093/jnci/83.7.501). PMID:2005633