

7. References

- Abdel-Rahman, S.Z., Ammenheuser, M.M. & Ward, J.B., Jr (2001) Human sensitivity to 1,3-butadiene: Role of microsomal epoxide hydrolase polymorphisms. *Carcinogenesis*, **22**, 415–423
- Abdel-Rahman, S.Z., El-Zein, R.A., Ammenheuser, M.M., Yang, Z., Stock, T.H., Morandi, M. & Ward, J.B., Jr (2003) Variability in human sensitivity to 1,3-butadiene: Influence of the allelic variants of the microsomal epoxide hydrolase gene. *Environ. mol. Mutag.*, **41**, 140–146
- ACGIH (2001) *1,3-Butadiene. CD ROM*, Cincinnati, OH, American Conference of Government Industrial Hygienists
- ACGIH® Worldwide (2005) *Documentation of the TLVs® and BEIs® with Other Worldwide Occupational Exposure Values — 2005 CD-ROM*, Cincinnati, OH, American Conference of Government Industrial Hygienists
- Adler, I.-D., Cao, J., Filser, J.G., Gassner, P., Kessler, W., Kliesch, U., Neuhäuser-Klaus, A. & Nüsse, M. (1994) Mutagenicity of 1,3-butadiene inhalation in somatic and germinal cells of mice. *Mutat. Res.*, **309**, 307–314
- Adler, I.-D., Filser, J.G., Gassner, P., Kessler, W., Schöneich, J. & Schriever-Schwemmer, G. (1995) Heritable translocations induced by inhalation exposure of male mice to 1,3-butadiene. *Mutat. Res.*, **347**, 121–127
- Adler, I.D., Filser, J., Gonda, H., & Schriever-Schwemmer, G. (1998) Dose–response study for 1,3-butadiene-induced dominant lethal mutations and heritable translocations in germs cells of male mice. *Mutat. Res.*, **397**, 85–92
- AEA Energy & Environment (2002) [<http://www.airquality.co.uk/archive/standards.php>; accessed 09.01.2008]
- Agency for Toxic Substances and Disease Registry (1992) *Toxicological Profile for 1,3-Butadiene* (Report No. TR-91/07), Atlanta, GA

- Albertini, R.J., Sram, R.J., Vacek, P.M., Lynch, J., Wright, M., Nicklas, J.A., Boogaard, P.J., Henderson, R.F., Swenberg, J.A., Bates, A.D. & Ward, J.B., Jr (2001) Biomarkers for assessing occupational exposures to 1,3-butadiene. *Chem.-biol. Interact.*, **135–136**, 429–453
- Albertini, R.J., Sram, R.J., Vacek, P.M., Lynch, J., Nicklas, J.A., van Sittert, N.J., Boogaard, P.J., Henderson, R.F., Swenberg, J.A., Bates, A.D., Ward, J.B., Jr, Wright, M., Ammenheuser, M.M., Binkova, B., Blackwell, W., de Zwart, F.A., Krako, D., Krone, J., Megens, H., Musilova, P., Rajska, G., Ranasinghe, A., Rosenblatt, J.I., Rossner, P., Rubes, J., Sullivan, L., Upton, P. & Zwinderman, A.H. (2003) Biomarkers in Czech workers exposed to 1,3-butadiene: A transitional epidemiologic study. *Res. Rep. Health Eff. Inst.*, **116**, 1–141
- Albertini, R.J., Sram, R.J., Vacek, P.M., Lynch, J., Rossner, P., Nicklas, J.A., McDonald, J.D., Boysen, G., Georgieva, N. & Swenberg, J.A. (2007) Molecular epidemiological studies in 1,3-butadiene exposed Czech workers: Female–male comparisons. *Chem.-biol. Interact.*, **166**, 63–77
- Ammenheuser, M.M., Bechtold, W.E., Abdel-Rahman, S.Z., Rosenblatt, J.I., Hastings-Smith, D.A. & Ward, J.B., Jr (2001) Assessment of 1,3-butadiene exposure in polymer production workers using HPRT mutations in lymphocytes as a biomarker. *Environ. Health Perspect.*, **110**, 1249–1255
- Anderson, D., Edwards, A.J. & Brinkworth, M.H. (1993) Male-mediated F₁ effects in mice exposed to 1,3-butadiene. In: Sorsa, M., Peltonen, K., Vainio, H. & Hemminki, K., eds *Butadiene and Styrene: Assessment of Health Hazards* (IARC Scientific Publications No. 127), Lyon, IARC, pp. 171–181
- Anderson, D., Dobrzynka, M.M., Jackson, L.I., Yu, T.W. & Brinkworth, M.H. (1997) Somatic and germ cell effects in rats and mice after treatment with 1,3-butadiene and its metabolites, 1,2-epoxybutene and 1,2,3,4-diepoxybutane. *Mutat. Res.*, **391**, 233–242
- Anderson, D., Hughes, J.A., Edwards, A.J. & Brinkworth, M.H. (1998) A comparison of male-mediated effects in rats and mice exposed to 1,3-butadiene. *Mutat. Res.*, **397**, 77–84
- Antsyovich, S., Quirk-Dorr, D., Pitts, C. & Tretyakova, N. (2007) Site specific N⁶-(2-hydroxy-3,4-epoxybut-1-yl)adenine oligodeoxynucleotide adducts of 1,2,3,4-diepoxybutane: Synthesis and stability at physiological pH. *Chem. Res. Toxicol.*, **20**, 641–649
- Antinen-Klemetti, T., Vaaranrinta, R., Mutanen, P. & Peltonen, K. (2004) Personal exposure to 1,3-butadiene in a petrochemical plant, assessed by use of diffusive samplers. *Int. Arch. occup. environ. Health*, **77**, 288–292
- Antinen-Klemetti, T., Vaaranrinta, R., Mutanen, P. & Peltonen, K. (2006) Inhalation exposure to 1,3-butadiene and styrene in styrene–butadiene copolymer production. *Int. J. Hyg. environ. Health*, **209**, 151–158
- Araki, A., Noguchi, T., Kato, F. & Matsushima, T. (1994) Improved method for mutagenicity testing of gaseous compounds by using a gas sampling bag. *Mutat. Res.*, **307**, 335–344
- ASTM (2004) *ASTM D2593-93. Standard Test Method for Butadiene Purity and Hydrocarbon Impurities by Gas Chromatography*, West Conshohocken, PA, American Society for Testing and Materials
- Austin, C.C., Wang, D., Ecobihon, D.J. & Dussault, G. (2001) Characterization of volatile organic compounds in smoke at municipal structural fires. *J. Toxicol. environ. Health*, **63**, 437–458
- Autio, K., Renzi, L., Catalan, J., Albrecht, O.E. & Sorsa, M. (1994) Induction of micronuclei in peripheral blood and bone marrow erythrocytes of rats and mice exposed to 1,3-butadiene by inhalation. *Mutat. Res.*, **309**, 315–320

- Belanger, P.L. & Elesh, E. (1980) *Health Hazard Evaluation Determination, Bell Helmets Inc., Norwalk, CA* (Report No. 79-36-646), Cincinnati, OH, National Institute for Occupational Safety and Health
- Bevan, C., Keller, D.A., Panepinto, A.S. & Bentley, K.S. (2001) Effect of 4-vinylcyclohexene on micronucleus formation in the bone marrow of rats and mice. *Drug chem. Toxicol.*, **24**, 273–285
- Bianchi, A., Boyle, B., Harrison, P., Lawrie, P., Le Lendu, T., Rocchi, P., Taalman, R. & Wieder, W. (1997) *A Review of Analytical Methods and their Significance to Subsequent Occupational Exposure Data Evaluation for 1,3-Butadiene* (Analytical Working Report), Brussels, European Chemical Industry Council
- Blair, I.A., Oe, T., Kambouris, S. & Chaudhary, A.K. (2000) 1,3-Butadiene: Cancer, mutations, and adducts. Part IV: Molecular dosimetry of 1,3-butadiene. *Res. Rep. Health Eff. Inst.*, **92**, 151–190
- Bolt, H.M. & Jelitto, B. (1996) Biological formation of the 1,3-butadiene DNA adducts 7-*N*-(2-hydroxy-3-buten-1-yl)guanine, 7-*N*-(1-hydroxy-3-buten-2-yl)guanine and 7-*N*-(2,3,4-trihydroxybutyl)guanine. *Toxicology*, **113**, 328–330
- Bolt, H.M., Roos, P.H. & Thier, R. (2003) The cytochrome P-450 isoenzyme CYP2E1 in the biological processing of industrial chemicals: Consequences for occupational and environmental medicine. *Int. Arch. occup. environ. Health*, **76**, 174–185
- Bond, G.G., Bodner, K.M., Olsen, G.W. & Cook, R.R. (1992) Mortality among workers engaged in the development or manufacture of styrene-based products — An update. *Scand. J. Work Environ. Health*, **18**, 145–54
- Boogaard, P.J. (2002) Use of haemoglobin adducts in exposure monitoring and risk assessment. *J. Chromatogr. B anal. Technol. biomed. Life Sci.*, **778**, 309–322
- Boogaard, P.J., van Sittert, N.J. & Megens, H.J.J.J. (2001a) Urinary metabolites and haemoglobin adducts as biomarkers of exposure to 1,3-butadiene: A basis for 1,3-butadiene cancer risk assessment. *Chem.-biol. Interact.*, **135–136**, 695–701
- Boogaard, P.J., van Sittert, N.J., Watson, W.P. & de Kloe, K.P. (2001b) A novel DNA adduct, originating from 1,2-epoxy-3,4-butanediol, is the major DNA adduct after exposure to [2,3-¹⁴C]-1,3-butadiene, but not after exposure to [4-¹⁴C]-1,2-epoxy-3-butene. *Chem.-biol. Interact.*, **135–136**, 687–693
- Boogaard, P.J., de Kloe, K.P., Booth, E.D., & Watson, W.P. (2004) DNA adducts in rats and mice following exposure to [4-¹⁴C]-1,2-epoxy-3-butene and to [2,3-¹⁴C]-1,3-butadiene. *Chem.-biol. Interact.*, **148**, 69–92
- Booth, E.D., Kilgour, J.D. & Watson, W.P. (2004a) Dose responses for the formation of hemoglobin adducts and urinary metabolites in rats and mice exposed by inhalation to low concentrations of 1,3-[2,3-¹⁴C]-butadiene. *Chem.-biol. Interact.*, **147**, 213–232
- Booth, E.D., Kilgour, J.D., Robinson, S.A. & Watson, W.P. (2004b) Dose responses for DNA adduct formation in tissues of rats and mice exposed by inhalation to low concentrations of 1,3-(2,3-[¹⁴C])-butadiene. *Chem.-biol. Interact.*, **147**, 195–211
- Boysen, G., Georgieva, N.I., Upton, P.B., Jayaraj, K., Li, Y., Walker, V.E. & Swenberg, J.A. (2004) Analysis of diepoxide-specific cyclic N-terminal globin adducts in mice and rats after inhalation exposure to 1,3-butadiene. *Cancer Res.*, **64**, 8517–8520

- Boysen, G., Georgieva, N.I., Upton, P.B., Walker, V.E. & Swenberg, J.A. (2007) N-Terminal globin adducts as biomarkers for formation of butadiene derived epoxides. *Chem.-biol. Interact.*, **166**, 84–92
- Brinkworth, M.H., Anderson, D., Hughes, J.A., Jackson, L.I., Yu, T.W. & Nieschlag, E. (1998) Genetic effects of 1,3-butadiene on the mouse testis. *Mutat. Res.*, **397**, 67–75
- Brochot, C., Smith, T.J. & Bois, F.Y. (2007) Development of a physiologically based toxicokinetic model for butadiene and four major metabolites in humans: Global sensitivity analysis for experimental design issues. *Chem.-biol. Interact.*, **167**, 168–183
- Bucher, J.R., Melnick, R.L. & Hildebrandt, P.K. (1993) Lack of carcinogenicity in mice exposed once to high concentrations of 1,3-butadiene. *J. natl Cancer Inst.*, **85**, 1866–1867
- Burroughs, G.E. (1977) *Health Hazard Evaluation Determination, Firestone Synthetic Rubber Company, Akron, OH* (Report No. 77-1-426), Cincinnati, OH, National Institute for Occupational Safety and Health
- Burroughs, G.E. (1979) *Health Hazard Evaluation Determination, Piper Aircraft Corporation, Vero Beach, FL* (Report No. 78-110-585), Cincinnati, OH, National Institute for Occupational Safety and Health
- Carmical, J.R., Zhang, M., Nechev, L., Harris, C.M., Harris, T.M. & Lloyd, R.S. (2000a) Mutagenic potential of guanine N² adducts of butadiene mono- and diepoxide. *Chem. Res. Toxicol.*, **13**, 18–25
- Carmical, J.R., Nechev, L.V., Harris, C.M., Harris, T.M. & Lloyd, R.S. (2000b) Mutagenic potential of adenine N⁶ adducts of monoepoxide and diepoxide derivatives of butadiene. *Environ. mol. Mutag.*, **35**, 48–56
- Carmical, J.R., Kowalczyk, A., Zou, Y., Van Houten, B., Nechev, L.V., Harris, C.M., Harris, T.M. & Lloyd, R.S. (2000c) Butadiene-induced intrastrand DNA cross-links: A possible role in deletion mutagenesis. *J. biol. Chem.*, **275**, 19482–19489
- Catalo, W.J., Kennedy, C.H., Henk, W., Barker, S.A., Grace, S.C. & Penn, A. (2001) Combustion products of 1,3-butadiene are cytotoxic and genotoxic to human bronchial epithelial cells. *Environ. Health Perspect.*, **109**, 965–971
- Chan, C.C., Shie, R.H., Chang, T.Y. & Tsai, D.H. (2006) Workers' exposures and potential health risks to air toxics in a petrochemical complex assessed by improved methodology. *Int. Arch. occup. environ. Health*, **79**, 135–142
- Checkoway, H. & Williams, T.M. (1982) A hematology survey of workers at a styrene-butadiene synthetic rubber manufacturing plant. *Am. ind. Hyg. Assoc. J.*, **43**, 164–169
- Cheng, H., Sathiakumar, N., Graff, J., Matthews, R. & Delzell, E. (2007) 1,3-Butadiene and leukemia among synthetic rubber industry workers: Exposure-response relationships. *Chem.-biol. Interact.*, **166**, 15–24
- CMAI (Chemical Marketing Associates International) (2004) Product focus. Butadiene. *Chem. Week*, **February 11**, 26
- CMAI (Chemical Marketing Associates International) (2006) Product focus. Butadiene. *Chem. Week*, **February 8**, 26
- Cochrane, J.E. & Skopek, T.R. (1993) Mutagenicity of 1,3-butadiene and its epoxide metabolite in human TK6 cells and in splenic T cells isolated from exposed B6C3F1 mice. In: Sorsa, M., Peltonen, K., Vainio, H. & Hemminki, K., eds, *Butadiene and Styrene: Assessment of Health Hazards* (IARC Scientific Publications No. 127), Lyon, IARC, pp. 195–204

- Cochrane, J.E. & Skopek, T.R. (1994) Mutagenicity of butadiene and its epoxide metabolites: II. Mutational spectra of butadiene, 1,2-epoxybutene and diepoxybutane at the *hprt* locus in splenic T cells from exposed B6C3F1 mice. *Carcinogenesis*, **15**, 719–723
- CONCAWE (1987) *A Survey of Exposures to Gasoline Vapour* (Report No. 4/87), The Hague, Conservation of Clean Air and Water in Europe
- Cowles, S.R., Tsai, S.P., Snyder, P.J. & Ross, C.E. (1994) Mortality, morbidity, and haematological results from a cohort of long-term workers involved in 1,3-butadiene monomer production. *Occup. environ. Med.*, **51**, 323–329
- Csanady, G.A., Guengerich, F.P. & Bond, J.A. (1992) Comparison of the biotransformation of 1,3-butadiene and its metabolite, butadiene monoepoxide, by hepatic and pulmonary tissues from humans, rats and mice. *Carcinogenesis*, **13**, 1143–1153
- Cunningham, M.J., Choy, W.N., Arce, G.T., Rickard, L.B., Vlachos, D.A., Kinney, L.A. & Sarraf, A.M. (1986) In vivo sister chromatid exchange and micronucleus induction studies with 1,3-butadiene in B6C3F1 mice and Sprague-Dawley rats. *Mutagenesis*, **1**, 449–452
- Dahl, A.R. & Henderson, R.F. (2000) Comparative metabolism of low concentrations of butadiene and its monoepoxide in human and monkey hepatic microsomes. *Inhal. Toxicol.*, **12**, 439–451
- Delzell, E., Sathiakumar, N., Hovinga, M., Macaluso, M., Julian, J., Larson, R., Cole, P. & Muir, D.C. (1996) A follow-up study of synthetic rubber workers. *Toxicology*, **113**, 182–189
- Delzell, E., Macaluso, M., Sathiakumar, N. & Matthews, R. (2001) Leukemia and exposure to 1,3-butadiene, styrene and dimethyldithiocarbamate among workers in the synthetic rubber industry. *Chem.-biol. Interact.*, **135–136**, 515–534
- Delzell, E., Sathiakumar, N., Graff, J., Macaluso, M., Maldonado, G. & Matthew, R. (2006) *An Updated Study of Mortality among North American Synthetic Rubber Industry Workers*, Boston, MA, Health Effects Institute
- Divine, B.J. (1990) An update on mortality among workers at a 1,3-butadiene facility — Preliminary results. *Environ. Health Perspect.*, **86**, 119–128
- Divine, B.J. & Hartman, C.M. (1996) Mortality update of butadiene production workers. *Toxicology*, **113**, 169–181
- Divine, B.J. & Hartman, C.M. (2001) A cohort mortality study among workers at a 1,3-butadiene facility. *Chem.-biol. Interact.*, **135–136**, 535–553
- Divine, B.J., Wendt, J.K. & Hartman, C.M. (1993) Cancer mortality among workers at a butadiene production facility. In: Sorsa, M., Peltonen, K., Vainio, H. & Hemminki, K., eds, *Butadiene and Styrene: Assessment of Health Hazards* (IARC Scientific Publications No. 127), Lyon, IARC, pp. 345–362
- Dollard, G.J., Dore, C.J. & Jenkin, M.E. (2001) Ambient concentrations of 1,3-butadiene in the UK. *Chem.-biol. Interact.*, **135–136**, 177–206
- Downs, T.D., Crane, M.M. & Kim, K.W. (1987) Mortality among workers at a butadiene facility. *Am. J. ind. Med.*, **12**, 311–329
- Dubbeld, H. (1998) *Follow-up Study on a Model for Control of Health Hazards Resulting from Exposure to Toxic Substances* (Internal Report 1998-298), Wageningen, Wageningen Agricultural University, Environmental and Occupational Health Group
- Duescher, R.J. & Elfarrar, A.A. (1994) Human liver microsomes are efficient catalysts of 1,3-butadiene oxidation: Evidence for major roles by cytochromes P450 2A6 and 2E1. *Arch. Biochem. Biophys.*, **311**, 342–349

- ECETOC (1997) *1,3-Butadiene OEL Criteria Document* (Special Report No. 12), Brussels, European Centre of Ecotoxicology and Toxicology of Chemicals
- Elfarrar, A.A., Sharer, J.E. & Duescher, R.J. (1995) Synthesis and characterization of *N*-acetyl-L-cysteine *S*-conjugates of butadiene monoxide and their detection and quantitation in urine of rats and mice given butadiene monoxide. *Chem. Res. Toxicol.*, **8**, 68–76
- Elfarrar, A.A., Moll, T.S., Krause, R.J., Kemper, R.A. & Selzer, R.R. (2001) Reactive metabolites of 1,3-butadiene: DNA and hemoglobin adduct formation and potential roles in carcinogenicity. *Adv. exp. Med. Biol.*, **500**, 93–103
- Eller, P.M., ed. (1994) *NIOSH Manual of Analytical Methods* (DHHS (NIOSH) Publ. No. 94-113), 4th Ed., Cincinnati, OH, National Institute for Occupational Safety and Health [Method 1024]
- Environmental Protection Agency Toxic Chemical Release Inventory (2005) [<http://www.epa.gov>]
- Erexson, G.L. & Tindall, K.R. (2000a) Micronuclei and gene mutations in transgenic Big Blue[®] mouse and rat fibroblasts after exposure to the epoxide metabolites of 1,3-butadiene. *Mutat. Res.*, **472**, 105–117
- Erexson, G.L. & Tindall, K.R. (2000b) Reduction of diepoxybutane-induced sister chromatid exchanges by glutathione peroxidase and erythrocytes in transgenic Big Blue[®] mouse and rat fibroblasts. *Mutat. Res.*, **447**, 267–274
- Fajen, J.M. (1985a) *Industrial Hygiene Walk-through Survey Report of Texaco Company, Port Neches, TX* (Report No. 147.14), Cincinnati, OH, National Institute for Occupational Safety and Health
- Fajen, J.M. (1985b) *Industrial Hygiene Walk-through Survey Report of Mobil Chemical Company, Beaumont, TX* (Report No. 147.11), Cincinnati, OH, National Institute for Occupational Safety and Health
- Fajen, J.M. (1985c) *Industrial Hygiene Walk-through Survey Report of ARCO Chemical Company, Channelview, TX* (Report No. 147.12), Cincinnati, OH, National Institute for Occupational Safety and Health
- Fajen, J.M. (1986a) *Industrial Hygiene Walk-through Survey Report of E.I. du Pont de Nemours and Company, LaPlace, LA* (Report No. 147.31), Cincinnati, OH, National Institute for Occupational Safety and Health
- Fajen, J.M. (1986b) *Industrial Hygiene Walk-through Survey Report of the Goodyear Tire and Rubber Company, Houston, TX* (Report No. 147.34), Cincinnati, OH, National Institute for Occupational Safety and Health
- Fajen, J.M. (1988) *Extent of Exposure Study: 1,3-Butadiene Polymer Production Industry*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Fajen, J.M., Roberts, D.R., Ungers, L.J. & Krishnan, E.R. (1990) Occupational exposure of workers to 1,3-butadiene. *Environ. Health Perspect.*, **86**, 11–18
- Fernandes, P.H., Hackfeld, L.C., Kozekov, I.D., Hodge, R.P. & Lloyd, R.S. (2006) Synthesis and mutagenesis of the butadiene-derived N3 2'-deoxyuridine adducts. *Chem. Res. Toxicol.*, **19**, 968–976
- Filser, J.G., Faller, T.H., Bhowmik, S., Schuster, A., Kessler, W., Pütz, C. & Csanady, G.A. (2001) First-pass metabolism of 1,3-butadiene in once-through perfused livers of rats and mice. *Chem.-biol. Interact.*, **135–136**, 249–265
- Filser, J.G., Hutzler, C., Meischner, V., Veereshwarayya, V. & Csanady, G.A. (2007) Metabolism of 1,3-butadiene to toxicologically relevant metabolites in single-exposed mice and rats. *Chem.-biol. Interact.*, **166**, 93–193

- Food and Drug Administration (1987) 1,3-Butadiene. In: Fazio, T. & Sherma, J., eds, *Food Additives Analytical Manual*, Vol. II, *A Collection of Analytical Methods for Selected Food Additives*, Arlington, VA, Association of Official Analytical Chemists, pp. 58–68
- Foureman, P., Mason, J.M., Valencia, R. & Zimmering, S. (1994) Chemical mutagenesis testing in *Drosophila*. IX. Results of 50 coded compounds tested for the National Toxicology Program. *Environ. mol. Mutag.*, **23**, 51–63
- Fred, C., Kautiainen, A., Athanassiadis, I. & Tornqvist, M. (2004) Hemoglobin adduct levels in rat and mouse treated with 1,2:3,4-diepoxybutane. *Chem. Res. Toxicol.*, **17**, 785–794
- Fred, C., Grawe, J. & Tornqvist, M. (2005) Hemoglobin adducts and micronuclei in rodents after treatment with isoprene monoxide or butadiene monoxide. *Mutat. Res.*, **585**, 21–32
- Fustinoni, S., Soleo, L., Warholm, M., Begemann, P., Rannug, A., Neumann, H.G., Swenberg, J.A., Vimercati, L., Foa, V. & Colombi, A. (2002) Influence of metabolic genotypes on biomarkers of exposure to 1,3-butadiene in humans. *Cancer Epidemiol. Biomarkers Prev.*, **11**, 1082–1090
- Fustinoni, S., Perbellini, L., Soleo, L., Manno, M. & Foa, V. (2004) Biological monitoring in occupational exposure to low levels of 1,3-butadiene. *Toxicol. Lett.*, **149**, 353–360
- Goggin, M., Loeber, R., Park, S., Walker, V., Wickliffe, J. & Tretyakova, N. (2007) HPLC-ESI(+)-MS/MS analysis of N7-guanine–N7-guanine DNA cross-links in tissues of mice exposed to 1,3-butadiene. *Chem. Res. Toxicol.*, **20**, 839–847
- Gordon, S.M., Wallace, L.A., Brinkman, M.C., Callahan, P.J. & Kenny, D.V. (2002) Volatile organic compounds as breath biomarkers for active and passive smoking. *Environ. Health Perspect.*, **110**, 689–698
- Graff, J.J., Sathiakumar, N., Macaluso, M., Maldonado, G., Matthews, R. & Delzell, E. (2005) Chemical exposures in the synthetic rubber industry and lymphohematopoietic cancer mortality. *J. occup. environ. Med.*, **47**, 916–932
- Grasselli, J.G. & Ritchey, W.M., eds (1975) *CRC Atlas of Spectral Data and Physical Constants for Organic Compounds*, Vol. 2, Cleveland, OH, CRC Press, p. 565
- Grub, J. & Löser, E. (2005) Butadiene. In: *Ullmann's Encyclopedia of Industrial Chemistry*, 7th Ed., Weinheim, Wiley-VCH Publishers (on line)
- Gustafson, P., Barregard, L., Strandberg, B. & Sällsten, G. (2007) The impact of domestic wood burning on personal, indoor and outdoor levels of 1,3-butadiene, benzene, formaldehyde and acetaldehyde. *J. environ. Monit.*, **9**, 23–32
- Hayes, R.B., Zhang, L., Swenberg, J.A., Yin, S.N., Xi, L., Wiencke, J., Bechtold, W.E., Yao, M., Rothman, N., Haas, R., O'Neill, J.P., Wiemels, J., Dosemeci, M., Li, G. & Smith, M.T. (2001) Markers for carcinogenicity among butadiene-polymer workers in China. *Chem.-biol. Interact.*, **135–136**, 455–464
- Health and Safety Executive (1992) *Methods for the Determination of Hazardous Substances (MDHS) 53—Pumped, Molecular Sieve*, London, Her Majesty's Stationery Office
- Health Canada (1999) *Priority Substances List Assessment Report, 1-3 Butadiene*, Ottawa
- Heiden Associates (1987) *Additional Industry Profile Data for Evaluating Compliance with Three Butadiene Workplace PEL Scenarios*, Washington DC
- Henderson, R.F. (2001) Species differences in the metabolism of olefins: Implications for risk assessment. *Chem.-biol. Interact.*, **135–136**, 53–64

- Henderson, R.F., Hahn, F.F., Barr, E.B., Belinsky, S.A., Ménache, M.G. & Benson, J.M. (1999) Carcinogenicity of inhaled butadiene diepoxide in female B6C3F1 mice and Sprague-Dawley rats. *Toxicol. Sci.*, **52**, 33–44
- Henderson, R.F., Barr, E.B., Belinsky, S.A., Benson, J.M., Hahn, F.F. & Ménache, M.G. (2000) 1,3-Butadiene: Cancer, mutations, and adducts. Part I: Carcinogenicity of 1,2,3,4-diepoxybutane. *Res. Rep. Health Eff. Inst.*, **92**, 11–43
- Higashino, H., Mita, K., Yoshikado, H., Iwata, M. & Nakanishi, J. (2006) Exposure and risk assessment of 1,3-butadiene in Japan. *Chem.-biol. Interact.*, **1–3**, 52–62
- Himmelstein, M.W., Gladnick, N.L., Donner, E.M., Snyder, R.D. & Valentine, R. (2001) In vitro genotoxicity testing of (1-chloroethenyl)oxirane, a metabolite of beta-chloroprene. *Chem.-biol. Interact.*, **135–136**, 703–713
- Hong, H.H.L., Devereux, T.R., Melnick, R.L., Moomaw, C.R., Boorman, G.A. & Sills, R.C. (2000) Mutations of ras protooncogenes and p53 tumor suppressor gene in cardiac hemangiosarcomas from B6C3F1 mice exposed to 1,3-butadiene for 2 years. *Toxicol. Pathol.*, **28**, 529–534
- Huff, J.E., Melnick, R.L., Solleveld, H.A., Haseman, J.K., Powers, M. & Miller, R.A. (1985) Multiple organ carcinogenicity of 1,3-butadiene in B6C3F1 mice after 60 weeks of inhalation exposure. *Science*, **227**, 548–549
- IARC (1976) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 11, *Cadmium, Nickel, some Epoxides, Miscellaneous Industrial Chemicals and General Considerations on Volatile Anaesthetics*, Lyon, pp. 115–123
- IARC (1982) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 28, *The Rubber Industry*, Lyon
- IARC (1986) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 39, *Some Chemicals Used in Plastics and Elastomers*, Lyon, pp. 155–179
- IARC (1987a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 42, *Silica and Some Silicates*, Lyon
- IARC (1987b) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 136–137
- IARC (1989) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 45, *Occupational Exposures in Petroleum Refining; Crude Oil and Major Petroleum Fuels*, Lyon, pp. 169–174
- IARC (1992) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 54, *Occupational Exposures to Mists and Vapours from Strong Inorganic Acids; and Other Industrial Chemicals*, Lyon, pp. 237–285
- IARC (1999) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 71, *Re-evaluation of Some Organic Chemicals, Hydrazine and Hydrogen Peroxide*, Lyon, Part 1, pp. 109–225
- IARC (2004) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 83, *Tobacco Smoke and Involuntary Smoking*, Lyon
- IPCS-CEC (2000) *International Chemical Safety Card 0017*, Geneva, World Health Organization
- Irons, R.D. (1990) Studies on the mechanism of 1,3-butadiene-induced leukemogenesis: The potential role of endogenous murine leukemia virus. *Environ. Health Perspect.*, **86**, 49–55

- Irons, R.D. & Pyatt, D.W. (1998) Dithiocarbamates as potential confounders in butadiene epidemiology. *Carcinogenesis*, **19**, 539–542
- Irons, R.D., Stillman, W.S. & Cloyd, M.W. (1987a) Selective activation of endogenous ecotropic retrovirus in hematopoietic tissues of B6C3F1 mice during the preleukemic phase of 1,3-butadiene exposure. *Virology*, **161**, 457–462
- Irons, R.D., Oshimura, M. & Barrett, J.C. (1987b) Chromosome aberrations in mouse bone marrow cells following in vivo exposure to 1,3-butadiene. *Carcinogenesis*, **8**, 1711–1714
- Irons, R.D., Cathro, H.P., Stillman, W.S., Steinhagen, W.H. & Shah, R.S. (1989) Susceptibility to 1,3-butadiene-induced leukemogenesis correlates with endogenous ecotropic retroviral background in the mouse. *Toxicol. appl. Pharmacol.*, **101**, 170–176
- Irons, R.D., Pyatt, D.W., Stillman, W.S., Som, D.B., Claffey, D.J. & Ruth, J.A. (2000) Comparative toxicity of known and putative metabolites of 1, 3-butadiene in human CD34⁺ bone marrow cells. *Toxicology*, **150**, 99–106
- Irons, R.D., Stillman, W.S., Pyatt, D.W., Yang, Y., Le, A., Gustafson, D.L. & Zeng, J.H. (2001) Comparative toxicity of dithiocarbamates and butadiene metabolites in human lymphoid and bone marrow cells. *Chem.-biol. Interact.*, **135–136**, 615–625
- JACA Corp. (1987) *Draft Final Report. Preliminary Economic Analysis of the Proposed Revision to the Standard for 1,3-Butadiene: Phase II*, Fort Washington, PA
- Jackson, T.E., Lilly, P.D., Recio, L., Schlosser, P.M. & Medinsky, M.A. (2000) Inhibition of cytochrome P450 2E1 decreases, but does not eliminate, genotoxicity mediated by 1,3-butadiene. *Toxicol. Sci.*, **55**, 266–273
- Jauhar, P.P., Henika, P.R., MacGregor, J.T., Wehr, C.M., Shelby, M.D., Murphy, S.A. & Margolin, B.H. (1988) 1,3-Butadiene: Induction of micronucleated erythrocytes in the peripheral blood of B6C3F1 mice exposed by inhalation for 13 weeks. *Mutat. Res.*, **209**, 171–176
- Jelitto, B., Vangala, R.R. & Laib, R.J. (1989) Species differences in DNA damage by butadiene: Role of diepoxybutane. *Arch. Toxicol.*, **13** (Suppl.), 246–249
- Kanuri, M., Nechev, L.V., Tamura, P.J., Harris, C.M., Harris, T.M. & Lloyd, R.S. (2002) Mutagenic spectrum of butadiene-derived N1-deoxyinosine adducts and N⁶,N⁶-deoxyadenosine intrastrand cross-links in mammalian cells. *Chem. Res. Toxicol.*, **15**, 1572–1580
- Karlsson, A., Söderkvist, P. & Zhuang, S.M. (2002) Point mutations and deletions in the *znfn1a1/ikaros* gene in chemically induced murine lymphomas. *Cancer Res.*, **62**, 2650–2653
- Kauppinen, T., Toikkanen, J., Pedersen, D., Young, R., Ahrens, W., Boffetta, P., Hansen, J., Kromhout, H., Maqueda Blasco, J., Mirabelli, D., de la Orden-Rivera, V., Pannett, B., Plato, N., Savela, A., Vincent, R. & Kogevinas, M. (2000) Occupational exposure to carcinogens in the European Union. *Occup. environ. Med.*, **57**, 10–18 [data partially available on the CAREX web site: http://www.ttl.fi/NR/rdonlyres/407B368B-26EF-475D-8F2B-DA0024B853E0/0/5_exposures_by_agent_and_industry.pdf.]
- Kemper, R.A., Krause, R.J. & Elfarra, A.A. (2001) Metabolism of butadiene monoxide by freshly isolated hepatocytes from mice and rats: Different partitioning between oxidative, hydrolytic, and conjugation pathways. *Drug Metab. Dispos.*, **29**, 830–836
- Kim, Y.M., Harrad, S. & Harrison, R.M. (2001) Concentrations and sources of VOCs in urban domestic and public microenvironments. *Environ. Sci. Technol.*, **35**, 997–1004
- Kim, Y.M., Harrad, S. & Harrison, R.M. (2002) Levels and sources of personal inhalation exposure to volatile organic compounds. *Environ. Sci. Technol.*, **36**, 5405–5410

- Kim, Y., Hong, H.H., Lachat, Y., Clayton, N.P., Devereux, T.R., Melnick, R.L., Hegi, M.E., & Sills, R.C. (2005) Genetic alterations in brain tumors following 1,3-butadiene exposure in B6C3F1 mice. *Toxicol. Pathol.*, **33**, 307–312
- Kim, M.Y., Tretyakova, N., & Wogan, G.N. (2007) Mutagenesis of the supF gene by stereoisomers of 1,2,3,4-diepoxybutane. *Chem. Res. Toxicol.*, **20**, 790–797
- Kligerman, A.D., DeMarini, D.M., Doerr, C.L., Hanley, N.M., Milholland, V.S. & Tennant, A.H. (1999a) Comparison of cytogenetic effects of 3,4-epoxy-1-butene and 1,2:3,4-diepoxybutane in mouse, rat and human lymphocytes following in vitro G₀ exposures. *Mutat. Res.*, **439**, 13–23
- Kligerman, A.D., Doerr, C.L. & Tennant, A.H. (1999b) Cell cycle specificity of cytogenetic damage induced by 3,4-epoxy-1-butene. *Mutat. Res.*, **444**, 151–158
- Koc, H., Tretyakova, N.Y., Walker, V.E., Henderson, R.F. & Swenberg, J.A. (1999) Molecular dosimetry of N-7 guanine adduct formation in mice and rats exposed to 1,3-butadiene. *Chem. Res. Toxicol.*, **12**, 566–574
- Kohn, M.C. & Melnick, R.L. (1993) Species differences in the production and clearance of 1,3-butadiene metabolites: A mechanistic model indicates predominantly physiological, not biochemical, control. *Carcinogenesis*, **14**, 619–628
- Kohn, M.C. & Melnick, R.L. (2000) The privileged access model of 1,3-butadiene disposition. *Environ. Health Perspect.*, **108**, 911–917
- Kohn, M.C. & Melnick, R.L. (2001) Physiological modeling of butadiene disposition in mice and rats. *Chem.-biol. Interact.*, **135–136**, 285–301
- Koivisto, P. & Peltonen, K. (2001) N7-Guanine adducts of the epoxy metabolites of 1,3-butadiene in mice lung. *Chem.-biol. Interact.*, **135–136**, 363–372
- Koivisto, P., Adler, I.-D., Sorsa, M. & Peltonen, K. (1996) Inhalation exposure of rats and mice to 1,3-butadiene induces N6-adenine adducts of epoxybutene detected by ³²P-postlabeling and HPLC. *Environ. Health Perspect.*, **104** (Suppl. 3), 655–657
- Koivisto, P., Sorsa, M., Pacchierotti, F. & Peltonen, K. (1997) ³²P-Postlabelling/HPLC assay reveals an enantioselective adduct formation in N7 guanine residues *in vivo* after 1,3-butadiene inhalation exposure. *Carcinogenesis*, **18**, 439–443
- Koivisto, P., Adler, I.-D., Pacchierotti, F. & Peltonen, K. (1998) DNA adducts in mouse testis and lung after inhalation exposure to 1,3-butadiene. *Mutat. Res.*, **397**, 3–10
- Koivisto, P., Kilpeläinen, I., Rasanen, I., Adler, I.-D., Pacchierotti, F. & Peltonen, K. (1999) Butadiene diepoxide- and diepoxybutane-derived DNA adducts at N7-guanine: A high occurrence of diepoxide-derived adducts in mouse lung after 1,3-butadiene exposure. *Carcinogenesis*, **20**, 1253–1259
- Krause, R.J. & Elfarra, A.A. (1997) Oxidation of butadiene monoxide to *meso*- and (\pm)-diepoxybutane by cDNA-expressed human cytochrome P450s and by mouse, rat, and human liver microsomes: Evidence for preferential hydration of *meso*-diepoxybutane in rat and human liver microsomes. *Arch. Biochem. Biophys.*, **337**, 176–184
- Kreiling, R., Laib, R.J. & Bolt, H.M. (1986a) Alkylation of nuclear proteins and DNA after exposure of rats and mice to [1,4-¹⁴C]1,3-butadiene. *Toxicol. Lett.*, **30**, 131–136
- Kreiling, R., Laib, R.J., Filser, J.G. & Bolt, H.M. (1986b) Species differences in butadiene metabolism between mice and rats evaluated by inhalation pharmacokinetics. *Arch. Toxicol.*, **58**, 235–238

- Krishnan, E.R., Ungers, L.J., Morelli-Schroth, P.A. & Fajen, J.M. (1987) *Extent-of-exposure Study: 1,3-Butadiene Monomer Production Industry*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Kwekkeboom, J. (1996) [A Model for Control of Health Hazards Resulting from Exposure to Toxic Substances (Report V-415)], Wageningen, Wageningen Agricultural University, Department of Air Quality (in Dutch)
- Lee, D.H., Kim, T.H., Lee, S.Y., Kim, H.J., Rhee, S.K., Yoon, B., Pfeifer, G.P. & Lee, C.S. (2002) Mutations induced by 1,3-butadiene metabolites, butadiene diepoxide, and 1,2,3,4-diepoxybutane at the Hprt locus in CHO-K1 cells. *Mol. Cells*, **14**, 411–419
- Lemen, R.A., Meinhardt, T.J., Crandall, M.S., Fajen, J.M. & Brown, D.P. (1990) Environmental epidemiologic investigations in the styrene-butadiene rubber production industry. *Environ. Health Perspect.*, **86**, 103–106
- Lide, D.R., ed. (2005) *CRC Handbook of Chemistry and Physics*, 86th Ed., Boca Raton, FL, CRC Press, pp. 3–72
- Lin, Y.S., Smith, T.J., Kelsey, K.T. & Wypij, D. (2001) Human physiologic factors in respiratory uptake of 1,3-butadiene. *Environ. Health Perspect.*, **109**, 921–926
- Lin, Y.S., Smith, T.J. & Wang, P.Y. (2002) An automated exposure system for human inhalation study. *Arch. environ. Health*, **57**, 215–223
- Loeber, R., Rajesh, M., Fang, Q., Pegg, A.E., & Tretyakova, N. (2006) Cross-linking of the human DNA repair protein O6-alkylguanine DNA alkyltransferase to DNA in the presence of 1,2,3,4-diepoxybutane. *Chem. Res. Toxicol.*, **19**, 645–654
- Loughlin, J.E., Rothman, K.J. & Dreyer, N.A. (1999) Lymphatic and haematopoietic cancer mortality in a population attending school adjacent to styrene-butadiene facilities, 1963–1993. *J. Epidemiol. Community Health*, **53**, 283–287
- Lovreglio, P., Bukvic, N., Fustinoni, S., Ballini, A., Drago, I., Foa, V., Guanti, G. & Soleo, L. (2006) Lack of genotoxic effect in workers exposed to very low doses of 1,3-butadiene. *Arch. Toxicol.*, **80**, 378–381
- Lunsford, R.A., Gagnon, Y.T., Palassis, J., Fajen, J.M., Roberts, D.R. & Eller, P.M. (1990) Determination of 1,3-butadiene down to sub-part-per-million levels in air by collection on charcoal and high resolution gas chromatography. *Appl. occup. environ. Hyg.*, **5**, 310–320
- Ma, H., Wood, T.G., Ammenheuser, M.M., Rosenblatt, J.I. & Ward, J.B., Jr (2000) Molecular analysis of hprt mutant lymphocytes from 1, 3-butadiene-exposed workers. *Environ. mol. Mutag.*, **36**, 59–71
- Macaluso, M., Larson, R., Delzell, E., Sathiakumar, N., Hovinga, M., Julian, J., Muir, D. & Cole, P. (1996) Leukemia and cumulative exposure to butadiene, styrene and benzene among workers in the synthetic rubber industry. *Toxicology*, **113**, 190–202
- Macaluso, M., Larson, R., Lynch, J., Lipton, S. & Delzell, E. (2004) Historical estimation of exposure to 1,3-butadiene, styrene, and dimethyldithiocarbamate among synthetic rubber workers. *J. occup. environ. Hyg.*, **1**, 371–390
- Maniglier-Poulet, C., Cheng, X., Ruth, J.A. & Ross, D. (1995) Metabolism of 1,3-butadiene to butadiene monoxide in mouse and human bone marrow cells. *Chem.-biol. Interact.*, **97**, 119–129
- Matanoski, G.M. & Schwartz, L. (1987) Mortality of workers in styrene-butadiene polymer production. *J. occup. Med.*, **29**, 675–680

- Matanoski, G.M., Santos-Burgoa, C. & Schwartz, L. (1990) Mortality of a cohort of workers in the styrene-butadiene polymer manufacturing industry (1943–1982). *Environ. Health Perspect.*, **86**, 107–117
- Matanoski, G., Francis, M., Correa-Villasenor, A., Elliott, E., Santos-Burgoa, C. & Schwartz, L. (1993) Cancer epidemiology among styrene-butadiene rubber workers. In: Sorsa, M., Peltonen, K., Vainio, H. & Hemminki, K., eds, *Butadiene and Styrene: Assessment of Health Hazards* (IARC Scientific Publication No. 127), Lyon, IARC, pp. 363–374
- Matanoski, G., Elliott, E., Tao, X., Francis, M., Correa-Villasenor, A. & Santos-Burgoa, C. (1997) Lymphohematopoietic cancers and butadiene and styrene exposure in synthetic rubber manufacture. *Ann. N.Y. Acad. Sci.*, **837**, 157–169
- McGregor, D., Brown, A.G., Cattanach, P., Edwards, I., McBride, D., Riach, C., Shepherd, W. & Caspary, W.J. (1991) Responses of the L5178Y mouse lymphoma forward mutation assay: V. Gases and vapors. *Environ. mol. Mutag.*, **17**, 122–129
- McMichael, A.J., Spirtas, R. & Kupper, L.L. (1974) An epidemiologic study of mortality within a cohort of rubber workers, 1964–72. *J. occup. Med.*, **16**, 458–464
- McMichael, A.J., Spirtas, R., Gamble, J.F. & Tousey, P.M. (1976) Mortality among rubber workers: Relationship to specific jobs. *J. occup. Med.*, **18**, 178–185
- McNabola, A., Broderick, B., Johnston, P. & Gill, L. (2006) Effects of the smoking ban on benzene and 1,3-butadiene levels in pubs in Dublin. *J. environ. Sci. Health*, **41**, 799–810
- de Meester, C., Poncelet, F., Roberfroid, M. & Mercier, M. (1980) The mutagenicity of butadiene towards *Salmonella typhimurium*. *Toxicol. Lett.*, **6**, 125–130
- Meinhardt, T.J., Young, R.J. & Hartle, R.W. (1978) Epidemiologic investigations of styrene-butadiene rubber production and reinforced plastics. *Scand. J. Work Environ. Health*, **4** (Suppl. 2), 240–246
- Meinhardt, T.J., Lemen, R.A., Crandall, M.S. & Young, R.J. (1982) Environmental epidemiologic investigation of the styrene-butadiene rubber industry. Mortality patterns with discussion of the hematopoietic and lymphatic malignancies. *Scand. J. Work Environ. Health*, **8**, 250–259
- Melnick, R.L. & Kohn, M.C. (1995) Mechanistic data indicate that 1,3-butadiene is a human carcinogen. *Carcinogenesis*, **16**, 157–163
- Melnick, R.L., Huff, J., Chou, B.J. & Miller, R.A. (1990) Carcinogenicity of 1,3-butadiene in C57BL/6 × C3H F₁ mice at low exposure concentrations. *Cancer Res.*, **50**, 6592–6599
- Meng, Q., Henderson, R.F., Chen, T., Heflich, R.H., Walker, D.M., Bauer, M.J., Reilly, A.A. & Walker, V.E. (1999a) Mutagenicity of 1,3-butadiene at the *Hprt* locus of T-lymphocytes following inhalation exposures of female mice and rats. *Mutat. Res.*, **429**, 107–125
- Meng, Q., Henderson, R.F., Walker, D.M., Bauer, M.J., Reilly, A.A. & Walker, V.E. (1999b) Mutagenicity of the racemic mixtures of butadiene monoepoxide and butadiene diepoxide at the *Hprt* locus of T-lymphocytes following inhalation exposures of female mice and rats. *Mutat. Res.*, **429**, 127–140
- Meng, Q., Henderson, R.F., Long, L., Blair, L., Walker, D.M., Upton, P.B., Swenberg, J.A. & Walker, V.E. (2001) Mutagenicity at the *Hprt* locus in T cells of female mice following inhalation exposures to low levels of 1,3-butadiene. *Chem.-biol. Interact.*, **135–136**, 343–361
- Meng, Q., Walker, D.M., Scott, B.R., Seilkop, S.K., Aden, J.K., & Walker, V.E. (2004) Characterization of *Hprt* mutations in cDNA and genomic DNA of T-cell mutants from control and 1,3-butadiene-exposed male B6C3F₁ mice and F344 rats. *Environ. mol. Mutag.*, **43**, 75–92

- Meng, Q., Walker, D.M., McDonald, J.D., Henderson, R.F., Carter, M.M., Cook, D.L., Jr, McCash, C.L., Torres, S.M., Bauer, M.J., Seilkop, S.K., Upton, P.B., Georgieva, N.I., Boysen, G., Swenberg, J.A. & Walker, V.E. (2007a) Age-, gender-, and species-dependent mutagenicity in T cells of mice and rats exposed by inhalation to 1,3-butadiene. *Chem.-biol. Interact.*, **166**, 121–131
- Meng, Q., Redetzke, D.L., Hackfeld, L.C., Hodge, R.P., Walker, D.M. & Walker, V.E. (2007b) Mutagenicity of stereochemical configurations of 1,2-epoxybutene and 1,2:3,4-diepoxybutane in human lymphoblastoid cells. *Chem.-biol. Interact.*, **166**, 207–218
- Merritt, W.K., Scholdberg, T.A., Nechev, L.V., Harris, T.M., Harris, C.M., Lloyd, R.S. & Stone, M.P. (2004) Stereospecific structural perturbations arising from adenine N⁶ butadiene triol adducts in duplex DNA. *Chem. Res. Toxicol.*, **17**, 1007–1019
- Merritt, W.K., Kowalczyk, A., Scholdberg, T.A., Dean, S.M., Harris, T.M., Harris, C.M., Lloyd, R.S. & Stone, M.P. (2005a) Dual roles of glycosyl torsion angle conformation and stereochemical configuration in butadiene oxide-derived N1 beta-hydroxyalkyl deoxyinosine adducts: A structural perspective. *Chem. Res. Toxicol.*, **18**, 1098–1107
- Merritt, W.K., Nechev, L.V., Scholdberg, T.A., Dean, S.M., Kiehna, S.E., Chang, J.C., Harris, T.M., Harris, C.M., Lloyd, R.S. & Stone, M.P. (2005b) Structure of the 1,4-bis(2'-deoxyadenosin-N⁶-yl)-2R,3R-butanediol cross-link arising from alkylation of the human N-ras codon 61 by butadiene diepoxide. *Biochemistry*, **44**, 10081–10092
- Minko, I.G., Washington, M.T., Prakash, L., Prakash, S. & Lloyd, R.S. (2001) Translesion DNA synthesis by yeast DNA polymerase eta on templates containing N²-guanine adducts of 1,3-butadiene metabolites. *J. Biol. Chem.*, **276**, 2517–2522
- Moll, T.S., Harms, A.C. & Elfarra, A.A. (2000) A comprehensive structural analysis of hemoglobin adducts formed after in-vitro exposure of erythrocytes to butadiene monoxide. *Chem. Res. Toxicol.*, **13**, 1103–1113
- Morrissey, R.E., Schwetz, B.A., Hackett, P.L., Sikov, M.R., Hardin, B.D., McClanahan, B.J., Decker, J.R. & Mast, T.J. (1990) Overview of reproductive and developmental toxicity studies of 1,3-butadiene in rodents. *Environ. Health Perspect.*, **86**, 79–84
- Murg, M.N., Schuler, M. & Eastmond, D.A. (1999a) Evaluation of micronuclei and chromosomal breakage in the 1cen-q12 region by the butadiene metabolites epoxybutene and diepoxybutane in cultured human lymphocytes. *Mutagenesis*, **14**, 541–546
- Murg, M.N., Schuler, M. & Eastmond, D.A. (1999b) Persistence of chromosomal alterations affecting the 1cen-q12 region in a human lymphoblastoid cell line exposed to diepoxybutane and mitomycin C. *Mutat. Res.*, **446**, 193–203
- National Library of Medicine (2008) *Toxic Chemical Release Inventory (TRI87, TRI90, TRI95, TRI05, TRI08) Databases*, Bethesda, MD [available at <http://toxnet.nlm.nih.gov>]
- National Toxicology Program (1984) *Toxicology and Carcinogenesis Studies of 1,3-Butadiene (CAS No. 106-99-0) in B6C3F₁ Mice (Inhalation Studies)* (Tech. Rep. Ser. No. 288), Research Triangle Park, NC
- National Toxicology Program (1993) *Toxicology and Carcinogenesis Studies of 1,3-Butadiene (CAS No. 106-99-0) in B6C3F₁ Mice (Inhalation Studies)* (Tech. Rep. Ser. No. 434), Research Triangle Park, NC
- Nazaroff, W.W. & Singer, B.C. (2004) Inhalation of hazardous air pollutants from environmental tobacco smoke in US residents. *J. Expo. Anal. Environ. Epidemiol.*, **14**, S71–S77

- Nechev, L.V., Zhang, M., Tsarouhtsis, D., Tamura, P.J., Wilkinson, A.S., Harris, C.M. & Harris, T.M. (2001) Synthesis and characterization of nucleosides and oligonucleotides bearing adducts of butadiene epoxides on adenine N⁶ and guanine N². *Chem. Res. Toxicol.*, **14**, 379–388
- NIH/EPA Chemical Information System (1983) *Carbon-13 NMR Spectral Search System, Mass Spectral Search System, and Infrared Spectral Search System*, Arlington, VA, Information Consultants
- NOES (1997) *National Occupational Exposure Survey 1981–83*, Unpublished data as of November 1997, Cincinnati, OH, US Department of Health and Human Services, Public Health Service, National Institute for Occupational Safety and Health
- Norppa, H. (2004) Cytogenetic biomarkers and genetic polymorphisms. *Toxicol. Lett.*, **149**, 309–334
- Occupational Safety and Health Administration (1990a) *OSHA Analytical Methods Manual*, Part 1: *Organic Substances*, Vol. 3, *Methods 55-80*, Salt Lake City, UT [Method 56]
- Occupational Safety and Health Administration (1990b) Occupational exposure to 1,3-butadiene. *Fed. Regist.*, **55**, 32736–32826
- O'Donoghue, R.T., Gill, L.W., McKevitt, R.J. & Broderick, B. (2007) Exposure to hydrocarbon concentrations while commuting or exercising in Dublin. *Environ. int.*, **33**, 1–8
- Oe, T., Kambouris, S.J., Walker, V.E., Meng, Q., Recio, L., Wherli, S., Chaudhary, A.K., & Blair, I.A. (1999) Persistence of N7-(2,3,4-trihydroxybutyl)guanine adducts in the livers of mice and rats exposed to 1,3-butadiene. *Chem. Res. Toxicol.*, **12**, 247–257
- Oesch, F. & Daly, J. (1972) Conversion of naphthalene to trans-naphthalene dihydrodiol: Evidence for the presence of a coupled aryl monooxygenase–epoxide hydrase system in hepatic microsomes. *Biochem. biophys. Res. Commun.*, **46**, 1713–1720
- O'Neil, M.J., ed. (2006) *Merck Index*, 14th Ed., Whitehouse Station, NJ, Merck, p. 248
- Owen, P.E. & Glaister, J.R. (1990) Inhalation toxicity and carcinogenicity of 1,3-butadiene in Sprague-Dawley rats. *Environ. Health Perspect.*, **86**, 19–25
- Owen, P.E., Glaister, J.R., Gaunt, I.F. & Pullinger, D.H. (1987) Inhalation toxicity studies with 1,3-butadiene. 3. Two year toxicity/carcinogenicity study in rats. *Am. ind. Hyg. Assoc. J.*, **48**, 407–413
- Pacchierotti, F., Adler, I.-D., Anderson, D., Brinkworth, M., Demopoulos, N.A., Lahdetie, J., Osterman-Golkar, S., Peltonen, K., Russo, A., Bates, A. & Waters, R. (1998) Genetic effects of 1,3-butadiene and associated risk for heritable damage. *Mutat. Res.*, **397**, 93–115
- Parent, M.E., Hua, Y. & Siemiatycki, J. (2000) Occupational risk factors for renal cell carcinoma in Montreal. *Am. J. ind. Med.*, **38**, 609–618
- Park, S. & Tretyakova, N. (2004) Structural characterization of the major DNA–DNA cross-link of 1,2,3,4-diepoxybutane. *Chem. Res. Toxicol.*, **17**, 129–136
- Park, S., Hodge, J., Anderson, C. & Tretyakova, N. (2004) Guanine–adenine DNA cross-linking by 1,2,3,4-diepoxybutane: Potential basis for biological activity. *Chem. Res. Toxicol.*, **17**, 1638–1651
- Park, S., Anderson, C., Loeber, R., Seetharaman, M., Jones, R. & Tretyakova, N. (2005) Interstrand and intrastrand DNA–DNA cross-linking by 1,2,3,4-diepoxybutane: Role of stereochemistry. *J. Am. chem. Soc.*, **127**, 14355–14365

- Perbellini, L., Princivalle, A., Cerpelloni, M., Pasini, F. & Brugnone, F. (2003) Comparison of breath, blood and urine concentrations in the biomonitoring of environmental exposure to 1,3-butadiene, 2,5-dimethylfuran, and benzene. *Int. Arch. occup. environ. Health*, **76**, 461–466
- Powley, M.W., Jayaraj, K., Gold, A., Ball, L.M. & Swenberg, J.A. (2003) 1,N²-Propano-deoxyguanosine adducts of the 1,3-butadiene metabolite, hydroxymethylvinyl ketone. *Chem. Res. Toxicol.*, **16**, 1448–1454
- Powley, M.W., Li, Y., Upton, P.B., Walker, V.E. & Swenberg, J.A. (2005) Quantification of DNA and hemoglobin adducts of 3,4-epoxy-1,2-butanediol in rodents exposed to 3-butene-1,2-diol. *Carcinogenesis*, **26**, 1573–1580
- Powley, M.W., Walker, V.E., Li, Y., Upton, P.B., & Swenberg, J.A. (2007) The importance of 3,4-epoxy-1,2-butanediol and hydroxymethylvinyl ketone in 3-butene-1,2-diol associated mutagenicity. *Chem.-biol. Interact.*, **166**, 182–190
- Ranaldi, R., Bassani, B. & Pacchierotti, F. (2001) Genotoxic effects of butadiene in mouse lung cells detected by an ex vivo micronucleus test. *Mutat. Res.*, **491**, 81–85
- Recio, L. & Meyer, K.G. (1995) Increased frequency of mutations at A:T base pairs in the bone marrow of B6C3F1 *lacI* transgenic mice exposed to 1,3-butadiene. *Environ. mol. Mutag.*, **26**, 1–8
- Recio, L., Osterman-Golkar, S., Csanady, G.A., Turner, M.J., Myhr, B., Moss, O. & Bond, J.A. (1992) Determination of mutagenicity in tissues of transgenic mice following exposure to 1,3-butadiene and N-ethyl-N-nitrosourea. *Toxicol. appl. Pharmacol.*, **117**, 58–64
- Recio, L., Saranko, C.J. & Steen, A.M. (2000) 1,3-Butadiene: Cancer, mutations, and adducts. Part II: Roles of two metabolites of 1,3-butadiene in mediating its in vivo genotoxicity. *Res. Rep. Health Eff. Inst.*, **92**, 49–87
- Recio, L., Steen, A.M., Pluta, L.J., Meyer, K.G. & Saranko, C.J. (2001) Mutational spectrum of 1,3-butadiene and metabolites 1,2-epoxybutene and 1,2,3,4-diepoxybutane to assess mutagenic mechanisms. *Chem.-biol. Interact.*, **135–136**, 325–341
- Reilly, M.S. & Grogan, D.W. (2002) Biological effects of DNA damage in the hyperthermophilic archaeon *Sulfolobus acidocaldarius*. *FEMS Microbiol. Lett.*, **208**, 29–34
- Richardson, K.A., Peters, M.M., Megens, R.H., van Elburg, P.A., Golding, B.T., Boogaard, P.J., Watson, W.P. & van Sittert, N.J. (1998) Identification of novel metabolites of butadiene monoepoxide in rats and mice. *Chem. Res. Toxicol.*, **11**, 1543–1555
- Richardson, K.A., Peters, M.M., Wong, B.A., Megens, R.H., van Elburg, P.A., Booth, E.D., Boogaard, P.J., Bond, J.A., Medinsky, M.A., Watson, W.P. & van Sittert, N.J. (1999) Quantitative and qualitative differences in the metabolism of ¹⁴C-1,3-butadiene in rats and mice: Relevance to cancer susceptibility. *Toxicol. Sci.*, **49**, 186–201
- Rinsky, R.A., Ott, G., Ward, E., Greenberg, H., Halperin, W. & Leet, T. (1988) Study of mortality among chemical workers in the Kanawha Valley of West Virginia. *Am. J. ind. Med.*, **13**, 429–438
- Ristau, C., Deutschmann, S., Laib, R.J. & Ottenwalder, H. (1990) Detection of diepoxybutane-induced DNA–DNA crosslinks by cesium trifluoroacetate (CsTFA) density-gradient centrifugation. *Arch. Toxicol.*, **64**, 343–344
- Roberts, D.R. (1986) *Industrial Hygiene Walk-through Survey Report of Copolymer Rubber and Chemical Corporation, Baton Rouge, LA* (Report No. 147.22), Cincinnati, OH, National Institute for Occupational Safety and Health

- Rodriguez, D.A., Kowalczyk, A., Ward, J.B., Jr, Harris, C.M., Harris, T.M. & Lloyd, R.S. (2001) Point mutations induced by 1,2-epoxy-3-butene N1 deoxyinosine adducts. *Environ. mol. Mutag.*, **38**, 292–296
- Ropert, C.P., Jr (1976) *Health Hazard Evaluation Determination, Goodyear Tire and Rubber Company, Gadsden, AL* (Report No. 74-120-260), Cincinnati, OH, National Institute for Occupational Safety and Health
- Rubber Manufacturers' Association (1984) *Requests for Information Regarding 1,3-Butadiene, 49 Fed. Reg. 844 and 845 (Jan. 5 1984)*, Washington DC
- Ruhe, R.L. & Jannerfeldt, E.R. (1980) *Health Hazard Evaluation, Metamora Products Corporation, Elkland, PA* (Report No. HE-80-188-797), Cincinnati, OH, National Institute for Occupational Safety and Health
- Sadtler Research Laboratories (1995) *The Sadtler Standard Spectra, Cumulative Index*, Philadelphia, PA
- Saltzman, B.E. & Harman, J.N. (1989) Direct reading colorimetric indicators. In: Lodge, J.P., Jr, ed., *Methods of Air Sampling and Analysis*, Chelsea, MI, Lewis Publishers, pp. 171–187
- Santos-Burgoa, C., Matanoski, G.M., Zeger, S. & Schwartz, L. (1992) Lymphohematopoietic cancer in styrene-butadiene polymerization workers. *Am. J. Epidemiol.*, **136**, 843–854
- Sapkota, A., Halden, R.U., Dominici, F., Groopman, J.D. & Buckley, T.J. (2006) Urinary biomarkers of 1,3-butadiene in environmental settings using liquid chromatography isotope dilution tandem mass spectrometry. *Chem.-biol. Interact.*, **160**, 70–79
- Saranko, C.J., Pluta, L.J. & Recio, L. (1998) Molecular analysis of lacI mutants from transgenic fibroblasts exposed to 1,2-epoxybutene. *Carcinogenesis*, **19**, 1879–1887
- Saranko, C.J., Meyer, K.G., Pluta, L.J., Henderson, R.F. & Recio, L. (2001) Lung-specific mutagenicity and mutational spectrum in B6C3F1 lacI transgenic mice following inhalation exposure to 1,2-epoxybutene. *Mutat. Res.*, **473**, 37–49
- Sasiadek, M., Jarventaus, H. & Sorsa, M. (1991a) Sister-chromatid exchanges induced by 1,3-butadiene and its epoxides in CHO cells. *Mutat. Res.*, **263**, 47–50
- Sasiadek, M., Norppa, H. & Sorsa, M. (1991b) 1,3-Butadiene and its epoxides induce sister-chromatid exchanges in human lymphocytes *in vitro*. *Mutat. Res.*, **261**, 117–121
- Sasiadek, M., Hirvonen, A., Noga, L., Paprocka-Borowicz, M. & Norppa, H. (1999) Glutathione S-transferase M1 genotype influences sister chromatid exchange induction but not adaptive response in human lymphocytes treated with 1,2-epoxy-3-butene. *Mutat. Res.*, **439**, 207–212
- Sathiakumar, N. & Delzell, E. (2007) A follow-up study of women in the synthetic rubber industry: Study methods. *Chem.-biol. Interact.*, **166**, 25–28
- Sathiakumar, N., Delzell, E., Hovinga, M., Macaluso, M., Julian, J.A., Larson, R., Cole, P. & Muir, D.C. (1998) Mortality from cancer and other causes of death among synthetic rubber workers. *Occup. environ. Med.*, **55**, 230–235
- Sathiakumar, N., Graff, J., Macaluso, M., Maldonado, G., Matthews, R. & Delzell, E. (2005) An updated study of mortality among North American synthetic rubber industry workers. *Occup. environ. Med.*, **62**, 822–829
- Sathiakumar, N., Delzell, E., Cheng, H., Lynch, J., Sparks, W. & Macaluso, M. (2007) Validation of 1,3-butadiene exposure estimates for workers at a synthetic rubber plant. *Chem.-biol. Interact.*, **166**, 29–43

- Schlade-Bartusiak, K., Sasiadek, M. & Kozłowska, J. (2000) The influence of GSTM1 and GSTT1 genotypes on the induction of sister chromatid exchanges and chromosome aberrations by 1,2:3,4-diepoxybutane. *Mutat. Res.*, **465**, 69–75
- Schlade-Bartusiak, K., Rozik, K., Laczmanska, I., Ramsey, D. & Sasiadek, M. (2004) Influence of GSTT1, mEH, CYP2E1 and RAD51 polymorphisms on diepoxybutane-induced SCE frequency in cultured human lymphocytes. *Mutat. Res.*, **558**, 121–130
- Schmiederer, M., Knutson, E., Muganda, P. & Albrecht, T. (2005) Acute exposure of human lung cells to 1,3-butadiene diepoxide results in G1 and G2 cell cycle arrest. *Environ. mol. Mutag.*, **45**, 354–364
- Scholdberg, T.A., Nechev, L.V., Merritt, W.K., Harris, T.M., Harris, C.M., Lloyd, R.S. & Stone, M.P. (2004) Structure of a site specific major groove (2S,3S)-N⁶-(2,3,4-trihydroxybutyl)-2'-deoxyadenosyl DNA adduct of butadiene diol epoxide. *Chem. Res. Toxicol.*, **17**, 717–730
- Scholdberg, T.A., Nechev, L.V., Merritt, W.K., Harris, T.M., Harris, C.M., Lloyd, R.S. & Stone, M.P. (2005a) Mispairing of a site specific major groove (2S,3S)-N⁶-(2,3,4-trihydroxybutyl)-2'-deoxyadenosyl DNA adduct of butadiene diol epoxide with deoxyguanosine: Formation of a dA(anti).dG(anti) pairing interaction. *Chem. Res. Toxicol.*, **18**, 145–153
- Scholdberg, T.A., Merritt, W.K., Dean, S.M., Kowalczyk, A., Harris, C.M., Harris, T.M., Rizzo, C.J., Lloyd, R.S. & Stone, M.P. (2005b) Structure of an oligodeoxynucleotide containing a butadiene oxide-derived N1 beta-hydroxyalkyl deoxyinosine adduct in the human N-ras codon 61 sequence. *Biochemistry*, **44**, 3327–3337
- Selzer, R.R. & Elfarra, A.A. (1996a) Characterization of N1- and N6-adenosine adducts and N1-inosine adducts formed by the reaction of butadiene monoxide with adenosine: Evidence for the N1-adenosine adducts as major initial products. *Chem. Res. Toxicol.*, **9**, 875–881
- Selzer, R.R. & Elfarra, A.A. (1996b) Synthesis and biochemical characterization of N1-, N2-, and N7-guanosine adducts of butadiene monoxide. *Chem. Res. Toxicol.*, **9**, 126–132
- Selzer, R.R. & Elfarra, A.A. (1997) Chemical modification of deoxycytidine at different sites yields adducts of different stabilities: Characterization of N3- and O2-deoxycytidine and N3-deoxyuridine adducts of butadiene monoxide. *Arch. Biochem. Biophys.*, **343**, 63–72
- Selzer, R.R. & Elfarra, A.A. (1999) In vitro reactions of butadiene monoxide with single- and double-stranded DNA: Characterization and quantitation of several purine and pyrimidine adducts. *Carcinogenesis*, **20**, 285–292
- Serrano-Trespacios, P.I., Ryan, L. & Spengler, J.D. (2004) Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City Metropolitan Area. *J. Expo. Anal. environ. Epidemiol.*, **14**, S118–S132
- Shimkin, M.B., Weisburger, J.H., Weisburger, E.K., Gubareff, N. & Suntzeff, V. (1966) Bioassay of 29 alkylating chemicals by the pulmonary-tumor response in strain A mice. *J. natl Cancer Inst.*, **36**, 915–935
- Sills, R.C., Hong, H.L., Boorman, G.A., Devereux, T.R. & Melnick, R.L. (2001) Point mutations of K-ras and H-ras genes in forestomach neoplasms from control B6C3F1 mice and following exposure to 1,3-butadiene, isoprene or chloroprene for up to 2-years. *Chem.-biol. Interact.*, **135–136**, 373–386
- Sisk, S.C., Pluta, L.J., Bond, J.A. & Recio, L. (1994) Molecular analysis of lacI mutants from bone marrow of B6C3F1 transgenic mice following inhalation exposure to 1,3-butadiene. *Carcinogenesis*, **15**, 471–477

- van Sittert, N.J., Megens, H.J., Watson, W.P. & Boogaard, P.J. (2000) Biomarkers of exposure to 1,3-butadiene as a basis for cancer risk assessment. *Toxicol. Sci.*, **56**, 189–202
- Smith, T.J., Lin, Y.S., Mezzetti, M., Bois, F.Y., Kelsey, K. & Ibrahim, J. (2001) Genetic and dietary factors affecting human metabolism of 1,3-butadiene. *Chem.-biol. Interact.*, **135–136**, 407–428
- Sprague, C.L. & Elfarra, A.A. (2003) Detection of carboxylic acids and inhibition of hippuric acid formation in rats treated with 3-butene-1,2-diol, a major metabolite of 1,3-butadiene. *Drug Metab. Dispos.*, **31**, 986–992
- Sprague, C.L. & Elfarra, A.A. (2004) Mercapturic acid urinary metabolites of 3-butene-1,2-diol as in vivo evidence for the formation of hydroxymethylvinyl ketone in mice and rats. *Chem. Res. Toxicol.*, **17**, 819–826
- Šrám, R.J., Rössner, P., Peltonen, K., Podrazilova, K., Mrackova, G., Demopoulos, N.A., Stephanou, G., Vlachodimitropoulos, D., Darroudi, F. & Bates, A.D. (1998) Chromosomal aberrations, sister-chromatid exchanges, cells with high frequency of SCE, micronuclei and comet assay parameters in 1,3-butadiene-exposed workers. *Mutat. Res.*, **419**, 145–154
- Šrám, R.J., Beskid, O., Binkova, B., Rossner, P. & Smerhovský, Z. (2004) Cytogenetic analysis using fluorescence in situ hybridization (FISH) to evaluate occupational exposure to carcinogens. *Toxicol. Lett.*, **149**, 335–344
- Startin, J.R. & Gilbert, J. (1984) Single ion monitoring of butadiene in plastics and foods by coupled mass-spectrometry–automatic headspace gas chromatography. *J. Chromatogr.*, **294**, 427–430
- Stephanou, G., Russo, A., Vlastos, D., Andrianopoulos, C. & Demopoulos, N.A. (1998) Micronucleus induction in somatic cells of mice as evaluated after 1,3-butadiene inhalation. *Mutat. Res.*, **397**, 11–20
- Sun, H.N. & Wristers, J.P. (2002) Butadiene. In: *Kirk-Othmer Encyclopedia of Chemical Technology*, Vol. 4, New York, J. Wiley & Sons, pp. 365–392 (on line)
- Sweeney, L.M., Himmelstein, M.W. & Gargas, M.L. (2001) Development of a preliminary physiologically based toxicokinetic (PBTK) model for 1,3-butadiene risk assessment. *Chem.-biol. Interact.*, **135–136**, 303–322
- Swenberg, J.A., Christova-Gueorguieva, N.I., Upton, P.B., Ranasinghe, A., Scheller, N., Wu, K.Y., Yen, T.Y. & Hayes, R. (2000a) 1,3-Butadiene: Cancer, mutations, and adducts. Part V: Hemoglobin adducts as biomarkers of 1,3-butadiene exposure and metabolism. *Res. Rep. Health Eff. Inst.*, **92**, 191–210
- Swenberg, J.A., Ham, A., Koc, H., Morinello, E., Ranasinghe, A., Tretyakova, N., Upton, P.B. & Wu, K.Y. (2000b) DNA adducts: Effects of low exposure to ethylene oxide, vinyl chloride and butadiene. *Mutat. Res.*, **464**, 77–86
- Swenberg, J.A., Koc, H., Upton, P.B., Georgieva, N., Ranasinghe, A., Walker, V.E. & Henderson, R. (2001) Using DNA and hemoglobin adducts to improve the risk assessment of butadiene. *Chem.-biol. Interact.*, **135–136**, 387–403
- Swenberg, J.A., Boysen, G., Georgieva, N., Bird, M.G. & Lewis, R.J. (2007) Future directions in butadiene risk assessment and the role of cross-species internal dosimetry. *Chem.-biol. Interact.*, **166**, 78–83
- Tates, A.D., van Dam, F.J., de Zwart, F.A., van Teylingen, C.M.M. & Natarajan, A.T. (1994) Development of a cloning assay with high cloning efficiency to detect induction of 6-thio-

- guanine-resistant lymphocytes in spleen of adult mice following in vivo inhalation exposure to 1,3-butadiene. *Mutat. Res.*, **309**, 299–306
- Tates, A.D., van Dam, F.J., van Teylingen, C.M., de Zwart, F.A. & Zwinderman, A.H. (1998) Comparison of induction of *hprt* mutations by 1,3-butadiene and/or its metabolites 1,2-epoxybutene and 1,2,3,4-diepoxybutane in lymphocytes from spleen of adult male mice and rats *in vivo*. *Mutat. Res.*, **397**, 21–36
- Thier, R., Bruning, T., Roos, P.H., Rihs, H.P., Golka, K., Ko, Y. & Bolt, H.M. (2003) Markers of genetic susceptibility in human environmental hygiene and toxicology: The role of selected CYP, NAT and GST genes. *Int. J. Hyg. environ. Health*, **206**, 149–171
- Tice, R.R., Boucher, R., Luke, C.A. & Shelby, M.D. (1987) Comparative cytogenetic analysis of bone marrow damage induced in male B6C3F1 mice by multiple exposures to gaseous 1,3-butadiene. *Environ. Mutag.*, **9**, 235–250
- Tommasi, A.M., de Conti, S., Dobrzynska, M.M. & Russo, A. (1998) Evaluation and characterization of micronuclei in early spermatids of mice exposed to 1,3-butadiene. *Mutat. Res.*, **397**, 45–54
- Ton, T.V., Hong, H.H., Devereux, T.R., Melnick, R.L., Sills, R.C. & Kim, Y. (2007) Evaluation of genetic alterations in cancer-related genes in lung and brain tumors from B6C3F1 mice exposed to 1,3-butadiene or chloroprene. *Chem.-biol. Interact.*, **166**, 112–120
- Tsai, S.P., Wendt, J.K. & Ransdell, J.D. (2001) A mortality, morbidity, and hematology study of petrochemical employees potentially exposed to 1,3-butadiene monomer. *Chem.-biol. Interact.*, **135–136**, 555–567
- Urban, M., Gilch, G., Schepers, G., van Miert, E. & Scherer, G. (2003) Determination of the major mercapturic acids of 1,3-butadiene in human and rat urine using liquid chromatography with tandem mass spectrometry. *J. Chromatogr. B*, **796**, 131–140
- Valadez, J.G., Liu, L., Loktionova, N.A., Pegg, A.E. & Guengerich, F.P. (2004) Activation of bis-electrophiles to mutagenic conjugates by human *O*⁶-alkylguanine-DNA alkyltransferase. *Chem. Res. Toxicol.*, **17**, 972–982
- Van Duuren, B.L., Nelson, N., Orris, L., Palmes, E.D. & Schmitt, F.L. (1963) Carcinogenicity of epoxides, lactones, and peroxy compounds. *J. natl Cancer Inst.*, **3**, 41–55
- Van Duuren, B.L., Orris, L. & Nelson, N. (1965) Carcinogenicity of epoxides, lactones, and peroxy compounds. Part II. *J. natl Cancer Inst.*, **35**, 707–717
- Van Duuren, B.L., Langseth, L., Orris, L., Teebor, G., Nelson, N. & Kuschner, M. (1966) Carcinogenicity of epoxides, lactones, and peroxy compounds. IV. Tumor response in epithelial and connective tissue in mice and rats. *J. natl Cancer Inst.*, **37**, 825–838
- Vangala, R.R., Laib, R.J. & Bolt, H.M. (1993) Evaluation of DNA damage by alkaline elution technique after inhalation exposure of rats and mice to 1,3-butadiene. *Arch. Toxicol.*, **67**, 34–38
- Verschueren, K. (1996) *Handbook of Environmental Data on Organic Chemicals*, 3rd Ed., New York, Van Nostrand Reinhold, pp. 347–348
- Victorin, K., Busk, L., Cederberg, H. & Magnusson, J. (1990) Genotoxic activity of 1,3-butadiene and nitrogen dioxide and their photochemical reaction products in *Drosophila* and in mouse bone marrow micronucleus assay. *Mutat. Res.*, **228**, 203–209
- Vodicka, P., Kumar, R., Stetina, R., Musak, L., Soucek, P., Haufroid, V., Sasiadek, M., Vodickova, L., Naccarati, A., Sedikova, J., Sanyal, S., Kuricova, M., Brsiak, V., Norppa, H., Buchancova, J. & Hemminki, K. (2004) Markers of individual susceptibility and DNA repair rate in workers exposed to xenobiotics in a tire plant. *Environ. mol. Mutag.*, **44**, 283–292

- Vodicka, P., Stetina, R., Smerak, P., Vodickova, L., Naccarati, A., Barta, I. & Hemminki, K. (2006) Micronuclei, DNA single-strand breaks and DNA-repair activity in mice exposed to 1,3-butadiene by inhalation. *Mutat. Res.*, **608**, 49–57
- Walker, V.E. & Meng, Q. (2000) 1,3-Butadiene: Cancer, mutations, and adducts. Part III: In vivo mutation of the endogenous hprt genes of mice and rats by 1,3-butadiene and its metabolites. *Res. Rep. Health Eff. Inst.*, **92**, 89–139
- Walles, S.A.S., Victorin, K. & Lundborg, M. (1995) DNA damage in lung cells *in vivo* and *in vitro* by 1,3-butadiene and nitrogen dioxide and their photochemical reaction products. *Mutat. Res.*, **328**, 11–19
- Walther, M.W. (2003) *CEH Marketing Research Report – Butadiene*, Zürich, SRI Consulting
- Ward, E.M., Fajen, J.M., Ruder, A.M., Rinsky, R.A., Halperin, W.E. & Fessler-Flesch, C.A. (1995) Mortality study of workers in 1,3-butadiene production units identified from a chemical workers cohort. *Environ. Health Perspect.*, **103**, 598–603
- Ward, E.M., Fajen, J.M., Ruder, A.M., Rinsky, R.A., Halperin, W.E. & Fessler-Flesch, C.A. (1996) Mortality study of workers employed in 1,3-butadiene production units identified from a large chemical workers cohort. *Toxicology*, **113**, 157–168
- Ward, J.B., Ammenheuser, M.M., Whorton, E.B., Jr, Bechtold, W.E., Kelsey, K.T. & Legator, M.S. (1996) Biological monitoring for mutagenic effects of occupational exposure to butadiene. *Toxicology*, **113**, 84–90
- Ward, J.B., Jr, Abdel-Rahman, S.Z., Henderson, R.F., Stock, T.H., Morandi, M., Rosenblatt, J.I. & Ammenheuser, M.M. (2001) Assessment of butadiene exposure in synthetic rubber manufacturing workers in Texas using frequencies of hprt mutant lymphocytes as a biomarker. *Chem.-biol. Interact.*, **135–136**, 465–483
- White, W.C. (2007) Butadiene production process overview. *Chem.-biol. Interact.*, **166**, 10–14
- Wickliffe, J.K., Ammenheuser, M.M., Salazar, J.J., Abdel-Rahman, S.Z., Hastings-Smith, D.A., Postlethwait, E.M., Lloyd, R.S. & Ward, J.B., Jr (2003) A model of sensitivity: 1,3-Butadiene increases mutant frequencies and genomic damage in mice lacking a functional microsomal epoxide hydrolase gene. *Environ. mol. Mutag.*, **42**, 106–110
- Wickliffe, J.K., Galbert, L.A., Ammenheuser, M.M., Herring, S.M., Xie, J., Masters, O.E., III, Friedberg, E.C., Lloyd, R.S. & Ward, J.B., Jr (2006) 3,4-Epoxy-1-butene, a reactive metabolite of 1,3-butadiene, induces somatic mutations in Xpc-null mice. *Environ. mol. Mutag.*, **47**, 67–70
- Wickliffe, J.K., Herring, S.M., Hallberg, L.M., Galbert, L.A., Masters, O.E., III, Ammenheuser, M.M., Xie, J., Friedberg, E.C., Lloyd, R.S., Abdel-Rahman, S.Z. & Ward, J.B., Jr (2007) Detoxification of olefinic epoxides and nucleotide excision repair of epoxide-mediated DNA damage: Insights from animal models examining human sensitivity to 1,3-butadiene. *Chem.-biol. Interact.*, **166**, 226–231
- Wiencke, J.K., Pemble, S., Ketterer, B. & Kelsey, K.T. (1995) Gene deletion of glutathione S-transferase theta: Correlation with induced genetic damage and potential role in endogenous mutagenesis. *Cancer Epidemiol. Biomarkers Prev.*, **4**, 253–259
- Work Environment Fund (1991) *Development and Evaluation of Biological and Chemical Methods for Exposure Assessment of 1,3-Butadiene* (Contract No. 88-0147), Helsinki, Institute of Occupational Health

- Xiao, Y. & Tate, A.D. (1995) Clastogenic effects of 1,3-butadiene and its metabolites 1,2-epoxybutene and 1,2,3,4-diepoxybutane in splenocytes and germ cells of rats and mice in vivo. *Environ. Health Perspect.*, **26**, 97–108
- Xu, W., Merritt, W.K., Nechev, L.V., Harris, T.M., Harris, C.M., Lloyd, R.S. & Stone, M.P. (2007) Structure of the 1,4-bis(2'-deoxyadenosin-N⁶-yl)-2S,3S-butanediol intrastrand DNA cross-link arising from butadiene diepoxide in the human N-ras codon 61 sequence. *Chem. Res. Toxicol.*, **20**, 187–198
- Ye, Y., Galbally, I.E. & Weeks, I.A. (1997) Emission of 1,3-butadiene from petrol-driven motor vehicle. *Atmos. Environ.*, **31**, 1157–1165
- Zang, H., Harris, T.M. & Guengerich, F.P. (2005) Kinetics of nucleotide incorporation opposite DNA bulky guanine N² adducts by processive bacteriophage T7 DNA polymerase (exonuclease-) and HIV-1 reverse transcriptase. *J. Biol. Chem.*, **280**, 1165–1178
- Zhang, X.Y. & Elfarra, A.A. (2003) Identification and characterization of a series of nucleoside adducts formed by the reaction of 2'-deoxyguanosine and 1,2,3,4-diepoxybutane under physiological conditions. *Chem. Res. Toxicol.*, **16**, 1606–1615
- Zhang, X.Y. & Elfarra, A.A. (2004) Characterization of the reaction products of 2'-deoxyguanosine and 1,2,3,4-diepoxybutane after acid hydrolysis: Formation of novel guanine and pyrimidine adducts. *Chem. Res. Toxicol.*, **17**, 521–528
- Zhang, X.Y. & Elfarra, A.A. (2005) Reaction of 1,2,3,4-diepoxybutane with 2'-deoxyguanosine: Initial products and their stabilities and decomposition patterns under physiological conditions. *Chem. Res. Toxicol.*, **18**, 1316–1323
- Zhang, X.Y. & Elfarra, A.A. (2006) Characterization of 1,2,3,4-diepoxybutane-2'-deoxyguanosine cross-linking products formed at physiological and nonphysiological conditions. *Chem. Res. Toxicol.*, **19**, 547–555
- Zhang, L., Hayes, R.B., Guo, W., McHale, C.M., Yin, S., Wiencke, J.K., O'Neill, J.P., Rothman, N., Li, G.L. & Smith, M.T. (2004) Lack of increased genetic damage in 1,3-butadiene-exposed Chinese workers studied in relation to EPHX1 and GST genotypes. *Mutat. Res.*, **558**, 63–74
- Zhao, C., Koskinen, M. & Hemminki, K. (1998) ³²P-Postlabelling of N⁶-adenine adducts of epoxybutanediol in vivo after 1,3-butadiene exposure. *Toxicol. Lett.*, **102–103**, 591–594
- Zhao, C., Vodicka, P., Sram, R.J. & Hemminki, K. (2000) Human DNA adducts of 1,3-butadiene, an important environmental carcinogen. *Carcinogenesis*, **21**, 107–111
- Zhao, C., Vodicka, P., Sram, R.J. & Hemminki, K. (2001) DNA adducts of 1,3-butadiene in humans: Relationships to exposure, GST genotypes, single-strand breaks, and cytogenetic end points. *Environ. Mol. Mutag.*, **37**, 226–230
- Zhuang, S.M. & Söderqvist, P. (2000) Genetic analysis of Raf1, Mdm2, c-Myc, Cdc25a and Cdc25b proto-oncogenes in 2',3'-dideoxycytidine- and 1,3-butadiene-induced lymphomas in B6C3F1 mice. *Mutat. Res.*, **452**, 19–26
- Zhuang, S.M., Wiseman, R.W. & Söderqvist, P. (2000) Mutation analysis of the pRb pathway in 2',3'-dideoxycytidine- and 1,3-butadiene-induced mouse lymphomas. *Cancer Lett.*, **152**, 129–134
- Zhuang, S.M., Wiseman, R.W. & Söderqvist, P. (2002) Frequent mutations of the Trp53, Hras1 and beta-catenin (Catnb) genes in 1,3-butadiene-induced mammary adenocarcinomas in B6C3F1 mice. *Oncogene*, **21**, 5643–5648