

Hepatitis C Virus

References to Supplementary Web Tables, Section 2

- Amin J, Dore GJ, O'Connell DL *et al.* (2006). Cancer incidence in people with hepatitis B or C infection: a large community-based linkage study. *J Hepatol*, 45:197–203.[doi:10.1016/j.jhep.2006.02.014](https://doi.org/10.1016/j.jhep.2006.02.014) PMID:16684579
- Avilés A, Valdez L, Halabe J *et al.* (2003). No association between lymphoma and hepatitis C virus. *Med Oncol*, 20:165–168. PMID:12835519
- Bellentani S, Tiribelli C, Saccoccio G *et al.* (1994). Prevalence of chronic liver disease in the general population of northern Italy: the Dionysos Study. *Hepatology*, 20:1442–1449. PMID:7982643
- Bianco E, Marcucci F, Mele A *et al.*; Italian Multi-Center case-control study (2004). Prevalence of hepatitis C virus infection in lymphoproliferative diseases other than B-cell non-Hodgkin's lymphoma, and in myeloproliferative diseases: an Italian Multi-Center case-control study. *Haematologica*, 89:70–76. PMID:14754608
- Boschi-Pinto C, Stuver S, Okayama A *et al.* (2000). A follow-up study of morbidity and mortality associated with hepatitis C virus infection and its interaction with human T lymphotropic virus type I in Miyazaki, Japan. *J Infect Dis*, 181:35–41.[doi:10.1086/315177](https://doi.org/10.1086/315177) PMID:10608748
- Cenac A, Pedroso ML, Djibo A *et al.* (1995). Hepatitis B, C, and D virus infections in patients with chronic hepatitis, cirrhosis, and hepatocellular carcinoma: a comparative study in Niger. *Am J Trop Med Hyg*, 52:293–296. PMID:7537942
- Chang CC, Yu MW, Lu CF *et al.* (1994). A nested case-control study on association between hepatitis C virus antibodies and primary liver cancer in a cohort of 9,775 men in Taiwan. *J Med Virol*, 43:276–280.[doi:10.1002/jmv.1890430315](https://doi.org/10.1002/jmv.1890430315) PMID:7523582
- Chen CJ, Wang LY, Lu SN *et al.* (1996). Elevated aflatoxin exposure and increased risk of hepatocellular carcinoma. *Hepatology*, 24:38–42. PMID:8707279
- Chindamo MC, Spector N, Segadas JA *et al.* (2002). Prevalence of hepatitis C infection in patients with non-Hodgkin's lymphomas. *Oncol Rep*, 9:657–659. PMID:11956646
- Cowgill KD, Loffredo CA, Eissa SA *et al.* (2004). Case-control study of non-Hodgkin's lymphoma and hepatitis C virus infection in Egypt. *Int J Epidemiol*, 33:1034–1039.[doi:10.1093/ije/dyh183](https://doi.org/10.1093/ije/dyh183) PMID:15155696
- Dal Maso L, Franceschi S (2006). Hepatitis C virus and risk of lymphoma and other lymphoid neoplasms: a meta-analysis of epidemiologic studies. *Cancer Epidemiol Biomarkers Prev*, 15:2078–2085.[doi:10.1158/1055-9965.EPI-06-0308](https://doi.org/10.1158/1055-9965.EPI-06-0308) PMID:17119031
- Dal Maso L, Talamini R, Montella M *et al.* (2004). Hepatitis B and C viruses and Hodgkin lymphoma: a case-control study from Northern and Southern Italy. *Haematologica*, 89:ELT17. PMID:15533850
- Davila JA, Morgan RO, Shaib Y *et al.* (2005). Diabetes increases the risk of hepatocellular carcinoma in the United States: a population based case control study. *Gut*, 54:533–539.[doi:10.1136/gut.2004.052167](https://doi.org/10.1136/gut.2004.052167) PMID:15753540
- De Rosa G, Gobbo ML, De Renzo A *et al.* (1997). High prevalence of hepatitis C virus infection in patients with B-cell lymphoproliferative disorders in Italy. *Am J Hematol*, 55:77–82.[doi:10.1002/\(SICI\)1096-8652\(199706\)55:2<77::AID-AJH5>3.0.CO;2-#](https://doi.org/10.1002/(SICI)1096-8652(199706)55:2<77::AID-AJH5>3.0.CO;2-#) PMID:9209002
- de Sanjose S, Benavente Y, Vajdic CM *et al.* (2008). Hepatitis C and non-Hodgkin lymphoma among 4784 cases and 6269 controls from the International Lymphoma Epidemiology Consortium. *Clin Gastroenterol Hepatol*, 6:451–458.[doi:10.1016/j.cgh.2008.02.011](https://doi.org/10.1016/j.cgh.2008.02.011) PMID:18387498
- de Sanjose S, Nieters A, Goedert JJ *et al.* (2004). Role of hepatitis C virus infection in malignant lymphoma in Spain. *Int J Cancer*, 111:81–85.[doi:10.1002/ijc.11727](https://doi.org/10.1002/ijc.11727) PMID:15185347
- De Vita S, Zagonel V, Russo A *et al.* (1998). Hepatitis C virus, non-Hodgkin's lymphomas and hepatocellular carcinoma. *Br J Cancer*, 77:2032–2035. PMID:9667688
- Donato F, Gelatti U, Tagger A *et al.* (2001). Intrahepatic cholangiocarcinoma and hepatitis C and B virus infection, alcohol intake, and hepatolithiasis: a case-control study in Italy. *Cancer Causes Control*, 12:959–964.[doi:10.1023/A:1013747228572](https://doi.org/10.1023/A:1013747228572) PMID:11808716
- Donato F, Tagger A, Chiesa R *et al.* (1997). Hepatitis B and C virus infection, alcohol drinking, and hepatocellular carcinoma: a case-control study in Italy. Brescia HCC Study. *Hepatology*, 26:579–584. PMID:9303486

- Donato F, Tagger A, Gelatti U *et al.* (2002). Alcohol and hepatocellular carcinoma: the effect of lifetime intake and hepatitis virus infections in men and women. *Am J Epidemiol*, 155:323–331.[doi:10.1093/aje/155.4.323](https://doi.org/10.1093/aje/155.4.323) [PMID:11836196](https://pubmed.ncbi.nlm.nih.gov/11836196/)
- Duberg AS, Nordström M, Törner A *et al.* (2005). Non-Hodgkin's lymphoma and other nonhepatic malignancies in Swedish patients with hepatitis C virus infection. *Hepatology*, 41:652–659. [PMID:15723449](https://pubmed.ncbi.nlm.nih.gov/15723449/)
- Engels EA, Chatterjee N, Cerhan JR *et al.* (2004). Hepatitis C virus infection and non-Hodgkin lymphoma: results of the NCI-SEER multi-center case-control study. *Int J Cancer*, 111:76–80.[doi:10.1002/ijc.20021](https://doi.org/10.1002/ijc.20021) [PMID:15185346](https://pubmed.ncbi.nlm.nih.gov/15185346/)
- Ferri C, Caracciolo F, Zignego AL *et al.* (1994). Hepatitis C virus infection in patients with non-Hodgkin's lymphoma. *Br J Haematol*, 88:392–394.[doi:10.1111/j.1365-2141.1994.tb05036.x](https://doi.org/10.1111/j.1365-2141.1994.tb05036.x) [PMID:7803287](https://pubmed.ncbi.nlm.nih.gov/7803287/)
- Franceschi S, Montella M, Polesel J *et al.* (2006a). Hepatitis viruses, alcohol, and tobacco in the etiology of hepatocellular carcinoma in Italy. *Cancer Epidemiol Biomarkers Prev*, 15:683–689.[doi:10.1158/1055-9965.EPI-05-0702](https://doi.org/10.1158/1055-9965.EPI-05-0702) [PMID:16614109](https://pubmed.ncbi.nlm.nih.gov/16614109/)
- Franceschi S, Polesel J, Rickenbach M *et al.* (2006b). Hepatitis C virus and non-Hodgkin's lymphoma: Findings from the Swiss HIV Cohort Study. *Br J Cancer*, 95:1598–1602.[doi:10.1038/sj.bjc.6603472](https://doi.org/10.1038/sj.bjc.6603472) [PMID:17106439](https://pubmed.ncbi.nlm.nih.gov/17106439/)
- Gelatti U, Covolo L, Talamini R *et al.* (2005). N-Acetyltransferase-2, glutathione S-transferase M1 and T1 genetic polymorphisms, cigarette smoking and hepatocellular carcinoma: a case-control study. *Int J Cancer*, 115:301–306.[doi:10.1002/ijc.20895](https://doi.org/10.1002/ijc.20895) [PMID:15688397](https://pubmed.ncbi.nlm.nih.gov/15688397/)
- Gentile G, Mele A, Monarco B *et al.*; The Italian Leukemia Study Group (1996). Hepatitis B and C viruses, human T-cell lymphotropic virus types I and II, and leukemias: a case-control study. *Cancer Epidemiol Biomarkers Prev*, 5:227–230. [PMID:8833624](https://pubmed.ncbi.nlm.nih.gov/8833624/)
- Guiltinan AM, Kaidarova Z, Custer B *et al.* (2008). Increased all-cause, liver, and cardiac mortality among hepatitis C virus-seropositive blood donors. *Am J Epidemiol*, 167:743–750.[doi:10.1093/aje/kwm370](https://doi.org/10.1093/aje/kwm370) [PMID:18203734](https://pubmed.ncbi.nlm.nih.gov/18203734/)
- Hadziyannis S, Tabor E, Kaklamani E *et al.* (1995). A case-control study of hepatitis B and C virus infections in the etiology of hepatocellular carcinoma. *Int J Cancer*, 60:627–631.[doi:10.1002/ijc.2910600510](https://doi.org/10.1002/ijc.2910600510) [PMID:7860136](https://pubmed.ncbi.nlm.nih.gov/7860136/)
- Harakati MS, Abualkhair OA, Al-Knawy BA (2000). Hepatitis C Virus infection in Saudi Arab patients with B-cell non-Hodgkin's lymphoma. *Saudi Med J*, 21:755–758. [PMID:11423889](https://pubmed.ncbi.nlm.nih.gov/11423889/)
- Hassan MM, Hwang LY, Hatten CJ *et al.* (2002). Risk factors for hepatocellular carcinoma: synergism of alcohol with viral hepatitis and diabetes mellitus. *Hepatology*, 36:1206–1213. [PMID:12395331](https://pubmed.ncbi.nlm.nih.gov/12395331/)
- Hassan MM, Zaghoul AS, El-Serag HB *et al.* (2001). The role of hepatitis C in hepatocellular carcinoma: a case control study among Egyptian patients. *J Clin Gastroenterol*, 33:123–126.[doi:10.1097/00004836-200108000-00006](https://doi.org/10.1097/00004836-200108000-00006) [PMID:11468438](https://pubmed.ncbi.nlm.nih.gov/11468438/)
- Hausfater P, Cacoub P, Sterkers Y *et al.* (2001). Hepatitis C virus infection and lymphoproliferative diseases: prospective study on 1,576 patients in France. *Am J Hematol*, 67:168–171.[doi:10.1002/ajh.1101](https://doi.org/10.1002/ajh.1101) [PMID:11391713](https://pubmed.ncbi.nlm.nih.gov/11391713/)
- Hsing AW, Zhang M, Rashid A *et al.* (2008). Hepatitis B and C virus infection and the risk of biliary tract cancer: a population-based study in China. *Int J Cancer*, 122:1849–1853.[doi:10.1002/ijc.23251](https://doi.org/10.1002/ijc.23251) [PMID:18076042](https://pubmed.ncbi.nlm.nih.gov/18076042/)
- Imai Y, Ohsawa M, Tanaka H *et al.* (2002). High prevalence of HCV infection in patients with B-cell non-Hodgkin's lymphoma: comparison with birth cohort- and sex-matched blood donors in a Japanese population. *Hepatology*, 35:974–976. [PMID:11915049](https://pubmed.ncbi.nlm.nih.gov/11915049/)
- Iwata H, Matsuo K, Takeuchi K *et al.* (2004). High incidences of malignant lymphoma in patients infected with hepatitis B or hepatitis C virus. *Haematologica*, 89:368–370. [PMID:15020283](https://pubmed.ncbi.nlm.nih.gov/15020283/)
- Kaya H, Polat MF, Erdem F, Gündogdu M (2002). Prevalence of hepatitis C virus and hepatitis G virus in patients with non-Hodgkin's lymphoma. *Clin Lab Haematol*, 24:107–110.[doi:10.1046/j.1365-2257.2002.00427.x](https://doi.org/10.1046/j.1365-2257.2002.00427.x) [PMID:11985556](https://pubmed.ncbi.nlm.nih.gov/11985556/)
- Kew MC, Yu MC, Kedda MA *et al.* (1997). The relative roles of hepatitis B and C viruses in the etiology of hepatocellular carcinoma in southern African blacks. *Gastroenterology*, 112:184–187.[doi:10.1016/S0016-5085\(97\)70233-6](https://doi.org/10.1016/S0016-5085(97)70233-6) [PMID:8978357](https://pubmed.ncbi.nlm.nih.gov/8978357/)
- Kim JH, Bang YJ, Park BJ *et al.* (2002). Hepatitis B virus infection and B-cell non-Hodgkin's lymphoma in a hepatitis B endemic area: a case-control study. *Jpn J Cancer Res*, 93:471–477. [PMID:12036441](https://pubmed.ncbi.nlm.nih.gov/12036441/)

- Kuniyoshi M, Nakamuta M, Sakai H *et al.* (2001). Prevalence of hepatitis B or C virus infections in patients with non-Hodgkin's lymphoma. *J Gastroenterol Hepatol*, 16:215–219. [doi:10.1046/j.1440-1746.2001.02406.x](https://doi.org/10.1046/j.1440-1746.2001.02406.x) PMID:11207904
- Kuper HE, Tzonou A, Kaklamani E *et al.* (2000). Hepatitis B and C viruses in the etiology of hepatocellular carcinoma; a study in Greece using third-generation assays. *Cancer Causes Control*, 11:171–175. [doi:10.1023/A:1008951901148](https://doi.org/10.1023/A:1008951901148) PMID:10710202
- Lee TY, Lee SS, Jung SW *et al.* (2008). Hepatitis B virus infection and intrahepatic cholangiocarcinoma in Korea: a case-control study. *Am J Gastroenterol*, 103:1716–1720. [doi:10.1111/j.1572-0241.2008.01796.x](https://doi.org/10.1111/j.1572-0241.2008.01796.x) PMID:18557716
- Lu SN, Lee CM, Changchien CS, Chen CJ (1999). Excess mortality from hepatocellular carcinoma in an HCV-endemic township of an HBV-endemic country (Taiwan). *Trans R Soc Trop Med Hyg*, 93:600–602. [doi:10.1016/S0035-9203\(99\)90063-9](https://doi.org/10.1016/S0035-9203(99)90063-9) PMID:10717743
- Matsuo K, Kusano A, Sugumar A *et al.* (2004). Effect of hepatitis C virus infection on the risk of non-Hodgkin's lymphoma: a meta-analysis of epidemiological studies. *Cancer Sci*, 95:745–752. [doi:10.1111/j.1349-7006.2004.tb03256.x](https://doi.org/10.1111/j.1349-7006.2004.tb03256.x) PMID:15471561
- Mazzaro C, Zagonel V, Monfardini S *et al.* (1996). Hepatitis C virus and non-Hodgkin's lymphomas. *Br J Haematol*, 94:544–550. [doi:10.1046/j.1365-2141.1996.6912313.x](https://doi.org/10.1046/j.1365-2141.1996.6912313.x) PMID:8790157
- Mele A, Pulsoni A, Bianco E *et al.* (2003). Hepatitis C virus and B-cell non-Hodgkin lymphomas: an Italian multicenter case-control study. *Blood*, 102:996–999. [doi:10.1182/blood-2002-10-3230](https://doi.org/10.1182/blood-2002-10-3230) PMID:12714514
- Mizorogi F, Hiramoto J, Nozato A *et al.* (2000). Hepatitis C virus infection in patients with B-cell non-Hodgkin's lymphoma. *Intern Med*, 39:112–117. PMID:10732826
- Montella M, Crispo A, de Bellis G *et al.* (2001). HCV and cancer: a case-control study in a high-endemic area. *Liver*, 21:335–341. [doi:10.1034/j.1600-0676.2001.210506.x](https://doi.org/10.1034/j.1600-0676.2001.210506.x) PMID:11589770
- Montella M, Crispo A, Frigeri F *et al.* (2001). HCV and tumors correlated with immune system: a case-control study in an area of hyperendemicity. *Leuk Res*, 25:775–781. [doi:10.1016/S0145-2126\(01\)00027-3](https://doi.org/10.1016/S0145-2126(01)00027-3) PMID:11489471
- Montella M, Crispo A, Pezzullo L *et al.* (2000). Is hepatitis C virus infection associated with thyroid cancer? A case-control study. *Int J Cancer*, 87:611–612. [doi:10.1002/1097-0215\(20000815\)87:4<611::AID-IJC24>3.0.CO;2-N](https://doi.org/10.1002/1097-0215(20000815)87:4<611::AID-IJC24>3.0.CO;2-N) PMID:10918206
- Morgensztern D, Rosado M, Silva O *et al.* (2004). Prevalence of hepatitis C infection in patients with non-Hodgkin's lymphoma in South Florida and review of the literature. *Leuk Lymphoma*, 45:2459–2464. [doi:10.1080/10428190400007771](https://doi.org/10.1080/10428190400007771) PMID:15621760
- Mori M, Hara M, Wada I *et al.* (2000). Prospective study of hepatitis B and C viral infections, cigarette smoking, alcohol consumption, and other factors associated with hepatocellular carcinoma risk in Japan. *Am J Epidemiol*, 151:131–139. PMID:10645815
- Morton LM, Engels EA, Holford TR *et al.* (2004). Hepatitis C virus and risk of non-Hodgkin lymphoma: a population-based case-control study among Connecticut women. *Cancer Epidemiol Biomarkers Prev*, 13:425–430. PMID:15006919
- Murashige N, Kami M, Iwata H *et al.* (2005). No relationship between hepatitis C infection and risk of myeloid malignancy. *Haematologica*, 90:572–574. PMID:15820965
- Musto P, Dell'Olio M, Carotenuto M *et al.* (1996). Hepatitis C virus infection: a new bridge between hematologists and gastroenterologists? *Blood*, 88:752–754. PMID:8695825
- Nieters A, Kallinowski B, Brennan P *et al.* (2006). Hepatitis C and risk of lymphoma: results of the European multicenter case-control study EPILYMPH. *Gastroenterology*, 131:1879–1886. [doi:10.1053/j.gastro.2006.09.019](https://doi.org/10.1053/j.gastro.2006.09.019) PMID:17087949
- Ohsawa M, Shingu N, Miwa H *et al.* (1999). Risk of non-Hodgkin's lymphoma in patients with hepatitis C virus infection. *Int J Cancer*, 80:237–239. [doi:10.1002/\(SICI\)1097-0215\(19990118\)80:2<237::AID-IJC12>3.0.CO;2-I](https://doi.org/10.1002/(SICI)1097-0215(19990118)80:2<237::AID-IJC12>3.0.CO;2-I) PMID:9935205
- Park BC, Han BH, Ahn SY *et al.* (1995). Prevalence of hepatitis C antibody in patients with chronic liver disease and hepatocellular carcinoma in Korea. *J Viral Hepat*, 2:195–202. [doi:10.1111/j.1365-2893.1995.tb00029.x](https://doi.org/10.1111/j.1365-2893.1995.tb00029.x) PMID:7489347
- Park SC, Jeong S-H, Kim J *et al.* (2008). High prevalence of hepatitis B virus infection in patients with B-cell non-Hodgkin's lymphoma in Korea. *J Med Virol*, 80:960–966. [doi:10.1002/jmv.21168](https://doi.org/10.1002/jmv.21168) PMID:18428141
- Paydas S, Kiliç B, Sahin B, Buğdayci R (1999). Prevalence of hepatitis C virus infection in patients with lymphoproliferative disorders in Southern Turkey. *Br J Cancer*, 80:1303–1305. [doi:10.1038/sj.bjc.6690522](https://doi.org/10.1038/sj.bjc.6690522) PMID:10424729

- Pioltelli P, Gargantini L, Cassi E *et al.*; Lombard Study Group of HCV-Lymphoma (2000). Hepatitis C virus in non-Hodgkin's lymphoma. A reappraisal after a prospective case-control study of 300 patients. *Am J Hematol*, 64:95–100. [doi:10.1002/\(SICI\)1096-8652\(200006\)64:2<95::AID-AJH4>3.0.CO;2-A](https://doi.org/10.1002/(SICI)1096-8652(200006)64:2<95::AID-AJH4>3.0.CO;2-A) PMID:10814987
- Rabkin CS, Tess BH, Christianson RE *et al.* (2002). Prospective study of hepatitis C viral infection as a risk factor for subsequent B-cell neoplasia. *Blood*, 99:4240–4242. [doi:10.1182/blood-2002-01-0226](https://doi.org/10.1182/blood-2002-01-0226) PMID:12010836
- Schöllkopf C, Smedby KE, Hjalgrim H *et al.* (2008). Hepatitis C infection and risk of malignant lymphoma. *Int J Cancer*, 122:1885–1890. [doi:10.1002/ijc.23416](https://doi.org/10.1002/ijc.23416) PMID:18271005
- Sève P, Renaudier P, Sascio AJ *et al.* (2004). Hepatitis C virus infection and B-cell non-Hodgkin's lymphoma: a cross-sectional study in Lyon, France. *Eur J Gastroenterol Hepatol*, 16:1361–1365. [doi:10.1097/00005397-2004161361-00000](https://doi.org/10.1097/00005397-2004161361-00000) PMID:15618846
- Shaib YH, El-Serag HB, Nooka AK *et al.* (2007). Risk factors for intrahepatic and extrahepatic cholangiocarcinoma: a hospital-based case-control study. *Am J Gastroenterol*, 102:1016–1021. [doi:10.1111/j.1572-0241.2007.01104.x](https://doi.org/10.1111/j.1572-0241.2007.01104.x) PMID:17324130
- Shariff S, Yoshida EM, Gascoyne RD *et al.* (1999). Hepatitis C infection and B-cell non-Hodgkin's lymphoma in British Columbia: a cross-sectional analysis. *Ann Oncol*, 10:961–964. [doi:10.1023/A:1008361311409](https://doi.org/10.1023/A:1008361311409) PMID:10509159
- Sharp GB, Mizuno T, Cologne JB *et al.* (2003). Hepatocellular carcinoma among atomic bomb survivors: significant interaction of radiation with hepatitis C virus infections. *Int J Cancer*, 103:531–537. [doi:10.1002/ijc.10862](https://doi.org/10.1002/ijc.10862) PMID:12478671
- Shin HR, Lee CU, Park HJ *et al.* (1996). Hepatitis B and C virus, *Clonorchis sinensis* for the risk of liver cancer: a case-control study in Pusan, Korea. *Int J Epidemiol*, 25:933–940. [doi:10.1093/ije/25.5.933](https://doi.org/10.1093/ije/25.5.933) PMID:8921477
- Silvestri F, Pipan C, Barillari G *et al.* (1996). Prevalence of hepatitis C virus infection in patients with lymphoproliferative disorders. *Blood*, 87:4296–4301. [doi:10.1182/blood.V87.11.4296](https://doi.org/10.1182/blood.V87.11.4296) PMID:8639788
- Sonmez M, Bektas O, Yilmaz M *et al.* (2007). The relation of lymphoma and hepatitis B virus/hepatitis C virus infections in the region of East Black Sea, Turkey. *Tumori*, 93:536–539. [doi:10.1177/0369622807305132](https://doi.org/10.1177/0369622807305132) PMID:18338485
- Spinelli JJ, Lai AS, Krajden M *et al.* (2008). Hepatitis C virus and risk of non-Hodgkin lymphoma in British Columbia, Canada. *Int J Cancer*, 122:630–633. [doi:10.1002/ijc.23105](https://doi.org/10.1002/ijc.23105) PMID:17935132
- Sun CA, Farzadegan H, You SL *et al.* (1996). Mutual confounding and interactive effects between hepatitis C and hepatitis B viral infections in hepatocellular carcinogenesis: a population-based case-control study in Taiwan. *Cancer Epidemiol Biomarkers Prev*, 5:173–178. [doi:10.1158/1055-9965.EPI-06-0485](https://doi.org/10.1158/1055-9965.EPI-06-0485) PMID:8833617
- Sun CA, Wu DM, Lin CC *et al.* (2003). Incidence and cofactors of hepatitis C virus-related hepatocellular carcinoma: a prospective study of 12,008 men in Taiwan. *Am J Epidemiol*, 157:674–682. [doi:10.1093/aje/kwg041](https://doi.org/10.1093/aje/kwg041) PMID:12697571
- Suruki RY, Mueller N, Hayashi K *et al.* (2006). Host immune status and incidence of hepatocellular carcinoma among subjects infected with hepatitis C virus: a nested case-control study in Japan. *Cancer Epidemiol Biomarkers Prev*, 15:2521–2525. [doi:10.1158/1055-9965.EPI-06-0485](https://doi.org/10.1158/1055-9965.EPI-06-0485) PMID:17164379
- Tagger A, Donato F, Ribero ML *et al.* (1999). Case-control study on hepatitis C virus (HCV) as a risk factor for hepatocellular carcinoma: the role of HCV genotypes and the synergism with hepatitis B virus and alcohol. Brescia HCC Study. *Int J Cancer*, 81:695–699. [doi:10.1002/\(SICI\)1097-0215\(19990531\)81:5<695::AID-IJC4>3.0.CO;2-W](https://doi.org/10.1002/(SICI)1097-0215(19990531)81:5<695::AID-IJC4>3.0.CO;2-W) PMID:10328218
- Talamini R, Montella M, Crovatto M *et al.* (2004). Non-Hodgkin's lymphoma and hepatitis C virus: a case-control study from northern and southern Italy. *Int J Cancer*, 110:380–385. [doi:10.1002/ijc.20137](https://doi.org/10.1002/ijc.20137) PMID:15095303
- Talamini R, Polesel J, Montella M *et al.* (2005). Smoking and non-Hodgkin lymphoma: case-control study in Italy. *Int J Cancer*, 115:606–610. [doi:10.1002/ijc.20891](https://doi.org/10.1002/ijc.20891) PMID:15704174
- Tanaka H, Tsukuma H, Yamano H *et al.* (1998a). Hepatitis C virus 1b(II) infection and development of chronic hepatitis, liver cirrhosis and hepatocellular carcinoma: a case-control study in Japan. *J Epidemiol*, 8:244–249. [doi:10.1111/j.1365-3113.1998.tb00168.x](https://doi.org/10.1111/j.1365-3113.1998.tb00168.x) PMID:9816816
- Tanaka K, Ikematsu H, Hirohata T, Kashiwagi S (1996). Hepatitis C virus infection and risk of hepatocellular carcinoma among Japanese: possible role of type 1b (II) infection. *J Natl Cancer Inst*, 88:742–746. [doi:10.1093/jnci/88.11.742](https://doi.org/10.1093/jnci/88.11.742) PMID:8637028
- Tanaka K, Hirohata T, Koga S *et al.* (1991). Hepatitis C and hepatitis B in the etiology of hepatocellular carcinoma in the Japanese population. *Cancer Res*, 51:2842–2847. [doi:10.1158/0008-5472.CCR-91-0000](https://doi.org/10.1158/0008-5472.CCR-91-0000) PMID:1851661

- Tsai JF, Chuang LY, Jeng JE *et al.* (2001). Betel quid chewing as a risk factor for hepatocellular carcinoma: a case-control study. *Br J Cancer*, 84:709–713.[doi:10.1054/bjoc.1999.1597](https://doi.org/10.1054/bjoc.1999.1597) [PMID:11237396](https://pubmed.ncbi.nlm.nih.gov/11237396/)
- Tsai JF, Jeng JE, Ho MS *et al.* (1996). Additive effect modification of hepatitis B surface antigen and e antigen on the development of hepatocellular carcinoma. *Br J Cancer*, 73:1498–1502. [PMID:8664119](https://pubmed.ncbi.nlm.nih.gov/8664119/)
- Ulcickas Yood M, Quesenberry CP Jr, Guo D *et al.* (2007). Incidence of non-Hodgkin's lymphoma among individuals with chronic hepatitis B virus infection. *Hepatology*, 46:107–112. [PMID:17526021](https://pubmed.ncbi.nlm.nih.gov/17526021/)
- Vajdic CM, Grulich AE, Kaldor JM *et al.* (2006). Specific infections, infection-related behavior, and risk of non-Hodgkin lymphoma in adults. *Cancer Epidemiol Biomarkers Prev*, 15:1102–1108.[doi:10.1158/1055-9965.EPI-06-0078](https://doi.org/10.1158/1055-9965.EPI-06-0078) [PMID:16775166](https://pubmed.ncbi.nlm.nih.gov/16775166/)
- Vallisa D, Bertè R, Rocca A *et al.* (1999). Association between hepatitis C virus and non-Hodgkin's lymphoma, and effects of viral infection on histologic subtype and clinical course. *Am J Med*, 106:556–560.[doi:10.1016/S0002-9343\(99\)00069-8](https://doi.org/10.1016/S0002-9343(99)00069-8) [PMID:10335728](https://pubmed.ncbi.nlm.nih.gov/10335728/)
- Wang LY, You SL, Lu SN *et al.* (2003). Risk of hepatocellular carcinoma and habits of alcohol drinking, betel quid chewing and cigarette smoking: a cohort of 2416 HBsAg-seropositive and 9421 HBsAg-seronegative male residents in Taiwan. *Cancer Causes Control*, 14:241–250.[doi:10.1023/A:1023636619477](https://doi.org/10.1023/A:1023636619477) [PMID:12814203](https://pubmed.ncbi.nlm.nih.gov/12814203/)
- Waters L, Stebbing J, Mandalia S *et al.* (2005). Hepatitis C infection is not associated with systemic HIV-associated non-Hodgkin's lymphoma: a cohort study. *Int J Cancer*, 116:161–163.[doi:10.1002/ijc.20988](https://doi.org/10.1002/ijc.20988) [PMID:15756687](https://pubmed.ncbi.nlm.nih.gov/15756687/)
- Yamamoto S, Kubo S, Hai S *et al.* (2004). Hepatitis C virus infection as a likely etiology of intrahepatic cholangiocarcinoma. *Cancer Sci*, 95:592–595.[doi:10.1111/j.1349-7006.2004.tb02492.x](https://doi.org/10.1111/j.1349-7006.2004.tb02492.x) [PMID:15245596](https://pubmed.ncbi.nlm.nih.gov/15245596/)
- Yenice N, Güllük F, Arican N, Türkmen S (2003). HCV prevalence in Hodgkin and non-Hodgkin lymphoma cases. *Turk J Gastroenterol*, 14:173–176. [PMID:14655060](https://pubmed.ncbi.nlm.nih.gov/14655060/)
- Yu MC, Yuan JM, Ross RK, Govindarajan S (1997). Presence of antibodies to the hepatitis B surface antigen is associated with an excess risk for hepatocellular carcinoma among non-Asians in Los Angeles County, California. *Hepatology*, 25:226–228. [PMID:8985295](https://pubmed.ncbi.nlm.nih.gov/8985295/)
- Yu MW, Chen CJ (1993). Elevated serum testosterone levels and risk of hepatocellular carcinoma. *Cancer Res*, 53:790–794. [PMID:8381328](https://pubmed.ncbi.nlm.nih.gov/8381328/)
- Yuan JM, Govindarajan S, Arakawa K, Yu MC (2004). Synergism of alcohol, diabetes, and viral hepatitis on the risk of hepatocellular carcinoma in blacks and whites in the U.S. *Cancer*, 101:1009–1017.[doi:10.1002/cncr.20427](https://doi.org/10.1002/cncr.20427) [PMID:15329910](https://pubmed.ncbi.nlm.nih.gov/15329910/)
- Yuan JM, Ross RK, Stanczyk FZ *et al.* (1995). A cohort study of serum testosterone and hepatocellular carcinoma in Shanghai, China. *Int J Cancer*, 63:491–493.[doi:10.1002/ijc.2910630405](https://doi.org/10.1002/ijc.2910630405) [PMID:7591255](https://pubmed.ncbi.nlm.nih.gov/7591255/)
- Zhou YM, Yin ZF, Yang JM *et al.* (2008). Risk factors for intrahepatic cholangiocarcinoma: a case-control study in China. *World J Gastroenterol*, 14:632–635.[doi:10.3748/wjg.14.632](https://doi.org/10.3748/wjg.14.632) [PMID:18203300](https://pubmed.ncbi.nlm.nih.gov/18203300/)
- Zucca E, Roggero E, Maggi-Solcà N *et al.* (2000). Prevalence of Helicobacter pylori and hepatitis C virus infections among non-Hodgkin's lymphoma patients in Southern Switzerland. *Haematologica*, 85:147–153. [PMID:10681721](https://pubmed.ncbi.nlm.nih.gov/10681721/)
- Zuckerman E, Zuckerman T, Levine AM *et al.* (1997). Hepatitis C virus infection in patients with B-cell non-Hodgkin lymphoma. *Ann Intern Med*, 127:423–428. [PMID:9312998](https://pubmed.ncbi.nlm.nih.gov/9312998/)