

## Benzene

### References to Supplementary Web Tables, Sections 1 and 2

- Adegoke OJ, Blair A, Shu XO *et al.* (2003). Occupational history and exposure and the risk of adult leukemia in Shanghai. *Ann Epidemiol*, 13:485–494. [doi:10.1016/S1047-2797\(03\)00037-1](https://doi.org/10.1016/S1047-2797(03)00037-1) [PMID:12932623](https://pubmed.ncbi.nlm.nih.gov/12932623/)
- Bernard SM, Cartwright RA, Bird CC *et al.* (1984). Aetiologic factors in lymphoid malignancies: a case-control epidemiological study. *Leuk Res*, 8:681–689. [doi:10.1016/0145-2126\(84\)90016-X](https://doi.org/10.1016/0145-2126(84)90016-X) [PMID:6471900](https://pubmed.ncbi.nlm.nih.gov/6471900/)
- Björk J, Albin M, Welinder H *et al.* (2001). Are occupational, hobby, or lifestyle exposures associated with Philadelphia chromosome positive chronic myeloid leukaemia? *Occup Environ Med*, 58:722–727. [doi:10.1136/oem.58.11.722](https://doi.org/10.1136/oem.58.11.722) [PMID:11600728](https://pubmed.ncbi.nlm.nih.gov/11600728/)
- Blair A, Zheng T, Linos A *et al.* (2001). Occupation and leukemia: a population-based case-control study in Iowa and Minnesota. *Am J Ind Med*, 40:3–14. [doi:10.1002/ajim.1066](https://doi.org/10.1002/ajim.1066) [PMID:11439392](https://pubmed.ncbi.nlm.nih.gov/11439392/)
- Bloemen LJ, Youk A, Bradley TD *et al.* (2004). Lymphohaematopoietic cancer risk among chemical workers exposed to benzene. *Occup Environ Med*, 61:270–274. [doi:10.1136/oem.2003.007013](https://doi.org/10.1136/oem.2003.007013) [PMID:14985523](https://pubmed.ncbi.nlm.nih.gov/14985523/)
- Bond GG, Flores GH, Shellenberger RJ *et al.* (1986). Nested case-control study of lung cancer among chemical workers. *Am J Epidemiol*, 124:53–66. [PMID:3717140](https://pubmed.ncbi.nlm.nih.gov/3717140/)
- Cocco P, t'Mannetje A, Fadda D *et al.* (2010). Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case-control study. *Occup Environ Med*, 67:341–347. [doi:10.1136/oem.2009.046839](https://doi.org/10.1136/oem.2009.046839) [PMID:20447988](https://pubmed.ncbi.nlm.nih.gov/20447988/)
- Collingwood KW, Raabe GK, Wong O (1996). An updated cohort mortality study of workers at a northeastern United States petroleum refinery. *Int Arch Occup Environ Health*, 68:277–288. [doi:10.1007/BF00409412](https://doi.org/10.1007/BF00409412) [PMID:8832292](https://pubmed.ncbi.nlm.nih.gov/8832292/)
- Collins JJ, Ireland B, Buckley CF, Shepperly D (2003). Lymphohaematopoeitic cancer mortality among workers with benzene exposure. *Occup Environ Med*, 60:676–679. [doi:10.1136/oem.60.9.676](https://doi.org/10.1136/oem.60.9.676) [PMID:12937190](https://pubmed.ncbi.nlm.nih.gov/12937190/)
- Consonni D, Pesatori AC, Tironi A *et al.* (1999). Mortality study in an Italian oil refinery: extension of the follow-up. *Am J Ind Med*, 35:287–294. [doi:10.1002/\(SICI\)1097-0274\(199903\)35:3<287::AID-AJIM9>3.0.CO;2-F](https://doi.org/10.1002/(SICI)1097-0274(199903)35:3<287::AID-AJIM9>3.0.CO;2-F) [PMID:9987562](https://pubmed.ncbi.nlm.nih.gov/9987562/)
- Costantini AS, Benvenuti A, Vineis P *et al.* (2008). Risk of leukemia and multiple myeloma associated with exposure to benzene and other organic solvents: evidence from the Italian Multicenter Case-control study. *Am J Ind Med*, 51:803–811. [doi:10.1002/ajim.20592](https://doi.org/10.1002/ajim.20592) [PMID:18651579](https://pubmed.ncbi.nlm.nih.gov/18651579/)
- Crump KS (1994). Risk of benzene-induced leukemia: a sensitivity analysis of the pliofilm cohort with additional follow-up and new exposure estimates. *J Toxicol Environ Health*, 42:219–242. [doi:10.1080/15287399409531875](https://doi.org/10.1080/15287399409531875) [PMID:8207757](https://pubmed.ncbi.nlm.nih.gov/8207757/)
- Cuzick J, De Stavola B (1988). Multiple myeloma—a case-control study. *Br J Cancer*, 57:516–520. [doi:10.1038/bjc.1988.118](https://doi.org/10.1038/bjc.1988.118) [PMID:3395559](https://pubmed.ncbi.nlm.nih.gov/3395559/)
- Dagg TG, Satin KP, Bailey WJ *et al.* (1992). An updated cause specific mortality study of petroleum refinery workers. *Br J Ind Med*, 49:203–212. [PMID:1554618](https://pubmed.ncbi.nlm.nih.gov/1554618/)
- Divine BJ, Hartman CM, Wendt JK (1999a). Update of the Texaco mortality study 1947–93: Part I. Analysis of overall patterns of mortality among refining, research, and petrochemical workers. *Occup Environ Med*, 56:167–173. [doi:10.1136/oem.56.3.167](https://doi.org/10.1136/oem.56.3.167) [PMID:10448325](https://pubmed.ncbi.nlm.nih.gov/10448325/)
- Divine BJ, Hartman CM, Wendt JK (1999b). Update of the Texaco mortality study 1947–93: part II. Analysis of specific causes of death for white men employed in refining, research and petrochemicals. *Occup Environ Med*, 56:174–180. [doi:10.1136/oem.56.3.174](https://doi.org/10.1136/oem.56.3.174) [PMID:10448326](https://pubmed.ncbi.nlm.nih.gov/10448326/)
- Dryver E, Brandt L, Kauppinen T, Olsson H (2004). Occupational exposures and non-Hodgkin's lymphoma in Southern Sweden. *Int J Occup Environ Health*, 10:13–21. [PMID:15070021](https://pubmed.ncbi.nlm.nih.gov/15070021/)

- Fabbro-Peray P, Daures JP, Rossi JF (2001). Environmental risk factors for non-Hodgkin's lymphoma: a population-based case-control study in Languedoc-Roussillon, France. *Cancer Causes Control*, 12:201–212. [doi:10.1023/A:1011274922701](https://doi.org/10.1023/A:1011274922701) PMID:11405325
- Franceschi S, Serraino D, Bidoli E *et al.* (1989). The epidemiology of non-Hodgkin's lymphoma in the north-east of Italy: a hospital-based case-control study. *Leuk Res*, 13:465–472. [doi:10.1016/0145-2126\(89\)90168-9](https://doi.org/10.1016/0145-2126(89)90168-9) PMID:2770331
- Fritschi L, Benke G, Hughes AM *et al.* (2005). Risk of non-Hodgkin lymphoma associated with occupational exposure to solvents, metals, organic dusts and PCBs (Australia). *Cancer Causes Control*, 16:599–607. [doi:10.1007/s10552-004-7845-0](https://doi.org/10.1007/s10552-004-7845-0) PMID:15986116
- Gérin M, Siemiatycki J, Déry M, Krewski D (1998). Associations between several sites of cancer and occupational exposure to benzene, toluene, xylene, and styrene: results of a case-control study in Montreal. *Am J Ind Med*, 34:144–156. [doi:10.1002/\(SICI\)1097-0274\(199808\)34:2<144::AID-AJIM7>3.0.CO;2-X](https://doi.org/10.1002/(SICI)1097-0274(199808)34:2<144::AID-AJIM7>3.0.CO;2-X) PMID:9651624
- Glass DC, Gray CN, Jolley DJ *et al.* (2003). Leukemia risk associated with low-level benzene exposure. *Epidemiology*, 14:569–577. [doi:10.1097/01.ede.0000082001.05563.e0](https://doi.org/10.1097/01.ede.0000082001.05563.e0) PMID:14501272
- Guénel P, Imbernon E, Chevalier A *et al.* (2002). Leukemia in relation to occupational exposures to benzene and other agents: a case-control study nested in a cohort of gas and electric utility workers. *Am J Ind Med*, 42:87–97. [doi:10.1002/ajim.10090](https://doi.org/10.1002/ajim.10090) PMID:12125084
- Gun RT, Pratt N, Ryan P, Roder D (2006). Update of mortality and cancer incidence in the Australian petroleum industry cohort. *Occup Environ Med*, 63:476–481. [doi:10.1136/oem.2005.023796](https://doi.org/10.1136/oem.2005.023796) PMID:16698808
- Hayes RB, Yin SN, Dosemeci M *et al.* (1996). Mortality among benzene-exposed workers in China. *Environ Health Perspect*, 104 Suppl 6:1349–1352. PMID:9118919
- Hayes RB, Yin SN, Dosemeci M *et al.*; Chinese Academy of Preventive Medicine–National Cancer Institute Benzene Study Group (1997). Benzene and the dose-related incidence of hematologic neoplasms in China. *J Natl Cancer Inst*, 89:1065–1071. [doi:10.1093/jnci/89.14.1065](https://doi.org/10.1093/jnci/89.14.1065) PMID:9230889
- Heineman EF, Olsen JH, Pottern LM *et al.* (1992). Occupational risk factors for multiple myeloma among Danish men. *Cancer Causes Control*, 3:555–568. [doi:10.1007/BF00052753](https://doi.org/10.1007/BF00052753) PMID:1420859
- Honda Y, Delzell E, Cole P (1995). An updated study of mortality among workers at a petroleum manufacturing plant. *J Occup Environ Med*, 37:194–200. [doi:10.1097/00043764-199502000-00020](https://doi.org/10.1097/00043764-199502000-00020) PMID:7655961
- Huebner WW, Wojcik NC, Rosamilia K *et al.* (2004). Mortality updates (1970–1997) of two refinery/petrochemical plant cohorts at Baton Rouge, Louisiana, and Baytown, Texas. *J Occup Environ Med*, 46:1229–1245. PMID:15591975
- Kato I, Koenig KL, Watanabe-Meserve H *et al.* (2005). Personal and occupational exposure to organic solvents and risk of non-Hodgkin's lymphoma (NHL) in women (United States). *Cancer Causes Control*, 16:1215–1224. [doi:10.1007/s10552-005-0385-4](https://doi.org/10.1007/s10552-005-0385-4) PMID:16215872
- Kirkeleit J, Riise T, Bråtveit M, Moen BE (2008). Increased risk of acute myelogenous leukemia and multiple myeloma in a historical cohort of upstream petroleum workers exposed to crude oil. *Cancer Causes Control*, 19:13–23. [doi:10.1007/s10552-007-9065-x](https://doi.org/10.1007/s10552-007-9065-x) PMID:17906934
- La Vecchia C, Negri E, D'Avanzo B, Franceschi S (1989). Occupation and lymphoid neoplasms. *Br J Cancer*, 60:385–388. [doi:10.1038/bjc.1989.290](https://doi.org/10.1038/bjc.1989.290) PMID:2789947
- Lewis RJ, Schnatter AR, Drummond I *et al.* (2003). Mortality and cancer morbidity in a cohort of Canadian petroleum workers. *Occup Environ Med*, 60:918–928. [doi:10.1136/oem.60.12.918](https://doi.org/10.1136/oem.60.12.918) PMID:14634182
- Linnet MS, Harlow SD, McLaughlin JK (1987). A case-control study of multiple myeloma in whites: chronic antigenic stimulation, occupation, and drug use. *Cancer Res*, 47:2978–2981. PMID:3567914
- Lynge E, Andersen A, Nilsson R *et al.* (1997). Risk of cancer and exposure to gasoline vapors. *Am J Epidemiol*, 145:449–458. PMID:9048519
- Mao Y, Hu J, Ugnat AM, White K; Canadian Cancer Registries Epidemiology Research Group (2000). Non-Hodgkin's lymphoma and occupational exposure to chemicals in Canada. *Ann Oncol*, 11 Suppl 1:69–73. [doi:10.1023/A:1008342315673](https://doi.org/10.1023/A:1008342315673) PMID:10707783
- McCraw DS, Joyner RE, Cole P (1985). Excess leukemia in a refinery population. *J Occup Med*, 27:220–222. PMID:3856637

- Miligi L, Costantini AS, Benvenuti A *et al.* (2006). Occupational exposure to solvents and the risk of lymphomas. *Epidemiology*, 17:552–561. [doi:10.1097/01.ede.0000231279.30988.4d](https://doi.org/10.1097/01.ede.0000231279.30988.4d) PMID:16878041
- Nilsson RI, Nordlinder R, Hörte L-G, Järholm B (1998). Leukaemia, lymphoma, and multiple myeloma in seamen on tankers. *Occup Environ Med*, 55:517–521. [doi:10.1136/oem.55.8.517](https://doi.org/10.1136/oem.55.8.517) PMID:9849537
- Persson B, Fredrikson M (1999). Some risk factors for non-Hodgkin's lymphoma. *Int J Occup Med Environ Health*, 12:135–142. [PMID:10465904](https://doi.org/10.1046/10465904)
- Pesch B, Haerting J, Ranft U *et al.* (2000). Occupational risk factors for renal cell carcinoma: agent-specific results from a case-control study in Germany. MURC Study Group. Multicenter urothelial and renal cancer study. *Int J Epidemiol*, 29:1014–1024. [doi:10.1093/ije/29.6.1014](https://doi.org/10.1093/ije/29.6.1014) PMID:11101542
- Pukkala E (1998). Cancer incidence among Finnish oil refinery workers, 1971–1994. *J Occup Environ Med*, 40:675–679. [doi:10.1097/00043764-199808000-00003](https://doi.org/10.1097/00043764-199808000-00003) PMID:9729749
- Rinsky RA, Hornung RW, Silver SR, Tseng CY (2002). Benzene exposure and hematopoietic mortality: A long-term epidemiologic risk assessment. *Am J Ind Med*, 42:474–480. [doi:10.1002/ajim.10138](https://doi.org/10.1002/ajim.10138) PMID:12439870
- Rushton L (1993). A 39-year follow-up of the U.K. oil refinery and distribution center studies: results for kidney cancer and leukemia. *Environ Health Perspect*, 101 Suppl 6:77–84. [doi:10.1289/ehp.93101s677](https://doi.org/10.1289/ehp.93101s677)
- Rushton L, Romaniuk H (1997). A case-control study to investigate the risk of leukaemia associated with exposure to benzene in petroleum marketing and distribution workers in the United Kingdom. *Occup Environ Med*, 54:152–166. [doi:10.1136/oem.54.3.152](https://doi.org/10.1136/oem.54.3.152) PMID:9155776
- Satin KP, Wong O, Yuan LA *et al.* (1996). A 50-year mortality follow-up of a large cohort of oil refinery workers in Texas. *J Occup Environ Med*, 38:492–506. [doi:10.1097/00043764-199605000-00010](https://doi.org/10.1097/00043764-199605000-00010) PMID:8733641
- Scherr PA, Hutchison GB, Neiman RS (1992). Non-Hodgkin's lymphoma and occupational exposure. *Cancer Res*, 52 Suppl:5503s–5509s. [PMID:1394164](https://doi.org/10.1158/0008-5472.CCR.1992.52.10.5503s)
- Schnatter AR, Armstrong TW, Nicolich MJ *et al.* (1996). Lymphohaematopoietic malignancies and quantitative estimates of exposure to benzene in Canadian petroleum distribution workers. *Occup Environ Med*, 53:773–781. [doi:10.1136/oem.53.11.773](https://doi.org/10.1136/oem.53.11.773) PMID:9038803
- Seidler A, Möhner M, Berger J *et al.* (2007). Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. *J Occup Med Toxicol*, 2:2. [doi:10.1186/1745-6673-2-2](https://doi.org/10.1186/1745-6673-2-2) PMID:17407545
- Shu XO, Gao YT, Brinton LA *et al.* (1988). A population-based case-control study of childhood leukemia in Shanghai. *Cancer*, 62:635–644. [doi:10.1002/1097-0142\(19880801\)62:3<635::AID-CNCR2820620332>3.0.CO;2-3](https://doi.org/10.1002/1097-0142(19880801)62:3<635::AID-CNCR2820620332>3.0.CO;2-3) PMID:3164642
- Shu XO, Stewart P, Wen WQ *et al.* (1999). Parental occupational exposure to hydrocarbons and risk of acute lymphocytic leukemia in offspring. *Cancer Epidemiol Biomarkers Prev*, 8:783–791. [PMID:10498397](https://doi.org/10.1158/1078-0432.CCR.1999.08.05.783)
- Sorahan T, Kinlen LJ, Doll R (2005). Cancer risks in a historical UK cohort of benzene exposed workers. *Occup Environ Med*, 62:231–236. [doi:10.1136/oem.2004.015628](https://doi.org/10.1136/oem.2004.015628) PMID:15778255
- Sorahan T, Nichols L, Harrington JM (2002). Mortality of United Kingdom oil refinery and petroleum distribution workers, 1951–1998. *Occup Med (Lond)*, 52:333–339. [doi:10.1093/occmed/52.6.333](https://doi.org/10.1093/occmed/52.6.333) PMID:12361995
- Swaen GMH, Scheffers T, de Cock J *et al.* (2005). Leukemia risk in caprolactam workers exposed to benzene. *Ann Epidemiol*, 15:21–28. [doi:10.1016/j.annepidem.2004.03.007](https://doi.org/10.1016/j.annepidem.2004.03.007) PMID:15571990
- Tsai SP, Gilstrap EL, Cowles SR *et al.* (1993). A cohort mortality study of two California refinery and petrochemical plants. *J Occup Med*, 35:415–421. [PMID:8487121](https://doi.org/10.1093/occmed/35.4.415)
- Tsai SP, Gilstrap EL, Cowles SR *et al.* (1996). Long-term follow-up mortality study of petroleum refinery and chemical plant employees. *Am J Ind Med*, 29:75–87. [doi:10.1002/\(SICI\)1097-0274\(199601\)29:1<75::AID-AJIM10>3.0.CO;2-X](https://doi.org/10.1002/(SICI)1097-0274(199601)29:1<75::AID-AJIM10>3.0.CO;2-X) PMID:8808045
- Tsai SP, Wendt JK, Cardarelli KM, Fraser AE (2003). A mortality and morbidity study of refinery and petrochemical employees in Louisiana. *Occup Environ Med*, 60:627–633. [doi:10.1136/oem.60.9.627](https://doi.org/10.1136/oem.60.9.627) PMID:12937182
- Wang R, Zhang Y, Lan Q *et al.* (2009). Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol*, 169:176–185. [doi:10.1093/aje/kwn300](https://doi.org/10.1093/aje/kwn300) PMID:19056833

- Wong O (1987). An industry wide mortality study of chemical workers occupationally exposed to benzene. II. Dose response analyses. *Br J Ind Med*, 44:382–395. [PMID:3606967](#)
- Wong O (1995). Risk of acute myeloid leukaemia and multiple myeloma in workers exposed to benzene. *Occup Environ Med*, 52:380–384. [doi:10.1136/oem.52.6.380](#) [PMID:7627314](#)
- Wong O, Harris F, Rosamilia K, Raabe GK (2001a). An updated mortality study of workers at a petroleum refinery in Beaumont, Texas, 1945 to 1996. *J Occup Environ Med*, 43:384–401. [doi:10.1097/00043764-200104000-00017](#) [PMID:11322100](#)
- Wong O, Harris F, Rosamilia K, Raabe GK (2001b). Updated mortality study of workers at a petroleum refinery in Torrance, California, 1959 to 1997. *J Occup Environ Med*, 43:1089–1102. [PMID:11765680](#)
- Wong O, Harris F, Smith TJ (1993). Health effects of gasoline exposure. II. Mortality patterns of distribution workers in the United States. *Environ Health Perspect*, 101 Suppl 6:63–76. [doi:10.1289/ehp.93101s663](#) [PMID:8020450](#)
- Yin SN, Hayes RB, Linet MS *et al.* (1996). A cohort study of cancer among benzene-exposed workers in China: overall results. *Am J Ind Med*, 29:227–235. [doi:10.1002/\(SICI\)1097-0274\(199603\)29:3<227::AID-AJIM2>3.0.CO;2-N](#) [PMID:8833775](#)