

Formaldehyde

References to Supplementary Web Tables, Section 2

- Acheson ED, Barnes HR, Gardner MJ *et al.* (1984a). Formaldehyde in the British chemical industry. An occupational cohort study. *Lancet*, 1:611–616. [PMID:6142316](#)
- Ambroise D, Moulin JJ, Squinazi F *et al.* (2005). Cancer mortality among municipal pest-control workers. *Int Arch Occup Environ Health*, 78:387–393. [PMID:15846500](#)
- Andersen SK, Jensen OM, Oliva D (1982). [Exposure to formaldehyde and lung cancer in Danish physicians]. *Ugeskr Laeger*, 144:1571–1573. [PMID:7135554](#)
- Andjelkovich DA, Janszen DB, Brown MH *et al.* (1995). Mortality of iron foundry workers: IV. Analysis of a subcohort exposed to formaldehyde. *J Occup Environ Med*, 37:826–837. [PMID:7552467](#)
- Armstrong RW, Imrey PB, Lye MS *et al.* (2000). Nasopharyngeal carcinoma in Malaysian Chinese: occupational exposures to particles, formaldehyde and heat. *Int J Epidemiol*, 29:991–998. [PMID:11101539](#)
- Berrino F, Richiardi L, Boffetta P *et al.*; Milan JEM Working Group (2003). Occupation and larynx and hypopharynx cancer: a job-exposure matrix approach in an international case-control study in France, Italy, Spain and Switzerland. *Cancer Causes Control*, 14:213–223. [PMID:12814200](#)
- Blair A, Stewart P, O’Berg M *et al.* (1986). Mortality among industrial workers exposed to formaldehyde. *J Natl Cancer Inst*, 76:1071–1084. [PMID:3458945](#)
- Blair A, Stewart PA, Hoover RN *et al.* (1987). Cancers of the nasopharynx and oropharynx and formaldehyde exposure. *J Natl Cancer Inst*, 78:191–193. [PMID:3467126](#)
- Blair A, Zheng T, Linos A *et al.* (2001). Occupation and leukemia: a population-based case-control study in Iowa and Minnesota. *Am J Ind Med*, 40:3–14. [PMID:11439392](#)
- Brinton LA, Blot WJ, Becker JA *et al.* (1984). A case-control study of cancers of the nasal cavity and paranasal sinuses. *Am J Epidemiol*, 119:896–906. [PMID:6731431](#)
- Chiazze L Jr, Watkins DK, Fryar C (1997). Historical cohort mortality study of a continuous filament fiberglass manufacturing plant. I. White men. *J Occup Environ Med*, 39:432–441. [PMID:9172088](#)
- Coggon D, Harris EC, Poole J, Palmer KT (2003). Extended follow-up of a cohort of british chemical workers exposed to formaldehyde. *J Natl Cancer Inst*, 95:1608–1615. [PMID:14600093](#)
- Coggon D, Pannett B, Acheson ED (1984). Use of job-exposure matrix in an occupational analysis of lung and bladder cancers on the basis of death certificates. *J Natl Cancer Inst*, 72:61–65. [PMID:6363790](#)
- Fayerweather W *et al.* (1983). Case-control study of cancer deaths in DuPont workers with potential exposure to formaldehyde. *Formaldehyde, Toxicology, Epidemiology, and Mechanisms*. J. Clary, J. Gibson and R. Waritz. New York, Marcel Dekker: 47-121
- Gardner MJ, Pannett B, Winter PD, Cruddas AM (1993). A cohort study of workers exposed to formaldehyde in the British chemical industry: an update. *Br J Ind Med*, 50:827–834. [PMID:8398877](#)
- Gérin M, Siemiatycki J, Nadon L *et al.* (1989). Cancer risks due to occupational exposure to formaldehyde: results of a multi-site case-control study in Montreal. *Int J Cancer*, 44:53–58. [PMID:2744897](#)
- Goldoft M, Weiss N, Vaughan T, Lee J (1993). Nasal melanoma. *Br J Ind Med*, 50:767–768. [PMID:8398868](#)
- Gustavsson P, Jakobsson R, Johansson H *et al.* (1998). Occupational exposures and squamous cell carcinoma of the oral cavity, pharynx, larynx, and oesophagus: a case-control study in Sweden. *Occup Environ Med*, 55:393–400. [PMID:9764099](#)
- Hall A, Harrington JM, Aw TC (1991). Mortality study of British pathologists. *Am J Ind Med*, 20:83–89. [PMID:1867220](#)
- Hansen J, Olsen JH (1995). Formaldehyde and cancer morbidity among male employees in Denmark. *Cancer Causes Control*, 6:354–360. [PMID:7548723](#)
- Hansen J, Olsen JH (1996). [Occupational exposure to formaldehyde and risk of cancer]. *Ugeskr Laeger*, 158:4191–4194. [PMID:8701536](#)
- Harrington JM, Oakes D (1984). Mortality study of British pathologists 1974–80. *Br J Ind Med*, 41:188–191. [PMID:6722045](#)

- Hauptmann M, Lubin JH, Stewart PA *et al.* (2003). Mortality from lymphohematopoietic malignancies among workers in formaldehyde industries. *J Natl Cancer Inst*, 95:1615–1623. [PMID:14600094](#)
- Hauptmann M, Lubin JH, Stewart PA *et al.* (2004). Mortality from solid cancers among workers in formaldehyde industries. *Am J Epidemiol*, 159:1117–1130. [PMID:15191929](#)
- Hayes RB, Blair A, Stewart PA *et al.* (1990). Mortality of U.S. embalmers and funeral directors. *Am J Ind Med*, 18:641–652. [PMID:2264563](#)
- Hayes RB, Raatgever JW, de Bruyn A, Gerin M (1986). Cancer of the nasal cavity and paranasal sinuses, and formaldehyde exposure. *Int J Cancer*, 37:487–492. [PMID:3957459](#)
- Heineman EF, Olsen JH, Pottern LM *et al.* (1992). Occupational risk factors for multiple myeloma among Danish men. *Cancer Causes Control*, 3:555–568. [PMID:1420859](#)
- Hernberg S, Collan Y, Degerth R *et al.* (1983a). Nasal cancer and occupational exposures. Preliminary report of a joint Nordic case-referent study. *Scand J Work Environ Health*, 9 2 Spec No;208–213. [PMID:6648420](#)
- Hildesheim A, Dosemeci M, Chan CC *et al.* (2001). Occupational exposure to wood, formaldehyde, and solvents and risk of nasopharyngeal carcinoma. *Cancer Epidemiol Biomarkers Prev*, 10:1145–1153. [PMID:11700262](#)
- Laforest L, Luce D, Goldberg P *et al.* (2000). Laryngeal and hypopharyngeal cancers and occupational exposure to formaldehyde and various dusts: a case-control study in France. *Occup Environ Med*, 57:767–773. [PMID:11024201](#)
- Levine RJ, Andjelkovich DA, Shaw LK (1984). The mortality of Ontario undertakers and a review of formaldehyde-related mortality studies. *J Occup Med*, 26:740–746. [PMID:6491780](#)
- Linus A, Blair A, Cantor KP *et al.* (1990). Leukemia and non-Hodgkin's lymphoma among embalmers and funeral directors. *J Natl Cancer Inst*, 82:66. [PMID:2293657](#)
- Logue JN, Barrick MK, Jessup GL Jr (1986). Mortality of radiologists and pathologists in the Radiation Registry of Physicians. *J Occup Med*, 28:91–99. [PMID:3950788](#)
- Luce D, Gérin M, Leclerc A *et al.* (1993). Sinonasal cancer and occupational exposure to formaldehyde and other substances. *Int J Cancer*, 53:224–231. [PMID:8425759](#)
- Marsh GM, Youk AO, Stone RA *et al.* (2001). Historical cohort study of US man-made vitreous fiber production workers: I. 1992 fiberglass cohort follow-up: initial findings. *J Occup Environ Med*, 43:741–756. [PMID:11561358](#)
- Merletti F, Boffetta P, Ferro G *et al.* (1991). Occupation and cancer of the oral cavity or oropharynx in Turin, Italy. *Scand J Work Environ Health*, 17:248–254. [PMID:1925436](#)
- Olsen JH, Asnaes S (1986). Formaldehyde and the risk of squamous cell carcinoma of the sinonasal cavities. *Br J Ind Med*, 43:769–774. [PMID:3790457](#)
- Olsen JH, Jensen SP, Hink M *et al.* (1984). Occupational formaldehyde exposure and increased nasal cancer risk in man. *Int J Cancer*, 34:639–644. [PMID:6500742](#)
- Partanen T, Kauppinen T, Luukkonen R *et al.* (1993). Malignant lymphomas and leukemias, and exposures in the wood industry: an industry-based case-referent study. *Int Arch Occup Environ Health*, 64:593–596. [PMID:8314619](#)
- Pesch B, Pierl CB, Gebel M *et al.* (2008). Occupational risks for adenocarcinoma of the nasal cavity and paranasal sinuses in the German wood industry. *Occup Environ Med*, 65:191–196. [PMID:17881467](#)
- Pinkerton LE, Hein MJ, Stayner LT (2004). Mortality among a cohort of garment workers exposed to formaldehyde: an update. *Occup Environ Med*, 61:193–200. [PMID:14985513](#)
- Pottern LM, Heineman EF, Olsen JH *et al.* (1992). Multiple myeloma among Danish women: employment history and workplace exposures. *Cancer Causes Control*, 3:427–432. [PMID:1525323](#)
- Roush GC, Walrath J, Stayner LT *et al.* (1987). Nasopharyngeal cancer, sinonasal cancer, and occupations related to formaldehyde: a case-control study. *J Natl Cancer Inst*, 79:1221–1224. [PMID:3480373](#)
- Siemiatycki J, Dewar R, Nadon L, Gérin M (1994). Occupational risk factors for bladder cancer: results from a case-control study in Montreal, Quebec, Canada. *Am J Epidemiol*, 140:1061–1080. [PMID:7998589](#)
- Stayner LT, Elliott L, Blade L *et al.* (1988). A retrospective cohort mortality study of workers exposed to formaldehyde in the garment industry. *Am J Ind Med*, 13:667–681. [PMID:3389362](#)
- Stellman SD, Demers PA, Colin D, Boffetta P (1998). Cancer mortality and wood dust exposure among participants in the American Cancer Society Cancer Prevention Study-II (CPS-II). *Am J Ind Med*, 34:229–237. [PMID:9698991](#)

- Stern FB, Beaumont JJ, Halperin WE *et al.* (1987). Mortality of chrome leather tannery workers and chemical exposures in tanneries. *Scand J Work Environ Health*, 13:108–117. [PMID:3602964](#)
- Stroup NE, Blair A, Erikson GE (1986). Brain cancer and other causes of death in anatomists. *J Natl Cancer Inst*, 77:1217–1224. [PMID:3467114](#)
- Tarvainen L, Kyyrönen P, Kauppinen T, Pukkala E (2008). Cancer of the mouth and pharynx, occupation and exposure to chemical agents in Finland [in 1971–95]. [in 1971–95]. *Int J Cancer*, 123:653–659. [PMID:18470913](#)
- Tatham L, Tolbert P, Kjeldsberg C (1997). Occupational risk factors for subgroups of non-Hodgkin's lymphoma. *Epidemiology*, 8:551–558. [PMID:9270958](#)
- Vaughan TL, Stewart PA, Teschke K *et al.* (2000). Occupational exposure to formaldehyde and wood dust and nasopharyngeal carcinoma. *Occup Environ Med*, 57:376–384. [PMID:10810126](#)
- Vaughan TL, Strader C, Davis S, Daling JR (1986a). Formaldehyde and cancers of the pharynx, sinus and nasal cavity: I. Occupational exposures. *Int J Cancer*, 38:677–683. [PMID:3770995](#)
- Vaughan TL, Strader C, Davis S, Daling JR (1986b). Formaldehyde and cancers of the pharynx, sinus and nasal cavity: II. Residential exposures. *Int J Cancer*, 38:685–688. [PMID:3770996](#)
- Walrath J, Fraumeni JF Jr (1983). Mortality patterns among embalmers. *Int J Cancer*, 31:407–411. [PMID:6832852](#)
- Walrath J, Fraumeni JF Jr (1984). Cancer and other causes of death among embalmers. *Cancer Res*, 44:4638–4641. [PMID:6467219](#)
- Wang R, Zhang Y, Lan Q *et al.* (2009). Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol*, 169:176–185. [PMID:19056833](#)
- West RR, Stafford DA, Farrow A, Jacobs A (1995). Occupational and environmental exposures and myelodysplasia: a case-control study. *Leuk Res*, 19:127–139. [PMID:7869741](#)
- West S, Hildesheim A, Dosemeci M (1993). Non-viral risk factors for nasopharyngeal carcinoma in the Philippines: results from a case-control study. *Int J Cancer*, 55:722–727. [PMID:7503957](#)
- Youk AO, Marsh GM, Stone RA *et al.*; Analysis of Exposure-Weighted Measures of Respirable Fibers and Formaldehyde in the Nested Case-Control Study of Respiratory System Cancer (2001). Historical cohort study of US man-made vitreous fiber production workers: III. Analysis of exposure-weighted measures of respirable fibers and formaldehyde in the nested case-control study of respiratory system cancer. *J Occup Environ Med*, 43:767–778. [PMID:11561360](#)