

# Occupational Exposure as a Painter

## References to Supplementary Web Tables, Section 2

- Alderton LE, Spector LG, Blair CK *et al.* (2006). Child and maternal household chemical exposure and the risk of acute leukemia in children with Down's syndrome: a report from the Children's Oncology Group. *American Journal of Epidemiology*, 164:212–221 [doi:10.1093/aje/kwj203](https://doi.org/10.1093/aje/kwj203).
- Alexander BH, Checkoway H, Wechsler L *et al.* (1996). Lung cancer in chromate-exposed aerospace workers. *Journal of Occupational and Environmental Medicine*, 38:1253–1258 [doi:10.1097/00043764-199612000-00011](https://doi.org/10.1097/00043764-199612000-00011).
- Andersen A, Barlow L, Engeland A *et al.* (1999). Work-related cancer in the Nordic countries. *Scand J Work Environ Health*, 25 Suppl 2;1–116.
- Baccarelli A, Tretiakova M, Gorbanev S *et al.* (2005). Occupation and lung cancer risk in Leningrad Province, Russia. *Med Lav*, 96:142–154.
- Band PR, Le ND, MacArthur AC *et al.* (2005). Identification of occupational cancer risks in British Columbia: a population-based case-control study of 1129 cases of bladder cancer. *J Occup Environ Med*, 47:854–858.
- Barbone F, Franceschi S, Talamini R *et al.* (1994). Occupation and bladder cancer in Pordenone (north-east Italy): a case-control study. *International Journal of Epidemiology*, 23:58–65 [doi:10.1093/ije/23.1.58](https://doi.org/10.1093/ije/23.1.58).
- Bethune A, Harding S, Scott A, Filakati H 1995. Mortality of longitudinal study 1971 and 1981 census cohorts. In: Occupational Health Decennial Supplement. Series DS10. London:HMSO, 103–126
- Bethwaite PB, Pearce N, Fraser J (1990). Cancer risks in painters: study based on the New Zealand Cancer Registry. *Br J Ind Med*, 47:742–746.
- Blot WJ, Brown LM, Potters LM *et al.* (1983). Lung cancer among long-term steel workers. *American Journal of Epidemiology*, 117:706–716.
- Blot WJ, Davies JE, Brown LM *et al.* (1982). Occupation and the high risk of lung cancer in Northeast Florida. *Cancer*, 50:364–371 [doi:10.1002/1097-0142\(19820715\)50:2<364::AID-CNCR2820500234>3.0.CO;2-Q](https://doi.org/10.1002/1097-0142(19820715)50:2<364::AID-CNCR2820500234>3.0.CO;2-Q).
- Blot WJ, Morris LE, Stroube R *et al.* (1980). Lung and laryngeal cancers in relation to shipyard employment in coastal Virginia. *Journal of the National Cancer Institute*, 65:571–575.
- Boice JD Jr, Marano DE, Fryzek JP *et al.* (1999). Mortality among aircraft manufacturing workers. *Occupational and Environmental Medicine*, 56:581–597 [doi:10.1136/oem.56.9.581](https://doi.org/10.1136/oem.56.9.581).
- Bouchardy C, Schüller G, Minder C *et al.* (2002). Cancer risk by occupation and socioeconomic group among men—a study by the Association of Swiss Cancer Registries. *Scand J Work Environ Health*, 28 Suppl 1;1–88.
- Brown LM, Moradi T, Gridley G *et al.* (2002). Exposures in the painting trades and paint manufacturing industry and risk of cancer among men and women in Sweden. *Journal of Occupational and Environmental Medicine*, 44:258–264 [doi:10.1097/00043764-200203000-00013](https://doi.org/10.1097/00043764-200203000-00013).
- Brüske-Hohlfeld I, Möhner M, Pohlabein H *et al.* (2000). Occupational lung cancer risk for men in Germany: results from a pooled case-control study. *Am J Epidemiol*, 151:384–395.
- Buckley JD, Robison LL, Swotinsky R *et al.* (1989). Occupational exposures of parents of children with acute nonlymphocytic leukemia: a report from the Childrens Cancer Study Group. *Cancer Res*, 49:4030–4037.
- Burns PB, Swanson GM (1991). The Occupational Cancer Incidence Surveillance Study (OCISS): risk of lung cancer by usual occupation and industry in the Detroit metropolitan area. *Am J Ind Med*, 19:655–671. [doi:10.1002/ajim.4700190510](https://doi.org/10.1002/ajim.4700190510) PMID:2053580
- Carstensen JM, Pershagen G, Eklund G (1988). Smoking-adjusted incidence of lung cancer among Swedish men in different occupations. *International Journal of Epidemiology*, 17:753–758 [doi:10.1093/ije/17.4.753](https://doi.org/10.1093/ije/17.4.753).
- Claude JC, Frentzel-Beyme RR, Kunze E (1988). Occupation and risk of cancer of the lower urinary tract among men. A case-control study. *International Journal of Cancer*, 41:371–379 [doi:10.1002/ijc.2910410309](https://doi.org/10.1002/ijc.2910410309).
- Coggon D, Pannett B, Osmond C, Acheson ED (1986). A survey of cancer and occupation in young and middle aged men. I. Cancers of the respiratory tract. *Br J Ind Med*, 43:332–338.

- 1 Cole P, Hoover R, Friedell GH (1972). Occupation and cancer of the lower urinary tract. *Cancer*,  
2 29:1250–1260 [doi:10.1002/1097-0142\(197205\)29:5<1250::AID-CNCR2820290518>3.0.CO;2-T](https://doi.org/10.1002/1097-0142(197205)29:5<1250::AID-CNCR2820290518>3.0.CO;2-T).
- 3 Colt JS, Baris D, Stewart P *et al.* (2004). Occupation and bladder cancer risk in a population-based  
4 case-control study in New Hampshire. *Cancer Causes & Control*, 15:759–769  
5 [doi:10.1023/B:CACO.0000043426.28741.a2](https://doi.org/10.1023/B:CACO.0000043426.28741.a2).
- 6 Cordier S, Clavel J, Limasset JC *et al.* (1993). Occupational risks of bladder cancer in France: a  
7 multicentre case-control study. *International Journal of Epidemiology*, 22:403–411  
8 [doi:10.1093/ije/22.3.403](https://doi.org/10.1093/ije/22.3.403).
- 9 Correa P, Pickle LW, Fontham E (1984) The causes of lung cancer in Louisiana. In: Mizell M, Correa  
10 P (eds) *Lung cancer: causes and prevention*. New York, NY: Verlag Chemie International, 73-82.
- 11 De Stefani E, Boffetta P, Brennan P *et al.* (2005). Occupational exposures and risk of adenocarcinoma  
12 of the lung in Uruguay. *Cancer Causes & Control*, 16:851–856 [doi:10.1007/s10552-005-2819-4](https://doi.org/10.1007/s10552-005-2819-4).
- 13 De Stefani E, Kogevinas M, Boffetta P *et al.* (1996). Occupation and the risk of lung cancer in  
14 Uruguay. *Scand J Work Environ Health*, 22:346–352.
- 15 Decouflé P, Stanislawczyk K, Houten L *et al.* (1977). A Retrospective Survey of Cancer in Relation to  
16 Occupation. National Institute for Occupational Safety and Health ed. Cincinnati, OH: DHEW  
17 (NIOSH) Publication No. 77-178.
- 18 Dolin PJ, Cook-Mozaffari P (1992). Occupation and bladder cancer: a death-certificate study. *British*  
19 *Journal of Cancer*, 66:568–578.
- 20 Dryson E, 't Mannetje A, Walls C *et al.* (2008). Case-control study of high risk occupations for bladder  
21 cancer in New Zealand. *International Journal of Cancer*, 122:1340–1346 [doi:10.1002/ijc.23194](https://doi.org/10.1002/ijc.23194).
- 22 Dubrow R, Wegman DH (1984). Cancer and occupation in Massachusetts: a death certificate study.  
23 *American Journal of Industrial Medicine*, 6:207–230 [doi:10.1002/ajim.4700060305](https://doi.org/10.1002/ajim.4700060305).
- 24 Dunn JE Jr, Weir JM (1965). Cancer experience of several occupational groups followed prospectively.  
25 *Am J Public Health Nations Health*, 55:1367–1375.
- 26 Engholm G, Englund A (1982) Cancer incidence and mortality in Swedish painters. In Englund A,  
27 Ringen K, Mehlman MA, eds, *Advances in Modern Environmental Toxicology*, Vol. II,  
28 *Occupational Health Hazards of Solvents*, Princeton, NJ, Princeton Scientific Publishers, pp.173–  
29 185.
- 30 Englund A (1980). Cancer incidence among painters and some allied trades. *Journal of Toxicology and*  
31 *Environmental Health*, 6:1267–1273 [doi:10.1080/15287398009529946](https://doi.org/10.1080/15287398009529946).
- 32 Enterline PE, McKiever MF (1963). Differential mortality from lung cancer by occupation. *J Occup*  
33 *Med*, 5:283–290.
- 34 Fabia J, Thuy TD (1974). Occupation of father at time of birth of children dying of malignant diseases.  
35 *Br J Prev Soc Med*, 28:98–100.
- 36 Freedman DM, Stewart P, Kleinerman RA *et al.* (2001). Household solvent exposures and childhood  
37 acute lymphoblastic leukemia. *American Journal of Public Health*, 91:564–567  
38 [doi:10.2105/AJPH.91.4.564](https://doi.org/10.2105/AJPH.91.4.564).
- 39 Gaertner RR, Trpeski L, Johnson KC; Canadian Cancer Registries Epidemiology Research Group  
40 (2004). A case-control study of occupational risk factors for bladder cancer in Canada. *Cancer*  
41 *Causes & Control*, 15:1007–1019 [doi:10.1007/s10552-004-1448-7](https://doi.org/10.1007/s10552-004-1448-7).
- 42 Gold EB, Diener MD, Szklo M (1982). Parental occupations and cancer in children—a case-control  
43 study and review of the methodologic issues. *Journal of Occupational Medicine.*, 24:578–584  
44 [doi:10.1097/00043764-198208000-00011](https://doi.org/10.1097/00043764-198208000-00011).
- 45 Golka K, Bandel T, Reckwitz T *et al.* (1999). [Occupational risk factors for bladder carcinoma. A case  
46 control study]. *Urologe A*, 38:358–363. [doi:10.1007/s001200050298](https://doi.org/10.1007/s001200050298)
- 47 Golka K, Heitmann P, Gieseler F *et al.* (2008). Elevated bladder cancer risk due to colorants—a  
48 statewide case-control study in North Rhine-Westphalia, Germany. *Journal of Toxicology and*  
49 *Environmental Health. Part A.*, 71:851–855 [doi:10.1080/15287390801985869](https://doi.org/10.1080/15287390801985869).
- 50 González CA, López-Abente G, Errezola M *et al.* (1989). Occupation and bladder cancer in Spain: a  
51 multi-centre case-control study. *Int J Epidemiol*, 18:569–577. [doi:10.1093/ije/18.3.569](https://doi.org/10.1093/ije/18.3.569)  
52 [PMID:2681016](https://pubmed.ncbi.nlm.nih.gov/2681016/)
- 53 Gubéran E, Usel M, Raymond L *et al.* (1989). Disability, mortality, and incidence of cancer among  
54 Geneva painters and electricians: a historical prospective study. *Br J Ind Med*, 46:16–23.
- 55 Guralnick L (1963) *Mortality by Occupation Level and Cause of Death Among Men 20 to 64 Years of*  
56 *Age: USA, 1950 2334.*, Guralnick L (ed) Washington DC: US Department of Health, Education,  
57 and Welfare.

- 1 Hakulinen T, Salonen T, Teppo L (1976). Cancer in the offspring of fathers in hydrocarbon-related  
2 occupations. *Br J Prev Soc Med*, 30:138–140.
- 3 Hemminki K, Saloniemi I, Salonen T *et al.* (1981). Childhood cancer and parental occupation in  
4 Finland. *Journal of Epidemiology and Community Health*, 35:11–15 [doi:10.1136/jech.35.1.11](https://doi.org/10.1136/jech.35.1.11).
- 5 Hours M, Dananche B, Fevotte J *et al.* (1994). Bladder cancer and occupational exposures.  
6 *Scandinavian Journal of Work, Environment & Health*, 20:322–330.
- 7 Houten L, Bross ID, Viadana E, Sonnesso G (1977). Occupational cancer in men exposed to metals.  
8 *Advances in Experimental Medicine and Biology*, 91:93–102.
- 9 Howe GR, Burch JD, Miller AB *et al.* (1980). Tobacco use, occupation, coffee, various nutrients, and  
10 bladder cancer. *J Natl Cancer Inst*, 64:701–713.
- 11 Hrubec A, Blair A, Vaught J (1995) *Mortality risks by occupation among US veterans of known smoking*  
12 *status 1954-1980*. NIH 95-2747, Hrubec A, Blair A, Vaught J (eds) Washington, DC: National  
13 Cancer Institute.
- 14 Iscovich J, Castelletto R, Esteve J *et al.* (1987). Tobacco smoking, occupational exposure and bladder  
15 cancer in Argentina. *International Journal of Cancer*, 40:734–740 [doi:10.1002/ijc.2910400604](https://doi.org/10.1002/ijc.2910400604).
- 16 Jahn I, Ahrens W, Brüske-Höhlfeld I *et al.* (1999). Occupational risk factors for lung cancer in women:  
17 results of a case-control study in Germany. *Am J Ind Med*, 36:90–100. [doi:10.1002/\(SICI\)1097-  
18 0274\(199907\)36:1<90::AID-AJIM13>3.0.CO;2-V](https://doi.org/10.1002/(SICI)1097-0274(199907)36:1<90::AID-AJIM13>3.0.CO;2-V)
- 19 Jensen OM, Wahrendorf J, Knudsen JB, Sørensen BL (1987). The Copenhagen case-referent study on  
20 bladder cancer. Risks among drivers, painters and certain other occupations. *Scandinavian Journal*  
21 *of Work, Environment & Health*, 13:129–134.
- 22 Jöckel KH, Ahrens W, Jahn I *et al.* (1998). Occupational risk factors for lung cancer: a case-control  
23 study in West Germany. *International Journal of Epidemiology*, 27:549–560  
24 [doi:10.1093/ije/27.4.549](https://doi.org/10.1093/ije/27.4.549).
- 25 Kjuus H, Skjaerven R, Langård S *et al.* (1986). A case-referent study of lung cancer, occupational  
26 exposures and smoking. I. Comparison of title-based and exposure-based occupational  
27 information. *Scand J Work Environ Health*, 12:193–202.
- 28 Kogevinas M, 't Mannetje A, Cordier S *et al.* (2003). Occupation and bladder cancer among men in  
29 Western Europe. *Cancer Causes & Control*, 14:907–914  
30 [doi:10.1023/B:CACO.0000007962.19066.9c](https://doi.org/10.1023/B:CACO.0000007962.19066.9c).
- 31 Kunze E, Chang-Claude J, Frentzel-Beyme R (1992). Life style and occupational risk factors for  
32 bladder cancer in Germany. A case-control study. *Cancer*, 69:1776–1790 [doi:10.1002/1097-  
33 0142\(19920401\)69:7<1776::AID-CNCR2820690721>3.0.CO;2-P](https://doi.org/10.1002/1097-0142(19920401)69:7<1776::AID-CNCR2820690721>3.0.CO;2-P).
- 34 Kwa SL, Fine LJ (1980). The association between parental occupation and childhood malignancy.  
35 *Journal of Occupational Medicine*, 22:792–794 [doi:10.1097/00043764-198012000-00012](https://doi.org/10.1097/00043764-198012000-00012).
- 36 La Vecchia C, Negri E, D'Avanzo B, Franceschi SILVIA (1990). Occupation and the risk of bladder  
37 cancer. *International Journal of Epidemiology*, 19:264–268 [doi:10.1093/ije/19.2.264](https://doi.org/10.1093/ije/19.2.264).
- 38 Lerchen ML, Wiggins CL, Samet JM (1987). Lung cancer and occupation in New Mexico. *J Natl*  
39 *Cancer Inst*, 79:639–645.
- 40 Levin LI, Zheng W, Blot WJ *et al.* (1988). Occupation and lung cancer in Shanghai: a case-control  
41 study. *Br J Ind Med*, 45:450–458.
- 42 Logan WP (1982). Cancer mortality by occupation and social class 1851–1971. *IARC Sci Publ*, 36:1–  
43 253. [PMID:6757135](https://pubmed.ncbi.nlm.nih.gov/6757135/)
- 44 Lowengart RA, Peters JM, Cicioni C *et al.* (1987). Childhood leukemia and parents' occupational and  
45 home exposures. *J Natl Cancer Inst*, 79:39–46.
- 46 Malmer HS, McLaughlin JK, Silverman DT, *et al.* (1987) Occupational risks for bladder cancer among  
47 men in Sweden. *Cancer Res* 47: 6763–6766
- 48 Matanoski GM, Stockwell HG, Diamond EL *et al.* (1986). A cohort mortality study of painters and  
49 allied tradesmen. *Scandinavian Journal of Work, Environment & Health*, 12:16–21.
- 50 Matos EL, Vilensky M, Mirabelli D, Boffetta P (2000). Occupational exposures and lung cancer in  
51 Buenos Aires, Argentina. *Journal of Occupational and Environmental Medicine*, 42:653–659  
52 [doi:10.1097/00043764-200006000-00017](https://doi.org/10.1097/00043764-200006000-00017).
- 53 McKinney PA, Fear NT, Stockton D; UK Childhood Cancer Study Investigators (2003). Parental  
54 occupation at periconception: findings from the United Kingdom Childhood Cancer Study.  
55 *Occupational and Environmental Medicine*, 60:901–909 [doi:10.1136/oem.60.12.901](https://doi.org/10.1136/oem.60.12.901).
- 56 Menck HR, Henderson BE (1976). Occupational differences in rates of lung cancer. *Journal of*  
57 *Occupational Medicine*, 18:797–801 [doi:10.1097/00043764-197612000-00005](https://doi.org/10.1097/00043764-197612000-00005).

- 1 Mikkelsen S (1980). A cohort study of disability pension and death among painters with special regard  
2 to disabling presenile dementia as an occupational disease. *Scandinavian Journal of Social*  
3 *Medicine. Supplementum*, 16:34–43.
- 4 Miller BA, Silverman DT, Hoover RN, Blair A (1986). Cancer risk among artistic painters. *American*  
5 *Journal of Industrial Medicine*, 9:281–287 [doi:10.1002/ajim.4700090311](https://doi.org/10.1002/ajim.4700090311).
- 6 Milne KL, Sandler DP, Everson RB, Brown SM (1983). Lung cancer and occupation in Alameda  
7 County: a death certificate case-control study. *American Journal of Industrial Medicine*, 4:565–  
8 575 [doi:10.1002/ajim.4700040410](https://doi.org/10.1002/ajim.4700040410).
- 9 Morabia A, Markowitz S, Garibaldi K, Wynder EL (1992). Lung cancer and occupation: results of a  
10 multicentre case-control study. *Br J Ind Med*, 49:721–727.
- 11 Morrison AS, Ahlbom A, Verhoek WG *et al.* (1985). Occupation and bladder cancer in Boston, USA,  
12 Manchester, UK, and Nagoya, Japan. *Journal of Epidemiology and Community Health*, 39:294–  
13 300 [doi:10.1136/jech.39.4.294](https://doi.org/10.1136/jech.39.4.294).
- 14 Muscat JE, Stellman SD, Richie JP Jr, Wynder EL (1998). Lung cancer risk and workplace exposures  
15 in black men and women. *Environmental Research*, 76:78–84 [doi:10.1006/enrs.1997.3787](https://doi.org/10.1006/enrs.1997.3787).
- 16 Myslak ZW, Bolt HM, Brockmann W (1991). Tumors of the urinary bladder in painters: a case-control  
17 study. *American Journal of Industrial Medicine*, 19:705–713 [doi:10.1002/ajim.4700190604](https://doi.org/10.1002/ajim.4700190604).
- 18 Notani PN, Shah P, Jayant K, Balakrishnan V (1993). Occupation and cancers of the lung and bladder:  
19 a case-control study in Bombay. *International Journal of Epidemiology*, 22:185–191  
20 [doi:10.1093/ije/22.2.185](https://doi.org/10.1093/ije/22.2.185).
- 21 Olsen JH, Jensen OM (1987). Occupation and risk of cancer in Denmark. An analysis of 93,810 cancer  
22 cases, 1970–1979. *Scandinavian Journal of Work, Environment & Health*, 13 Suppl 1;1–91.
- 23 OPCS (1958) *The Registrar General's decennial supplement, England and Wales 1951:Occupational*  
24 *mortality. Part II, Vol. 2, Tables, Majesty's Stationery Office.*Part II, Vol. 2, Office of Population  
25 Censuses and Surveys (ed) London
- 26 OPCS (1971). *The Registrar General's Decennial Supplement, England and Wales, 1961:Occupational*  
27 *mortality tables.* London: Her Majesty's Stationery Office.
- 28 OPCS (1978). *Occupational mortality. The Registrar General's Decennial Supplement, England and*  
29 *Wales, 1970–1972: DS No. 1.* London: Her Majesty's Stationery Office
- 30 OPCS (1986) *Occupational Mortality 1979-80, 1982-83, Great Britain, Decennial Supplement.*Her  
31 Majesty's Stationery Office, Office of Population Censuses and Surveys (ed) London
- 32 OPCS (1995). *The Registrar General's Health and Safety Executive; Occupational Health: Decennial*  
33 *Supplement. DS No. 10.* London: Her Majesty's Stationery Office.
- 34 Parent ME, Siemiatycki J, Fritschi L (2000). Workplace exposures and oesophageal cancer.  
35 *Occupational and Environmental Medicine*, 57:325–334 [doi:10.1136/oem.57.5.325](https://doi.org/10.1136/oem.57.5.325).
- 36 Pelucchi C, La Vecchia C, Negri E *et al.* (2002). Smoking and other risk factors for bladder cancer in  
37 women. *Preventive Medicine*, 35:114–120 [doi:10.1006/pmed.2002.1061](https://doi.org/10.1006/pmed.2002.1061).
- 38 Pesch B, Haerting J, Ranft U *et al.* (2000). Occupational risk factors for urothelial carcinoma: agent-  
39 specific results from a case-control study in Germany. MURC Study Group. Multicenter Urothelial  
40 and Renal Cancer. *International Journal of Epidemiology*, 29:238–247 [doi:10.1093/ije/29.2.238](https://doi.org/10.1093/ije/29.2.238).
- 41 Petersen GR, Milham S Jr (1980) *Occupational Mortality in the State of California 1959-61 (DHEW*  
42 *(NIOSH) Publication No. 80-104*), Cincinnati, OH, National Institute for Occupational Safety and  
43 Health.
- 44 Pezzotto SM, Poletto L (1999). Occupation and histopathology of lung cancer: A case-control study in  
45 Rosario, Argentina. *American Journal of Industrial Medicine*, 36:437–443  
46 [doi:10.1002/\(SICI\)1097-0274\(199910\)36:4<437::AID-AJIM4>3.0.CO;2-C](https://doi.org/10.1002/(SICI)1097-0274(199910)36:4<437::AID-AJIM4>3.0.CO;2-C).
- 47 Pohlabein H, Boffetta P, Ahrens W *et al.* (2000). Occupational risks for lung cancer among  
48 nonsmokers. *Epidemiology (Cambridge, Mass.)*, 11:532–538 [doi:10.1097/00001648-200009000-](https://doi.org/10.1097/00001648-200009000-00008)  
49 [00008](https://doi.org/10.1097/00001648-200009000-00008).
- 50 Porru S, Aulenti V, Donato F *et al.* (1996). Bladder cancer and occupation: a case-control study in  
51 northern Italy. *Occupational and Environmental Medicine*, 53:6–10 [doi:10.1136/oem.53.1.6](https://doi.org/10.1136/oem.53.1.6).
- 52 Pronk A, Coble J, Ji BT *et al.* (2009). Occupational risk of lung cancer among lifetime non-smoking  
53 women in Shanghai, China. *Occupational and Environmental Medicine*, 66:672–678  
54 [doi:10.1136/oem.2008.043695](https://doi.org/10.1136/oem.2008.043695).
- 55 Pukkala E, Martinsen JI, Lynge E *et al.* (2009). Occupation and cancer - follow-up of 15 million people  
56 in five Nordic countries. *Acta Oncologica (Stockholm, Sweden)*, 48:646–790  
57 [doi:10.1080/02841860902913546](https://doi.org/10.1080/02841860902913546).



- 1 Ramanakumar AV, Nadon L, Siemiatycki J (2008). Exposures in painting related occupations and risk  
2 of selected cancers: results from a case-control study in Montreal. *American Journal of Industrial*  
3 *Medicine*, 51:419–427 [doi:10.1002/ajim.20564](https://doi.org/10.1002/ajim.20564).
- 4 Rebelakos A, Trichopoulos D, Tzonou A *et al.* (1985). Tobacco smoking, coffee drinking, and  
5 occupation as risk factors for bladder cancer in Greece. *Journal of the National Cancer Institute*,  
6 75:455–461.
- 7 Reulen RC, Kellen E, Buntinx F, Zeegers MP (2007). Bladder cancer and occupation: a report from the  
8 Belgian case-control study on bladder cancer risk. *American Journal of Industrial Medicine*,  
9 50:449–454 [doi:10.1002/ajim.20469](https://doi.org/10.1002/ajim.20469).
- 10 Richiardi L, Boffetta P, Simonato L *et al.* (2004). Occupational risk factors for lung cancer in men and  
11 women: a population-based case-control study in Italy. *Cancer Causes & Control*, 15:285–294  
12 [doi:10.1023/B:CACO.0000024223.91059.ed](https://doi.org/10.1023/B:CACO.0000024223.91059.ed).
- 13 Risch HA, Burch JD, Miller AB *et al.* (1988). Occupational factors and the incidence of cancer of the  
14 bladder in Canada. *Br J Ind Med*, 45:361–367.
- 15 Ronco G, Ciccone G, Mirabelli D *et al.* (1988). Occupation and lung cancer cancer in two  
16 industrialized areas of northern Italy. *International Journal of Cancer*, 41:354–358  
17 [doi:10.1002/ijc.2910410306](https://doi.org/10.1002/ijc.2910410306).
- 18 Sanders BM, White GC, Draper GJ (1981). Occupations of fathers of children dying from neoplasms.  
19 *Journal of Epidemiology and Community Health*, 35:245–250 [doi:10.1136/jech.35.4.245](https://doi.org/10.1136/jech.35.4.245).
- 20 Scélo G, Metayer C, Zhang L *et al.* (2009). Household exposure to paint and petroleum solvents,  
21 chromosomal translocations, and the risk of childhood leukemia. *Environ Health Perspect*,  
22 117:133–139.
- 23 Schiffers E, Jamart J, Renard V (1987). Tobacco and occupation as risk factors in bladder cancer: a  
24 case-control study in southern Belgium. *International Journal of Cancer*, 39:287–292  
25 [doi:10.1002/ijc.2910390304](https://doi.org/10.1002/ijc.2910390304).
- 26 Schoenberg JB, Stemhagen A, Mason TJ *et al.* (1987). Occupation and lung cancer risk among New  
27 Jersey white males. *Journal of the National Cancer Institute*, 79:13–21.
- 28 Schoenberg JB, Stemhagen A, Mogielnicki AP *et al.* (1984). Case-control study of bladder cancer in  
29 New Jersey. I. Occupational exposures in white males. *J Natl Cancer Inst*, 72:973–981.
- 30 Schuz J, Kaletsch U, Meinert R *et al.* (2000). Risk of childhood leukemia and parental self-reported  
31 occupational exposure to chemicals, dusts, and fumes: results from pooled analyses of German  
32 population-based case-control studies. *Cancer Epidemiology, Biomarkers & Prevention*, 9:835–  
33 838.
- 34 Serra C, Bonfill X, Sunyer J *et al.*; Working Group on the Study of Bladder Cancer in the County of  
35 Vallès Occidental. (2000). Bladder cancer in the textile industry. *Scandinavian Journal of Work,*  
36 *Environment & Health*, 26:476–481.
- 37 Shu XO, Perentesis JP, Wen W *et al.* (2004). Parental exposure to medications and hydrocarbons and  
38 ras mutations in children with acute lymphoblastic leukemia: a report from the Children's  
39 Oncology Group. *Cancer Epidemiology, Biomarkers & Prevention*, 13:1230–1235.
- 40 Shu XO, Stewart P, Wen WQ *et al.* (1999). Parental occupational exposure to hydrocarbons and risk of  
41 acute lymphocytic leukemia in offspring. *Cancer Epidemiology, Biomarkers & Prevention*, 8:783–  
42 791.
- 43 Siemiatycki J (1991) *Risk Factors for Cancer in the Workplace.*, Siemiatycki J (ed) Boca Raton,  
44 Florida: CRC Press.
- 45 Siemiatycki J, Dewar R, Nadon L *et al.* (1987). Associations between several sites of cancer and twelve  
46 petroleum-derived liquids. Results from a case-referent study in Montreal. *Scand J Work Environ*  
47 *Health*, 13:493–504. [PMID:3433051](https://pubmed.ncbi.nlm.nih.gov/3433051/)
- 48 Siemiatycki J, Dewar R, Nadon L *et al.* (1987a). Associations between several sites of cancer and  
49 twelve petroleum-derived liquids. Results from a case-referent study in Montreal. *Scandinavian*  
50 *Journal of Work, Environment & Health*, 13(6):493–504.
- 51 Siemiatycki J, Dewar R, Nadon L *et al.* (1994). Occupational risk factors for bladder cancer: results  
52 from a case-control study in Montreal, Quebec, Canada. *American Journal of Epidemiology*,  
53 140:1061–1080.
- 54 Silverman DT, Hoover RN, Albert S, Graff KM (1983). Occupation and cancer of the lower urinary  
55 tract in Detroit. *Journal of the National Cancer Institute*, 70:237–245.
- 56 Silverman DT, Levin LI, Hoover RN (1989a). Occupational risks of bladder cancer in the United  
57 States: II Nonwhite men. *Journal of the National Cancer Institute*, 81:1480–1483  
58 [doi:10.1093/jnci/81.19.1480](https://doi.org/10.1093/jnci/81.19.1480).

- 1 Silverman DT, Levin LI, Hoover RN, Hartge P (1989b). Occupational risks of bladder cancer in the  
2 United States: I. White men. *Journal of the National Cancer Institute*, 81:1472–1480  
3 [doi:10.1093/jnci/81.19.1472](https://doi.org/10.1093/jnci/81.19.1472).
- 4 Skov T, Weiner J, Pukkala E *et al.* (1993). Risk for cancer of the pharynx and oral cavity among male  
5 painters in the Nordic countries. *Archives of Environmental Health*, 48:176–180.
- 6 Steenland K, Palu S (1999). Cohort mortality study of 57,000 painters and other union members: a 15  
7 year update. *Occup Environ Med*, 56:315–321. [doi:10.1136/oem.56.5.315](https://doi.org/10.1136/oem.56.5.315) PMID:10472305
- 8 Stockwell HG, Matanoski GM (1985). A case-control study of lung cancer in painters. *Journal of*  
9 *Occupational Medicine.*, 27:125–126.
- 10 Swanson GM, Lin CS, Burns PB (1993). Diversity in the association between occupation and lung  
11 cancer among black and white men. *Cancer Epidemiology, Biomarkers & Prevention*, 2:313–320.
- 12 van Loon AJ, Kant IJ, Swaen GM *et al.* (1997). Occupational exposure to carcinogens and risk of lung  
13 cancer: results from The Netherlands cohort study. *Occupational and Environmental Medicine*,  
14 54:817–824 [doi:10.1136/oem.54.11.817](https://doi.org/10.1136/oem.54.11.817).
- 15 van Steensel-Moll HA, Valkenburg HA, van Zanen GE (1985). Childhood leukemia and parental  
16 occupation. A register-based case-control study. *Am J Epidemiol*, 121:216–224.
- 17 Vineis P, Magnani C (1985). Occupation and bladder cancer in males: a case-control study.  
18 *International Journal of Cancer*, 35:599–606 [doi:10.1002/ijc.2910350506](https://doi.org/10.1002/ijc.2910350506).
- 19 Vineis P, Thomas T, Hayes RB *et al.* (1988). Proportion of lung cancers in males, due to occupation, in  
20 different areas of the USA. *International Journal of Cancer*, 42:851–856.
- 21 Whorton MD, Schulman J, Larson SR *et al.* (1983). Feasibility of identifying high-risk occupations  
22 through tumor registries. *Journal of Occupational Medicine.*, 25:657–660 [doi:10.1097/00043764-](https://doi.org/10.1097/00043764-198309000-00013)  
23 [198309000-00013](https://doi.org/10.1097/00043764-198309000-00013).
- 24 Williams RR, Stegens NL, Goldsmith JR (1977). Associations of cancer site and type with occupation  
25 and industry from the Third National Cancer Survey Interview. *J Natl Cancer Inst*, 59:1147–1185.
- 26 Wu-Williams AH, Xu ZY, Blot WJ *et al.* (1993). Occupation and lung cancer risk among women in  
27 northern China. *Am J Ind Med*, 24:67–79. [doi:10.1002/ajim.4700240107](https://doi.org/10.1002/ajim.4700240107) PMID:8352293
- 28 Wünsch-Filho V, Moncau JE, Mirabelli D, Boffetta P (1998). Occupational risk factors of lung cancer  
29 in São Paulo, Brazil. *Scand J Work Environ Health*, 24:118–124.
- 30 Wynder EL, Graham EA (1951). Etiologic factors in bronchiogenic carcinoma with special reference to  
31 industrial exposures; report of eight hundred fifty-seven proved cases. *AMA Arch Ind Hyg Occup*  
32 *Med*, 4:221–235. PMID:14867935
- 33 Wynder EL, Onderdonk J, Mantel N (1963). AN EPIDEMIOLOGICAL INVESTIGATION OF  
34 CANCER OF THE BLADDER. *Cancer*, 16:1388–1407 [doi:10.1002/1097-](https://doi.org/10.1002/1097-0142(196311)16:11<1388::AID-CNCR2820161104>3.0.CO;2-8)  
35 [0142\(196311\)16:11<1388::AID-CNCR2820161104>3.0.CO;2-8](https://doi.org/10.1002/1097-0142(196311)16:11<1388::AID-CNCR2820161104>3.0.CO;2-8).
- 36 Zahm SH, Brownson RC, Chang JC, Davis JR (1989). Study of lung cancer histologic types,  
37 occupation, and smoking in Missouri. *American Journal of Industrial Medicine*, 15:565–578  
38 [doi:10.1002/ajim.4700150509](https://doi.org/10.1002/ajim.4700150509).
- 39 Zeka A, Mannetje A, Zaridze D *et al.* (2006). Lung cancer and occupation in nonsmokers: a  
40 multicenter case-control study in Europe. *Epidemiology (Cambridge, Mass.)*, 17:615–623  
41 [doi:10.1097/01.ede.0000239582.92495.b5](https://doi.org/10.1097/01.ede.0000239582.92495.b5).
- 42 Zheng T, Cantor KP, Zhang Y, Lynch CF (2002). Occupation and bladder cancer: a population-based,  
43 case-control study in Iowa. *Journal of Occupational and Environmental Medicine*, 44:685–691  
44 [doi:10.1097/00043764-200207000-00016](https://doi.org/10.1097/00043764-200207000-00016).
- 45