

## 6. References

- Adair, R.K. (1991) Constraints on biological effects of weak extremely-low-frequency electromagnetic fields. *Phys. Rev. A*, **43**, 1039–1048
- Adair, R.K. (1992) Criticism of Lednev's mechanism for the influence of weak magnetic fields on biological systems. *Bioelectromagnetics*, **13**, 231–235
- Adair, R.K. (1993) Effect of ELF magnetic fields on biological magnetite. *Bioelectromagnetics*, **14**, 1–4
- Adair, R.K. (1998) A physical analysis of the ion parametric resonance model. *Bioelectromagnetics*, **19**, 181–191
- Adair, R.K. (1999) Effects of very weak magnetic fields on radical pair reformation. *Bioelectromagnetics*, **20**, 255–263
- Agnew, D.A. (1992) Measurement of ELF fields. In: Greene, M.W., ed., *Non-Ionizing Radiation (Proceedings of the 2nd International Non-Ionizing Radiation Workshop, Vancouver, British Columbia, Canada, May 10–14, 1992)*, London, International Radiation Protection Association, pp. 368–382
- Ahlbom, A., Day, N., Feychting, M., Roman, E., Skinner, J., Dockerty, J., Linet, M., McBride, M., Michaelis, J., Olsen, J.H., Tynes, T. & Verkasalo, P.K. (2000) A pooled analysis of magnetic fields and childhood leukaemia. *Br. J. Cancer*, **83**, 692–698
- Åkerstedt, T., Arnetz, B., Ficca, G., Paulsson, L.-E. & Kallner, A. (1999) A 50-Hz electromagnetic field impairs sleep. *J. Sleep Res.*, **8**, 77–81
- Al-Akhras, M.-A., Elbetieha, A., Hasan, M.-K., Al-Omari, I., Darmani, H. & Albiss, B. (2001) Effects of low-frequency magnetic field on fertility of adult male and female rats. *Bioelectromagnetics*, **22**, 340–344
- Alfredsson, L., Hammar, N. & Karlehagen, S. (1996) Cancer incidence among male railway engine-drivers and conductors in Sweden, 1976–90. *Cancer Causes Control*, **7**, 377–381
- Anderson, L.E., Boorman, G.A., Morris, J.E., Sasser, L.B., Mann, P.C., Grumbein, S.L., Hailey, J.R., McNally, A., Sills, R.C. & Haseman, J.K. (1999) Effect of 13 week magnetic field exposures on DMBA-initiated mammary gland carcinomas in female Sprague-Dawley rats. *Carcinogenesis*, **20**, 1615–1620
- Andersson, B., Berg, M., Arnetz, B.B., Melin, L., Langlet, I. & Liden, S. (1996) A cognitive-behavioral treatment of patients suffering from 'electric hypersensitivity'. Subjective effects and reactions in a double-blind provocation study. *J. occup. environ. Med.*, **38**, 752–758
- Anisimov, V.N., Zhukova, O.V., Beniashvili, D.S., Bilanishvili, V.G., Menabde, M.Z. & Gupta, D. (1996) [Effect of the light regime and electromagnetic fields on mammary carcinogenesis in female rats.] *Biofizika*, **41**, 807–814 (in Russian)

- Antonopoulos, A., Yang, B., Stamm, A., Heller, W.-D. & Obe, G. (1995) Cytological effects of 50 Hz electromagnetic fields on human lymphocytes *in vitro*. *Mutat. Res.*, **346**, 151–157
- Auvinen, A., Linet, M.S., Hatch, E.E., Kleinerman, R.A., Robison, L.L., Kaune, W.T., Misakian, M., Niwa, S., Wacholder, S. & Tarone, R.E. (2000) Extremely low-frequency magnetic fields and childhood acute lymphoblastic leukemia: An exploratory analysis of alternative exposure metrics. *Am. J. Epidemiol.*, **152**, 20–31
- Azadniv, M., Klinge, C.M., Gelein, R., Carstensen, E.L., Cox, C. & Brayman, A.A. (1995) A test of the hypothesis that a 60-Hz magnetic field affects ornithine decarboxylase activity in mouse L929 cells *in vitro*. *Biochem. biophys. Res. Commun.*, **214**, 627–631
- Babbitt, J.T., Kharazi, A.I., Taylor, J.M., Bonds, C.B., Mirell, S.G., Frumkin, E., Zhuang, D. & Hahn, T.J. (2000) Hematopoietic neoplasia in C57BL/6 mice exposed to split-dose ionizing radiation and circularly polarized 60 Hz magnetic fields. *Carcinogenesis*, **21**, 1379–1389
- Bailey, W.H., Su, S.H., Bracken, T.D. & Kavet, R. (1997) Summary and evaluation of guidelines for occupational exposure to power frequency electric and magnetic fields. *Health Phys.*, **73**, 433–453
- Bakos, J., Nagy, N., Thuróczy, G., Szabo, L.D. (1995) Sinusoidal 50 Hz, 500 microT magnetic field has no acute effect on urinary 6-sulphatoxymelatonin in Wistar rats. *Bioelectromagnetics*, **16**, 377–380
- Bakos, J., Nagy, N., Thuróczy, G. & Szabo, L.D. (1997) Urinary 6-sulphatoxymelatonin excretion is increased in rats after 24 hours of exposure to vertical 50 Hz, 100 microT magnetic field. *Bioelectromagnetics*, **18**, 190–192
- Bakos, J., Nagy, N. & Thuróczy, G. (1999) Urinary 6-sulphatoxymelatonin excretion of rats is not changed by 24 hours of exposure to a horizontal 50-Hz, 100- $\mu$ T magnetic field. *Electro-Magnetobiol.*, **18**, 23–31
- Balcer-Kubiczek, E.K., Zhang, X.-F., Harrison, G.H., McCready, W.A., Shi, Z.-M., Han, L.-H., Abraham, J.M., Ampey, L.L., III, Meltzer, S.J., Jacobs, M.C. & Davis, C.C. (1996) Rodent cell transformation and immediate early gene expression following 60-Hz magnetic field exposure. *Environ. Health Perspect.*, **104**, 1188–1198
- Baraton, P. & Hutzler, B. (1995) *Magnetically-induced Currents in the Human Body* (Technical Report MISC TTA1), Geneva, International Electrotechnical Commission
- Baraton, P., Cahouet, J. & Hutzler, B. (1993) *Three-dimensional Computation of the Electric Fields induced in a Human Body by Magnetic Fields* (Technical Report 93NV00013), Ecuelles, Electricité de France
- Baris, D. & Armstrong, B. (1990) Suicide among electric utility workers in England and Wales. *Br. J. ind. Med.*, **47**, 788–789
- Baris, D., Armstrong, B.G., Deadman, J. & Thériault, G. (1996a) A case cohort study of suicide in relation to exposure to electrical and magnetic fields among electrical utility workers. *Occup. environ. Med.*, **53**, 17–24
- Baris, D., Armstrong, B.G., Deadman, J. & Thériault, G. (1996b) A mortality study of electrical utility workers in Quebec. *Occup. environ. Med.*, **53**, 25–31
- Barker, A.T., Dixon, R.A., Sharrard, W.J. & Sutcliffe, M.L. (1984) Pulsed magnetic field therapy for tibial non-union. Interim results of a double-blind trial. *Lancet*, **i**, 994–996
- Baroncelli, P., Battisti, S., Checucci, A., Comba, P., Grandolfo, M., Serio, A. & Vecchia, P. (1986) A health examination of railway high-voltage substation workers exposed to ELF electromagnetic fields. *Am. J. ind. Med.*, **10**, 45–55

- Barregård, L., Jarvholm, B. & Ungethüm, E. (1985) Cancer among workers exposed to strong static magnetic fields (Letter to the Editor). *Lancet*, **ii**, 892
- Bassen, H., Litovitz, T., Penafiel, M. & Meister, R. (1992) ELF in vitro exposure systems for inducing uniform electric and magnetic fields in cell culture media. *Bioelectromagnetics*, **13**, 183–198
- Basser, P.J. & Roth, B.J. (1991) Stimulation of a myelinated nerve axon by electromagnetic induction. *Med. Biol. Eng. Comput.*, **29**, 261–268
- Bassett, C.A. (1989) Fundamental and practical aspects of therapeutic uses of pulsed electromagnetic fields (PEMFs). *Crit. Rev. Biomed. Eng.*, **17**, 451–529
- Bassett, C.A., Mitchell, S.N. & Gaston, S.R. (1981) Treatment of ununited tibial diaphyseal fractures with pulsing electromagnetic fields. *J. Bone Joint Surg. Am.*, **63**, 511–23
- Bauchinger, M., Hauf, R., Schmid, E. & Dresp, J. (1981) Analysis of structural chromosome changes and SCE after occupational long-term exposure to electric and magnetic fields from 380 kV-systems. *Radiat. environ. Biophys.*, **19**, 235–238
- Baum, A., Mevissen, M., Kamino, K., Mohr, U. & Löscher, W. (1995) A histopathological study on alterations in DMBA-induced mammary carcinogenesis in rats with 50 Hz, 100  $\mu$ T magnetic field exposure. *Carcinogenesis*, **16**, 119–125
- Bawin, S.M. & Adey, W.R. (1976) Sensitivity of calcium binding in cerebral tissue to weak environmental electric fields oscillating at low frequency. *Proc. natl Acad. Sci. USA*, **73**, 1999–2003
- Belanger, K., Leaderer, B., Hellenbrand, K., Holford, T.R., McSharry, J., Power, M.E. & Bracken, M.B. (1998) Spontaneous abortion and exposure to electric blankets and heated water beds. *Epidemiology*, **9**, 36–42
- Beniashvili, D.S., Bilanishvili, V.G. & Menabde, M.Z. (1991) Low-frequency electromagnetic radiation enhances the induction of rat mammary tumors by nitrosomethyl urea. *Cancer Lett.*, **61**, 75–79
- Beniashvili, D.S., Bilanishvili, V.G., Menabde, M.Z., Gupta, D. & Anisimov, V.N. (1993) [Modifying effect of light and electromagnetic field on development of mammary tumours induced by *N*-methylnitroso-*N*-urea in female rats.] *Vopr. Onkol.*, **39**, 52–60 (in Russian)
- Berman, E., Chacon, L., House, D., Koch, B.A., Koch, W.E., Leal, J., Løvtrup, S., Mantiply, E., Martin, A.H., Martucci, G.I., Mild, K.H., Monahan, J.C., Sandström, M., Shamsaifar, K., Tell, R., Trillo, M.A., Ubeda, A. & Wagner, P. (1990) Development of chicken embryos in a pulsed magnetic field. *Bioelectromagnetics*, **11**, 169–187
- Bernhardt, J.H. (1988) The establishment of frequency dependent limits for electric and magnetic fields and evaluation of indirect effects. *Radiat. environ. Biophys.*, **27**, 1–27
- Bianchi, N., Crosignani, P., Rovelli, A., Tittarelli, A., Carnelli, C.A., Rossitto, F., Vanelli, U., Porro, E. & Berrino, F. (2000) Overhead electricity power lines and childhood leukemia: A registry-based, case-control study. *Tumori*, **86**, 195–198
- Binhi, V.N. (2000) Amplitude and frequency dissociation spectra of ion-protein complexes rotating in magnetic fields. *Bioelectromagnetics*, **21**, 34–45
- Bjerkedal, T. & Egehaes, J. (1987) Video display terminals and birth defects: a study of pregnancy outcomes of employees of the Postal-Giro-Center, Oslo, Norway. In: Knave, B. & Wideback, P.G., eds, *Work with Display Units*. Amsterdam, Elsevier Science Publishers, pp. 111–114

- Blackman, C.F., Benane, S.G., House, D.E. & Joines, W.T. (1985) Effects of ELF (1–120 Hz) and modulated (50 Hz) RF fields on the efflux of calcium ions from brain tissue in vitro. *Bioelectromagnetics*, **6**, 1–11
- Blackman, C.F., Benane, S.G. & House, D.E. (1993) Evidence for direct effect of magnetic fields on neurite outgrowth. *FASEB J.*, **7**, 801–806
- Blackman, C.F., Benane, S.G. & House, D.E. (1995) Frequency-dependent interference by magnetic fields of nerve growth factor-induced neurite outgrowth in PC-12 cells. *Bioelectromagnetics*, **16**, 387–395
- Blackman, C.F., Blanchard, J.-P., Benane, S.G. & House, D.E. (1996) Effect of AC and DC magnetic field orientation on nerve cells. *Biochem. biophys. Res. Commun.*, **220**, 807–811
- Blackman, C.F., Blanchard, J.-P., Benane, S.G. & House, D.E. (1999) Experimental determination of hydrogen bandwidth for the ion parametric resonance model. *Bioelectromagnetics*, **20**, 5–12
- Blackman, C.F., Benane, S.G. & House, D.E. (2001) The influence of 1.2  $\mu$ T, 60 Hz magnetic fields on melatonin- and tamoxifen-induced inhibition of MCF-7 cell growth. *Bioelectromagnetics*, **22**, 122–128
- Blakemore, R. (1975) Magnetotactic bacteria. *Science*, **190**, 377–379
- Blanchard, J.P. & Blackman, C.F. (1994) Clarification and application of an ion parametric resonance model for magnetic field interactions with biological systems. *Bioelectromagnetics*, **15**, 217–238
- Blask, D.E. & Hill, S.M. (1986) Effects of melatonin on cancer: studies on MCF-7 human breast cancer cells in culture. *J. neural. transm.*, **Suppl.**, 21433–21449
- Blumenthal, N.C., Ricci, J., Breger, L., Zychlinsky, A., Solomon, H., Chen, G.G., Kuznetsov, D. & Dorfman, R. (1997) Effects of low-intensity AC and/or DC electromagnetic fields on cell attachment and induction of apoptosis. *Bioelectromagnetics*, **18**, 264–272
- Bonhomme-Faivre, L., Marion, S., Bezie, Y., Auclair, H., Fredj, G. & Hommeau, C. (1998) Study of human neurovegetative and hematologic effects of environmental low-frequency (50-Hz) electromagnetic fields produced by transformers. *Arch. environ. Health*, **53**, 87–92
- Boorman, G.A., Gauger, J.R., Johnson, T.R., Tomlinson, M.J., Findlay, J.C., Travlos, G.S. & McCormick, D.L. (1997) Eight-week toxicity study of 60 Hz magnetic fields in F344 rats and B6C3F<sub>1</sub> mice. *Fundam. appl. Toxicol.*, **35**, 55–63
- Boorman, G.A., McCormick, D.L., Findlay, J.C., Hailey, J.R., Gauger, J.R., Johnson, T.R., Kovatch, R.M., Sills, R.C. & Haseman, J.K. (1999a) Chronic toxicity/oncogenicity evaluation of 60 Hz (power frequency) magnetic fields in F344/N rats. *Toxicol. Pathol.*, **27**, 267–278
- Boorman, G.A., Anderson, L.E., Morris, J.E., Sasser, L.B., Mann, P.C., Grumbein, S.L., Hailey, J.R., McNally, A., Sills, R.C. & Haseman, J.K. (1999b) Effect of 26 week magnetic field exposures in a DMBA initiation-promotion mammary gland model in Sprague-Dawley rats. *Carcinogenesis*, **20**, 899–904
- Borsalino, G., Bagnacani, M., Bettati, E., Fornaciari, F., Rocchi, R., Uluhogian, S., Ceccherelli, G., Cadossi, R. & Traina, G.C. (1988) Electrical stimulation of human femoral intertrochanteric osteotomies. Double-blind study. *Clin. Orthop.*, **237**, 256–263
- Bowman, J.D. & Methner, M.M. (2000) Hazard surveillance for industrial magnetic fields: II. Field characteristics from waveform measurements. *Ann. occup. Hyg.*, **44**, 615–633

- Bowman, J.D., Garabrant, D.H., Sobel, E. & Peters, J.M. (1988) Exposures to extremely low frequency (ELF) electromagnetic fields in occupations with elevated leukemia rates. *Appl. ind. Hyg.*, **3**, 189–194
- Bracken, T.D. (1993) Exposure assessment for power frequency electric and magnetic fields. *Am. ind. Hyg. Assoc.*, **54**, 165–177
- Bracken, M.B., Belanger, K., Hellenbrand, K., Dlugosz, L., Holford, T.R., McSharry, J.-E., Addesso, K. & Leaderer, B. (1995) Exposure to electromagnetic fields during pregnancy with emphasis on electrically heated beds: association with birthweight and intrauterine growth retardation. *Epidemiology*, **6**, 263–270
- Bracken, T. D., Rankin, R.F., Wiley, J., Bittner, P.L., Patterson, R. & Bailey, W. (1997) *Recommendations for Guidelines for EMF Personal Exposure Measurements* (EMF RAPID Program Engineering Projects: Project 4), Oak Ridge, TN, Oak Ridge National Laboratory. Available at <http://www.emf-data.org/related-projects.html>
- Brady, J.V. & Reiter, R.J. (1992) Neurobehavioural effects. In: *Health Effects of Low-Frequency Electric and Magnetic Fields. Prepared by an Oak Ridge Associated Universities Panel for the Committee on Interagency Radiation Research and Policy Coordination* (ORAU 92/F8, Chapter 7), Oak Ridge, TN, Oak Ridge Associated Universities, pp. vii-1–vii-56
- Brent, R.L., Gordon, W.E., Bennett, W.R. & Beckman, D.A. (1993) Reproductive and teratologic effects of electromagnetic fields. *Reprod. Toxicol.*, **7**, 535–580
- Brocklehurst, B. & McLauchlan, K.A. (1996) Free radical mechanism for the effects of environmental electromagnetic fields on biological systems. *Int. J. Radiat. Biol.*, **69**, 3–24
- de Bruyn, L., de Jager, L. & Kuyl, J.M. (2001) The influence of long-term exposure of mice to randomly varied power frequency magnetic fields on their nocturnal melatonin secretion patterns. *Environ. Res.*, **85**, 115–121
- Bryant, H.E. & Love, E.J. (1989) Video display terminal use and spontaneous abortion risk. *Int. J. Epidemiol.*, **18**, 132–138
- Buiatti, E., Barchielli, A., Geddes, M., Nastasi, L., Kriebel, D., Franchini, M. & Scarselli, G. (1984) Risk factors in male infertility: a case-control study. *Arch. environ. Health*, **39**, 266–270
- Bunin, G.R., Ward, E., Kramer, S., Rhee, C.A. & Meadows, A.T. (1990) Neuroblastoma and parental occupation. *Am. J. Epidemiol.*, **131**, 776–780
- Burch, J.B., Reif, J.S., Yost, M.G., Keefe, T.J. & Pitrat, C.A. (1998) Nocturnal excretion of a urinary melatonin metabolite among electric utility workers. *Scand. J. Work Environ. Health*, **24**, 183–189
- Burch, J.B., Reif, J.S., Yost, M.G., Keefe, T.J. & Pitrat, C.A. (1999) Reduced excretion of a melatonin metabolite in workers exposed to 60 Hz magnetic fields. *Am. J. Epidemiol.*, **150**, 27–36
- Burch, J.B., Reif, J.S., Noonan, C.W. & Yost, M.G. (2000) Melatonin metabolite levels in workers exposed to 60-Hz magnetic fields: work in substations and with 3-phase conductors. *J. occup. environ. Med.*, **42**, 136–142
- Byus, C.V., Pieper, S.E. & Adey, W.R. (1987) The effects of low-energy 60-Hz environmental electromagnetic fields upon the growth-related enzyme ornithine decarboxylase. *Carcinogenesis*, **8**, 1385–1389
- Cain, C.D., Thomas, D.L. & Adey, W.R. (1993) 60 Hz magnetic field acts as co-promoter in focus formation of C3H10T1/2 cells. *Carcinogenesis*, **14**, 955–960

- Calle, E.E. & Savitz, D.A. (1985) Leukemia in occupational groups with presumed exposure to electrical and magnetic fields (Letter to the Editor). *New Engl. J. Med.*, **313**, 1476–1477
- Cameron, I.L., Hunter, K.E. & Winters, W.D. (1985) Retardation of embryogenesis by extremely low frequency 60 Hz electromagnetic fields. *Physiol. Chem. Phys. med. NMR*, **17**, 135–138
- Cane, V., Botti, P. & Soana, S. (1993) Pulsed magnetic fields improve osteoblast activity during the repair of an experimental osseous defect. *J. orthopaed. Res.*, **11**, 664–670
- Cantoni, O., Sestili, P., Fiorani, M. & Dachà, M. (1995) The effect of 50 Hz sinusoidal electric and/or magnetic fields on the rate of repair of DNA single/double strand breaks in oxidatively injured cells. *Biochem. mol. Biol. int.*, **37**, 681–689
- Cantoni, O., Sestili, P., Fiorani, M. & Dachà, M. (1996) Effect of 50 Hz sinusoidal electric and/or magnetic fields on the rate of repair of DNA single strand breaks in cultured mammalian cells exposed to three different carcinogens: methylmethane sulphonate, chromate and 254 nm U.V. radiation. *Biochem. mol. Biol. int.*, **38**, 527–533
- Cantor, K.P., Dosemeci, M., Brinton, L.A. & Stewart, P.A. (1995) Re: Breast cancer mortality among female electrical workers in the United States (Letter to the Editor). *J. natl Cancer Inst.*, **87**, 227–228
- Caputa, K. & Stuchly, M.A. (1996) Computer controlled system for producing uniform magnetic fields and its application in biomedical research. *IEEE Trans. Instrum. Meas.*, **45**, 701–709
- Chen, G., Upham, B.L., Sun, W., Chang, C.C., Rothwell, E.J., Chen, K.M., Yamasaki, H. & Trosko, J.E. (2000) Effect of electromagnetic field exposure on chemically induced differentiation of Friend erythroleukemia cells. *Environ. Health Perspect.*, **108**, 967–972
- Chernoff, N., Rogers, J.M. & Kavet, R. (1992) A review of the literature on potential reproductive and developmental toxicity of electric and magnetic fields. *Toxicology*, **74**, 91–126
- Cicchone, G., Mirabelli, D., Levis, A., Gavarotti, P., Rege-Cambrin, G., Davico, L. & Vineis, P. (1993) Myeloid leukemias and myelodysplastic syndromes: Chemical exposure, histologic subtype and cytogenetics in a case–control study. *Cancer Genet. Cytogenet.*, **68**, 135–139
- Clairmont, B.A., Johnson, G.B., Zaffanella, L.E. & Zelingher, S. (1989) The effects of HVAC-HVDC line separation in a hybrid corridor. *IEEE Trans. Power Deliv.*, **4**, 1338–1350
- Cocco, P., Dosemeci, M. & Heineman, E.F. (1998a) Occupational risk factors for cancer of the central nervous system: A case–control study on death certificates from 24 US states. *Am. J. ind. Med.*, **33**, 247–255
- Cocco, P., Figgs, L., Dosemeci, M., Hayes, R., Linet, M.S. & Hsing, A.W. (1998b) Case–control study of occupational exposures and male breast cancer. *Occup. environ. Med.*, **55**, 599–604
- Cocco, P., Heineman, E.F. & Dosemeci, M. (1999) Occupational risk factors for cancer of the central nervous system (CNS) among US women. *Am. J. ind. Med.*, **36**, 70–74
- Coelho, A.M., Jr, Easley, S.P. & Rogers, W.R. (1991) Effects of exposure to 30 kV/m, 60 Hz electric fields on the social behavior of baboons. *Bioelectromagnetics*, **12**, 117–135
- Coelho, A.M., Jr, Rogers, W.R. & Easley, S.P. (1995) Effects of concurrent exposure to 60 Hz electric and magnetic fields on the social behavior of baboons. *Bioelectromagnetics*, **Suppl. 3**, 71–92
- Coghill, R.W., Stewart, J. & Philips, A. (1996) Extra low frequency electric and magnetic fields in the bedplace of children diagnosed with leukaemia: A case–control study. *Eur. J. Cancer Prev.*, **5**, 153–158
- Cohen, M., Lippman, M. & Chabner, B. (1978) Role of pineal gland in aetiology and treatment of breast cancer. *Lancet*, **ii**, 814–816

- Cohen, M.M., Kunska A., Astemborski, J.A. & McCulloch, D. (1986a) The effect of low-level 60-Hz electromagnetic fields on human lymphoid cells. II. Sister-chromatid exchanges in peripheral lymphocytes and lymphoblastoid cell lines. *Mutat. Res.*, **172**, 177–184
- Cohen, M.M., Kunska, A., Astemborski, J.A., McCulloch, D. & Paskewitz, D.A. (1986b) Effect of low-level, 60-Hz electromagnetic fields on human lymphoid cells: I. Mitotic rate and chromosome breakage in human peripheral lymphocytes. *Bioelectromagnetics*, **7**, 415–423
- Coleman, M., Bell, J. & Skeet, R. (1983) Leukaemia incidence in electrical workers. *Lancet*, **i**, 982–983
- Coleman, M.P., Bell, C.M.J., Taylor, H.-L. & Primic-Zakelj, M. (1989) Leukaemia and residence near electricity transmission equipment: A case-control study. *Br. J. Cancer*, **60**, 793–798
- Conti, P., Gigante, G.E., Cifone, M.G., Alesse, E., Ianni, G., Reale, M. & Angeletti, P.U. (1983) Reduced mitogenic stimulation of human lymphocytes by extremely low frequency electromagnetic fields. *FEBS Lett.*, **162**, 156–160
- Conti, P., Gigante, G.E., Alesse, E., Cifone, M.G., Fieschi, C., Reale, M. & Angeletti, P.U. (1985) A role for Ca<sup>2+</sup> in the effect of very low frequency electromagnetic field on the blastogenesis of human lymphocytes. *FEBS Lett.*, **181**, 28–32
- Coogan, P.F. & Aschengrau, A. (1998) Exposure to power frequency magnetic fields and risk of breast cancer in the Upper Cape Cod Cancer Incidence Study. *Arch. environ. Health*, **53**, 359–367
- Coogan, P.F., Clapp, R.W., Newcomb, P.A., Wenzl, T.B., Bogdan, G., Mittendorf, R., Baron, J.A. & Longnecker, M.P. (1996) Occupational exposure to 60-hertz magnetic fields and risk of breast cancer in women. *Epidemiology*, **7**, 459–464
- Cook, M.R., Graham, C., Cohen, H.D. & Gerkovich, M.M. (1992) A replication study of human exposure to 60-Hz fields: Effects on neurobehavioral measures. *Bioelectromagnetics*, **13**, 261–285
- Cook, L.L., Persinger, M.A. & Koren, S.A. (2000) Differential effects of low frequency, low intensity (< 6 mG) nocturnal magnetic fields upon infiltration of mononuclear cells and numbers of mast cells in lewis rat brains. *Toxicol. Lett.*, **118**, 9–19
- Cooper, M.S. (1984) Gap junctions increase the sensitivity of tissue cells to exogenous electric fields. *J. theor. Biol.*, **111**, 123–130
- Cossarizza, A., Monti, D., Sola, P., Moschini, G., Cadossi, R., Bersani, F. & Franceschi, C. (1989a) DNA repair after  $\gamma$  irradiation in lymphocytes exposed to low-frequency pulsed electromagnetic fields. *Radiat. Res.*, **118**, 161–168
- Cossarizza, A., Monti, D., Bersani, F., Cantini, M., Cadossi, R., Sacchi, A. & Franceschi, C. (1989b) Extremely low frequency pulsed electromagnetic fields increase cell proliferation in lymphocytes from young and aged subjects. *Biochem. biophys. Res. Commun.*, **160**, 692–698
- Cossarizza, A., Monti, D., Bersani, F., Paganelli, R., Montagnani, G., Cadossi, R., Cantini, M. & Franceschi, C. (1989c) Extremely low frequency pulsed electromagnetic fields increase interleukin-2 (IL-2) utilization and IL-2 receptor expression in mitogen-stimulated human lymphocytes from old subjects. *FEBS Lett.*, **248**, 141–144
- Cossarizza, A., Monti, D., Bersani, F., Scarfi, M.R., Zanotti, M., Cadossi, R. & Franceschi, C. (1991) Exposure to low-frequency pulsed electromagnetic fields increases mitogen-induced lymphocyte proliferation in Down's syndrome. *Aging*, **3**, 241–246

- Coulton, L.A. & Barker, A.T. (1993) Magnetic fields and intracellular calcium: effects on lymphocytes exposed to conditions for 'cyclotron resonance'. *Phys. Med. Biol.*, **38**, 347–360
- Cox, F.C., Brewer, L.J., Raeman, C.H., Schryver, C.A., Child, S.Z. & Carstensen, E.L. (1993) A test for teratological effects of power frequency magnetic fields on chick embryos. *IEEE Trans. biomed. Eng.*, **40**, 605–609
- Crasson, M., Legros, J.-J., Scarpa, P. & Legros, W. (1999) 50 Hz magnetic field exposure influence on human performance: Two double-blind experimental studies. *Bioelectromagnetics*, **20**, 474–486
- Creim, J.A., Lovely, R.H., Kaune, W.T. & Phillips, R.D. (1984) Attempts to produce taste-aversion learning in rats exposed to 60-Hz electric fields. *Bioelectromagnetics*, **5**, 271–282
- Creim, J.A., Lovely, R.H., Weigel, R.J., Forsythe, W.C. & Anderson, L.E. (1993) Rats avoid exposure to HVdc electric fields: a dose response study. *Bioelectromagnetics*, **14**, 341–352
- Creim, J.A., Lovely, R.H., Weigel, R.J., Forsythe, W.C. & Anderson, L.E. (1995) Failure to produce taste-aversion learning in rats exposed to HVdc electric fields. *Bioelectromagnetics*, **16**, 301–306
- Cress, L.W., Owen, R.D. & Desta, A.B. (1999) Ornithine decarboxylase activity in L929 cells following exposure to 60 Hz magnetic fields. *Carcinogenesis*, **20**, 1025–1030
- Cridland, N.A., Cragg, T.A., Haylock, R.G.E. & Saunders, R.D. (1996) Effects of 50 Hz magnetic field exposure on the rate of DNA synthesis by normal human fibroblasts. *Int. J. Radiat. Biol.*, **69**, 503–511
- Davanipour, Z., Sobel, E., Bowman, J.D., Qian, Z. & Will, A.D. (1997) Amyotrophic lateral sclerosis and occupational exposure to electromagnetic fields. *Bioelectromagnetics*, **18**, 28–35
- Davis, H.P., Mizumori, S.J.Y., Allen, H., Rosenzweig, M.R., Bennett, E.L. & Tenforde, T.S. (1984) Behavioral studies with mice exposed to DC and 60-Hz magnetic fields. *Bioelectromagnetics*, **5**, 147–164
- Davis, S., Kaune, W.T., Mirick, D.K., Chu Chen, M.S. & Stevens, R.G. (2001) Residential magnetic fields, light-at-night, and nocturnal urinary 6-hydroxymelatonin in women. *Am. J. Epidemiol.*, **154**, 591–600
- Dawson, T.W. & Stuchly, M.A. (1997) An analytic solution for verification of computer models for low-frequency magnetic induction. *Radio Sci.*, **32**, 343–367
- Dawson, T.W. & Stuchly, M.A. (1998) High-resolution organ dosimetry for human exposure to low frequency magnetic fields. *IEEE Trans. Magn.*, **34**, 708–718
- Dawson, T.W., Caputa, K. & Stuchly, M.A. (1997) Influence of human model resolution on computed currents induced in organs by 60 Hz-magnetic fields. *Bioelectromagnetics*, **18**, 478–490
- Dawson, T.W., Caputa, K. & Stuchly, M.A. (1998) High-resolution organ dosimetry for human exposure to low-frequency electric fields. *IEEE Trans. Power Deliv.*, **13**, 366–372
- Dawson, T.W., Caputa, K. & Stuchly, M.A. (1999a) Organ dosimetry for live-line occupational exposures to magnetic fields. *IEEE Trans. Power Deliv.*, **14**, 1234–1239
- Dawson, T.W., Caputa, K. & Stuchly, M.A. (1999b) High-resolution magnetic field numerical dosimetry for live-line workers. *IEEE Trans. Magn.*, **35**, 1131–1134
- Dawson, T.W., Caputa, K. & Stuchly, M.A. (1999c) Numerical evaluation of 60 Hz magnetic induction in the human body in complex occupational environments. *Phys. Med. Biol.*, **44**, 1025–1040



- Dawson, T.W., Caputa, K., Stuchly, M.A. & Kavet, R. (2001) Electric fields in the human body resulting from 60-Hz contact currents. *IEEE Trans. Biomed. Eng.*, **48**, 1020–1026
- Deadman, J.E., Camus, M., Armstrong, B.G., Héroux, P., Cyr, D., Plante, M. & Thériault, G. (1988) Occupational and residential 60-Hz electromagnetic fields and high-frequency electric transients: Exposure assessment using a new dosimeter. *Am. ind. Hyg. Assoc. J.*, **49**, 409–419
- Deapen, D.M. & Henderson, B.E. (1986) A case–control study of amyotrophic lateral sclerosis. *Am. J. Epidemiol.*, **123**, 790–799
- De Guire, L., Thériault, G., Iturra, H., Provencher, S., Cyr, D. & Case, B.W. (1988) Increased incidence of malignant melanoma of the skin in workers in a telecommunication industry. *Br. J. ind. Med.*, **45**, 824–828
- Deibert, M.C., Mcleod, B.R., Smith, S.D. & Liboff, A.R. (1994) Ion resonance electromagnetic field stimulation of fracture healing in rabbits with a fibular ostectomy. *J. orthoped. Res.*, **12**, 878–885
- Delgado, J.M.R., Leal, J., Monteagudo, J.L. & Gracia, M.G. (1982) Embryological changes induced by weak, extremely low frequency electromagnetic fields. *J. Anat.*, **134**, 533–551
- Demers, P.A., Thomas, D.B., Rosenblatt, K.A., Jimenez, L.M., McTiernan, A., Stalsberg, H., Stemhagen, A., Thompson, W.D., McGrea Curnen, M.G., Satariano, W., Austin, D.F., Isacson, P., Greenberg, R.S., Key, C., Kolonel, L.N. & West, D.W. (1991) Occupational exposure to electromagnetic fields and breast cancer in men. *Am. J. Epidemiol.*, **134**, 340–347
- Deno, D.W. & Zaffanella, L.E. (1975) Electrostatic effects of overhead transmission lines and stations. In: *Transmission Line Reference Books 345 kV and Above*, Palo Alto, CA, Electric Power Research Institute, pp. 248–279
- Deno, D.W. & Zaffanella, L.E. (1982) Field effects of overhead transmission lines and stations. In: *Transmission Line Reference Books: 345 kV and Above*, 2nd Ed., Palo Alto, CA, Electric Power Research Institute, pp. 329–420
- Devevey, L., Patinot, C., Debray, M., Thierry, D., Brugere, H., Lambrozo, J., Guillosson, J.-J. & Nafziger, J. (2000) Absence of the effects of 50 Hz magnetic fields on the progression of acute myeloid leukaemia in rats. *Int. J. Radiat. Biol.*, **76**, 853–862
- De Vita, R., Cavallo, D., Raganella, L., Eleuteri, P., Grollino, M.G. & Calugi, A. (1995) Effects of 50 Hz magnetic fields on mouse spermatogenesis monitored by flow cytometric analysis. *Bioelectromagnetics*, **16**, 330–334
- DiGiovanni, J., Johnston, D.A., Rupp, T., Sasser, L.B., Anderson, L.E., Morris, J.E., Miller, D.L., Kavet, R. & Walborg, E.F. (1999) Lack of effect of a 60 Hz magnetic field on biomarkers of tumor promotion in the skin of SENCAR mice. *Carcinogenesis*, **20**, 685–689
- Dimbylow, P.J. (1997) FDTD calculations of the whole-body averaged SAR in an anatomically realistic voxel model of the human body from 1 MHz to 1 GHz. *Phys. Med. Biol.*, **42**, 479–490
- Dimbylow, P.J. (1998) Induced current densities from low-frequency magnetic fields in a 2 mm resolution, anatomically realistic model of the body. *Phys. Med. Biol.*, **43**, 221–230
- Dimbylow, P.J. (2000) Current densities in a 2 mm resolution anatomically realistic model of the body induced by low frequency electric fields. *Phys. Med. Biol.*, **45**, 1013–1022

- Ding, G.-R., Wake, K., Taki, M. & Miyakoshi, J. (2001) Increase in hypoxanthine-guanine phosphoribosyl transferase gene mutations by exposure to electric field. *Life Sci.*, **68**, 1041–1046
- Dlugosz, L., Vena, J., Byers, T., Sever, L., Bracken, M. & Marshall, E. (1992) Congenital defects and electric bed heating in New York State: A register-based case-control study. *Am. J. Epidemiol.*, **135**, 1000–1011
- Dockerty, J.D., Elwood, J.M., Skegg, D.C.G. & Herbison, G.P. (1998) Electromagnetic field exposures and childhood cancers in New Zealand. *Cancer Causes Control*, **9**, 299–309
- Dockerty, J.D., Elwood, J.M., Skegg, D.C.G. & Herbison, G.P. (1999) Electromagnetic field exposures and childhood leukaemia in New Zealand (Letter to the Editor). *Lancet*, **354**, 1967–1968
- Dowson, D.I., Lewith, G.T., Campbell, M., Mullee, M.A. & Brewster, L.A. (1988) Overhead high-voltage cables and recurrent headache and depressions. *Practitioner*, **232**, 435–436
- Dubrov, A.P. (1978) *The Geomagnetic Field and Life. Geomagnetobiology*, New York, Plenum Press
- Easley, S.P., Coelho, A.M., Jr & Rogers, W.R. (1991) Effects of exposure to a 60-kV/m, 60-Hz electric field on the social behavior of baboons. *Bioelectromagnetics*, **12**, 361–375
- Ebi, K.L., Zaffanella, L.E. & Greenland, S. (1999) Application of the case-specular method to two studies of wire codes and childhood cancers. *Epidemiology*, **10**, 398–404
- Eichwald, C. & Walleczek, J. (1997) Low-frequency-dependent effects of oscillating magnetic fields on radical pair recombination in enzyme kinetics. *J. Chem. Phys.*, **107**, 4943–4950
- Einhorn, J., Eklund, G. & Wiklund, K. (1980) [Leukaemia in telephone workers at the Telecommunication Office in Sweden.] *Läkartidningen*, **40**, 3519–3520 & 3526 (in Swedish)
- Ekström, T., Mild, K.H. & Holmberg, B. (1998) Mammary tumours in Sprague-Dawley rats after initiation with DMBA followed by exposure to 50 Hz electromagnetic fields in a promotional scheme. *Cancer Lett.*, **123**, 107–111
- Elias, Z., Mur, J.M., Pierre, F., Gilgenkrantz, S., Schneider, O., Baruthio, F., Daniere, M.C. & Fontana, J.M. (1989) Chromosome aberrations in peripheral blood lymphocytes of welders and characterization of their exposure by biological sample analysis. *J. occup. Med.*, **31**, 477–483
- Ericson, A. & Källén, B. (1986a) An epidemiology study of work with video screens and pregnancy outcome: I. A registry study. *Am. J. ind. Med.*, **9**, 447–457
- Ericson, A. & Källén, B. (1986b) An epidemiological study of work with video screens and pregnancy outcome: II. A case-control study. *Am. J. ind. Med.*, **9**, 459–475
- Espinar, A., Piera, V., Carmona, A. & Guerrero, J.M. (1997) Histological changes during development of the cerebellum in the chick embryo exposed to a static magnetic field. *Bioelectromagnetics*, **18**, 36–46
- Eyres, K.S., Saleh, M., Kanis, J.A. (1996) Effect of pulsed electromagnetic fields on bone formation and bone loss during limb lengthening. *Bone*, **18**, 505–509
- Fairbairn, D.W. & O'Neill, K.L. (1994) The effect of electromagnetic field exposure on the formation of DNA single strand breaks in human cells. *Cell. mol. Biol.*, **40**, 561–567
- Fajardo-Gutiérrez, A., Velásquez-Pérez, L., Martínez-Méndez, J., Martínez-García, C. (1997) [Exposure to electromagnetic fields and its association with leukaemia in children living in the city of Mexico.] Mexico DF, Unidad de Investigación Médica en Epidemiología Clínica Hospital de Pediatría Centro Médico Nacional Siglo XXI

- Fam, W.Z. & Mikhail, E.L. (1996) Lymphoma induced in mice chronically exposed to very strong low-frequency electromagnetic field. *Cancer Lett.*, **105**, 257–269
- Fanelli, C., Coppola, S., Barone, R., Colussi, C., Gualandi, G., Volpe, P. & Ghibelli, L. (1999) Magnetic fields increase cell survival by inhibiting apoptosis via modulation of Ca<sup>2+</sup>-influx. *FASEB J.*, **13**, 95–102
- Farrell, J.M., Litovitz, T.L., Penafiel, M., Montrose, C.J., Doinov, P., Barber, M., Brown, K.M. & Litovitz, T.A. (1997) The effect of pulsed and sinusoidal magnetic fields on the morphology of developing chick embryos. *Bioelectromagnetics*, **18**, 431–438
- Fear, E.C. & Stuchly, M.A. (1998) Modeling assemblies of biological cells exposed to electric fields. *IEEE Trans. Biomed. Eng.*, **45**, 1259–1271
- Fear, N.T., Roman, E., Carpenter, L.M., Newton, R. & Bull, D. (1996) Cancer in electrical workers: An analysis of cancer registrations in England 1981–87. *Br. J. Cancer*, **73**, 935–939
- Fews, A.P., & Henshaw, D.L. (2000) Reply to letter from Swanson and Jeffers. *Int. J. Radiat. Biol.*, **76**, 1688–1691
- Fews, A.P., Henshaw, D.L., Keitch, P.A., Close, J.J. & Wilding, R.J. (1999a) Increased exposure to pollutant aerosols under high voltage power lines. *Int. J. Radiat. Biol.*, **75**, 1505–1521
- Fews, A.P., Henshaw, D.L., Wilding, R.J. & Keitch, P.A. (1999b) Corona ions from powerlines and increased exposure to pollutant aerosols. *Int. J. Radiat. Biol.*, **75**, 1523–1531
- Feychting, M. & Ahlbom, A. (1992a) [Cancer and magnetic fields in persons living close to high voltage power lines in Sweden.] *Lakartidningen*, **89**, 4371–4374 (in Swedish)
- Feychting, M. & Ahlbom, A. (1992b) *Magnetic Fields and Cancer in People Residing Near Swedish High Voltage Lines*, Stockholm, Institute for Environmental Medicine, Karolinska Institute
- Feychting, M. & Ahlbom, A. (1993) Magnetic fields and cancer in children residing near Swedish high-voltage power lines. *Am. J. Epidemiol.*, **138**, 467–481
- Feychting, M. & Ahlbom, A. (1994) Magnetic fields, leukemia, and central nervous system tumors in Swedish adults residing near high-voltage power lines. *Epidemiology*, **5**, 501–509
- Feychting, M., Forssén, U. & Floderus, B. (1997) Occupational and residential magnetic field exposure and leukemia and central nervous system tumors. *Epidemiology*, **8**, 384–389
- Feychting, M., Forssén, U., Rutqvist, L.E. & Ahlbom, A. (1998a) Magnetic fields and breast cancer in Swedish adults residing near high-voltage power lines. *Epidemiology*, **9**, 392–397
- Feychting, M., Pedersen, N.L., Svedberg, P., Floderus, B. & Gatz, M. (1998b) Dementia and occupational exposure to magnetic fields. *Scand. J. Work Environ. Health*, **24**, 46–53
- Feychting, M., Floderus, B. & Ahlbom, A. (2000) Parental occupational exposure to magnetic fields and childhood cancer (Sweden). *Cancer Causes Control*, **11**, 151–156
- Fiorani, M., Cantoni, O., Sestili, P., Conti, R., Nicolini, P., Vetrano, F. & Dachà, M. (1992) Electric and/or magnetic field effects on DNA structure and function in cultured human cells. *Mutat. Res.*, **282**, 25–29
- Fitzsimmons, R.J., Ryaby, J.T., Mohan, S., Magee, F.P. & Baylink, D.J. (1995) Combined magnetic fields increase insulin-like growth factor-II in TE-85 human osteosarcoma bone cell cultures. *Endocrinology*, **136**, 3100–3106

- Flipo, D., Fournier, M., Benquet, C., Roux, P., Le Boulaire, C., Pinsky, C., LaBella, F.S. & Krzystyniak, K. (1998) Increased apoptosis, changes in intracellular Ca<sup>2+</sup>, and functional alterations in lymphocytes and macrophages after in vitro exposure to static magnetic field. *J. Toxicol. environ. Health*, **54A**, 63–76
- Floderus, B., Persson, T., Stenlund, C., Wennberg, A., Öst, Å. & Knave, B. (1993) Occupational exposure to electromagnetic fields in relation to leukemia and brain tumors: A case-control study in Sweden. *Cancer Causes Control*, **4**, 465–476
- Floderus, B., Törnqvist, S. & Stenlund, C. (1994) Incidence of selected cancers in Swedish railway workers, 1961–79. *Cancer Causes Control*, **5**, 189–194
- Floderus, B., Persson, T. & Stenlund, C. (1996) Magnetic field exposures in the workplace: Reference distribution and exposures in occupational groups. *Int. J. occup. environ. Health*, **2**, 226–238
- Floderus, B., Stenlund, C. & Persson, T. (1999) Occupational magnetic field exposure and site-specific cancer incidence: A Swedish cohort study. *Cancer Causes Control*, **10**, 323–332
- Florig, H.K. & Hoburg, J.F. (1990) Power frequency magnetic fields from electric blankets. *Health Phys.*, **58**, 493–502
- Foster, K.R. & Schwan, H.P. (1995) Dielectric properties of tissues. In: Polk, C. & Postow, E., eds, *Handbook of Biologic Effects of Electromagnetic Fields*, 2nd Ed., Boca Raton, CRC Press, pp. 25–102
- Forssén, U.M., Feychting, M., Rutqvist, L.E., Floderus, B. & Ahlbom, A. (2000) Occupational and residential magnetic field exposure and breast cancer in females. *Epidemiology*, **11**, 24–29
- Frazier, M.E., Reese, J.A., Morris, J.E., Jostes, R.F. & Miller, D.L. (1990) Exposure of mammalian cells to 60-Hz magnetic or electric fields: analysis of DNA repair of induced, single-strand breaks. *Bioelectromagnetics*, **11**, 229–234
- Free, M.J., Kaune, W.T., Phillips, R.D. & Chen H.-C. (1981) Endocrinological effects of strong 60-Hz electric fields on rats. *Bioelectromagnetics*, **2**, 105–121
- Friedman, D.R., Hatch, E.E., Tarone, R., Kaune, W.T., Kleinerman, R.A., Wacholder, S., Boice, J.D., Jr & Linet, M.S. (1996) Childhood exposure to magnetic fields: Residential area measurements compared to personal dosimetry. *Epidemiology*, **7**, 151–155
- Fulton, J.P., Cobb, S., Preble, L., Leone, L. & Forman, E. (1980) Electrical wiring configurations and childhood leukemia in Rhode Island. *Am. J. Epidemiol.*, **111**, 292–296
- Furse, C.M. & Gandhi, O.P. (1998) Calculation of electric fields and currents induced in a millimeter-resolution human model at 60 Hz using the FDTD method. *Bioelectromagnetics*, **19**, 293–299
- Gabriel, S., Lau, R.W. & Gabriel, C. (1996) The dielectric properties of biological tissues: III. Parametric models for the dielectric spectrum of tissues. *Phys. Med. Biol.*, **41**, 2271–2293
- Gallagher, R.P., McBride, M.L., Band, P.R., Spinelli, J.J., Threlfall, W.J. & Yang, P. (1990) Occupational electromagnetic field exposure, solvent exposure, and leukemia (Letter to the Editor). *J. occup. Med.*, **32**, 64–65
- Gallagher, R.P., McBride, M.L., Band, P.R., Spinelli, J.J., Threlfall, W.J. & Tamaro, S. (1991) Brain cancer and exposure to electromagnetic fields (Letter to the Editor). *J. occup. Med.*, **33**, 944–945

- Gamble, S.C., Wolff, H. & Arrand, J.E. (1999) Syrian hamster dermal cell immortalization is not enhanced by power line frequency electromagnetic field exposure. *Br. J. Cancer*, **81**, 377–380
- Gammon, M.D., Schoenberg, J.B., Britton, J.A., Kelsey, J.L., Stanford, J.L., Malone, K.E., Coates, R.J., Brogan, D., Potischman, N., Swanson, C.A. & Brinton, L.A. (1998) Electric blanket use and breast cancer risk among younger women. *Am. J. Epidemiol.*, **148**, 556–563
- Gandhi, O.P. (1995) Some numerical methods for dosimetry: extremely low frequencies to microwave frequencies. *Radio Sci.*, **30**, 161–177
- Gandhi, O.P. & De Ford, J.F. (1988) Calculation of EM power deposition for operator exposure to RF induction heaters. *IEEE Trans. Electromagn. Compat.*, **30**, 63–68
- Gandhi, O.P. & Chen, J.-Y. (1992) Numerical dosimetry at power line frequencies using anatomically based models. *Bioelectromagnetics*, **Suppl. 1**, 43–60
- Gandhi, O.P., Kang, G., Wu, D. & Lazzi, G. (2001) Currents induced in anatomic models of the human for uniform and nonuniform power frequency magnetic fields. *Bioelectromagnetics*, **22**, 112–121
- Garland, F.C., Shaw, E., Gorham, E.D., Garland, C.F., White, M.R. & Sinsheimer, P.J. (1990) Incidence of leukemia in occupations with potential electromagnetic field exposure in United States Navy personnel. *Am. J. Epidemiol.*, **132**, 293–303
- Gauger, J.R. (1985) Household appliance magnetic field survey. *IEEE Trans. Power Appar. Syst.*, **104**, 2436–2444
- Gauger, J.R., Johnson, T.R., Stangel, J.E., Patterson, R.C., Williams, D.A., Harder, J.B. & McCormick, D.L. (1999) Design, construction, and validation of a large capacity rodent magnetic field exposure laboratory. *Bioelectromagnetics*, **20**, 13–23
- Gavalas, R.J., Walter, D.O., Hammer, J. & Adey, W.R. (1970) Effect of low-level, low-frequency electric fields on EEG and behavior in *Macaca nemestrina*. *Brain Res.*, **18**, 491–501
- Gavalas-Medici, R. & Day-Magdalenos, S.R. (1976) Extremely low frequency, weak electric fields affect schedule-controlled behavior of monkeys. *Nature*, **261**, 256–259
- Goldhaber, M.K., Polen, M.R. & Hiatt, R.A. (1988) The risk of miscarriage and birth defects among women who use visual display terminals during pregnancy. *Am. J. ind. Med.*, **13**, 695–706
- Gona, A.G., Yu, M.C., Gona, O., Al-Rabiai, S., Von Hagen, S. & Cohen, E. (1993) Effects of 60 Hz electric and magnetic fields on the development of the rat cerebellum. *Bioelectromagnetics*, **14**, 433–447
- Goodman, R. & Shirley-Henderson, A. (1991) Transcription and translation in cells exposed to extremely low frequency electromagnetic fields. *Bioelectrochem. Bioenerg.*, **25**, 335–355
- Goodman, R., Blank, M., Lin, H., Dai, R., Khorkova, O., Soo, L., Weisbrot, D. & Henderson, A.H. (1994) Increased levels of hsp70 transcripts induced when cells are exposed to low frequency electromagnetic fields. *Bioelectrochem. Bioenerg.*, **33**, 115–120
- Graham, C., Cohen, H.D., Cook, M.R., Phelps, J., Gerkovich, M. & Fotopoulos, S.S. (1987) A double-blind evaluation of 60-Hz field effects on human performance, physiology, and subjective state. In: Anderson, L.E., Weigel, R.J. & Kelman, B.J., eds, *Interaction of Biological Systems with Static and ELF Electric and Magnetic Fields* (DOE Symposium Series CONF-841041), Springfield, VA, National Technical Information Service, pp. 471–486

- Graham, C., Cook, M.R., Cohen, H.D. & Gerkovich, M.M. (1994) Dose response study of human exposure to 60 Hz electric and magnetic fields. *Bioelectromagnetics*, **15**, 447–463
- Graham, C., Cook, M.R., Riffle, D.W., Gerkovich, M.M. & Cohen, H.D. (1996) Nocturnal melatonin levels in human volunteers exposed to intermittent 60 Hz magnetic fields. *Bioelectromagnetics*, **17**, 263–273
- Graham, C., Cook, M.R. & Riffle, D.W. (1997) Human melatonin during continuous magnetic field exposure. *Bioelectromagnetics*, **18**, 166–171
- Graham, C., Cook, M.R., Cohen, H.D., Riffle, D.W., Hoffman, S. & Gerkovich, M.M. (1999) Human exposure to 60-Hz magnetic fields: neurophysiological effects. *Int. J. Psychophysiol.*, **33**, 169–175
- Graham, C., Cook, M.R., Sastre, A., Riffle, D.W. & Gerkovich, M.M. (2000a) Multi-night exposure to 60 Hz magnetic fields: Effects on melatonin and its enzymatic metabolite. *J. Pineal Res.*, **28**, 1–8
- Graham, C., Cook, M.R., Sastre, A., Gerkovich, M.M. & Kavet, R. (2000b) Cardiac autonomic control mechanisms in power-frequency magnetic fields: a multistudy analysis. *Environ. Health Perspect.*, **108**, 737–742
- Graham, J.H., Fletcher, D., Tigue, J. & McDonald, M. (2000c) Growth and developmental stability of *Drosophila melanogaster* in low frequency magnetic fields. *Bioelectromagnetics*, **21**, 465–472
- Graves, H.B. (1981) Detection of a 60-Hz electric field by pigeons. *Behav. neural Biol.*, **32**, 229–234
- Graves H.B., Carter, J.H., Kellmel, D., Cooper, L., Poznaniak, D.T. & Bankoske, J.W. (1978) Perceptibility and electrophysiological response of small birds to intense 60-Hz electric fields. *IEEE Trans. Power Appar. Syst.*, **97**, 1070–1073
- Grayson, J.K. (1996) Radiation exposure, socioeconomic status, and brain tumor risk in the US Air Force: A nested case-control study. *Am. J. Epidemiol.*, **143**, 480–486
- Green, L.M., Miller, A.B., Agnew, D.A., Greenberg, M.L., Li, J., Villeneuve, P.J. & Tibshirani, R. (1999a) Childhood leukemia and personal monitoring of residential exposures to electric and magnetic fields in Ontario, Canada. *Cancer Causes Control*, **10**, 233–243
- Green, L.M., Miller, A.B., Villeneuve, P.J., Agnew, D.A., Greenberg, M.L., Li, J. & Donnelly, K.E. (1999b) A case-control study of childhood leukemia in southern Ontario, Canada, and exposure to magnetic fields in residences. *Int. J. Cancer*, **82**, 161–170
- Greene, J.J., Pearson, S.L., Skowronski, W.J., Nardone, R.M., Mullins, J.M. & Krause, D. (1993) Gene-specific modulation of RNA synthesis and degradation by extremely low frequency electromagnetic fields. *Cell. mol. Biol.*, **39**, 261–268
- Greenland, S., Sheppard, A.R., Kaune, W.T., Poole, C. & Kelsh, M.A. for the Childhood Leukemia-EMF Study Group (2000) A pooled analysis of magnetic fields, wire codes, and childhood leukemia. *Epidemiology*, **11**, 624–634
- Griffin, G.D., Williams, M.W. & Gailey, P.C. (2000) Cellular communication in clone 9 cells exposed to magnetic fields. *Radiat. Res.*, **153**, 690–698
- Grota, L.J., Reiter, R.J., Keng, P. & Michaelson, S. (1994) Electric field exposure alters serum melatonin but not pineal melatonin synthesis in male rats. *Bioelectromagnetics*, **15**, 427–437

- Grzesik, J., Bortel, M., Duda, D., Kuska, R., Ludyga, K., Michnik, J., Smolka, B., Sowa, B., Trzeciak, H. & Zielinski, G. (1988) Influence of a static magnetic field on the reproductive function of certain biochemical indices and behaviour of rats. *Pol. J. occup. Med.*, **1**, 329–339
- Guénel, P., Nicolau, J., Imbernon, E., Warret, G. & Goldberg, M. (1993a) Design of a job exposure matrix on electric and magnetic fields: selection of an efficient job classification for workers in thermoelectric power production plants. *Int. J. Epidemiol.*, **22** (Suppl. 2), S16–S21
- Guénel, P., Raskmark, P., Andersen, J.B. & Lynge, E. (1993b) Incidence of cancer in persons with occupational exposure to electromagnetic fields in Denmark. *Br. J. ind. Med.*, **50**, 758–764
- Guénel, P., Nicolau, J., Imbernon, E., Chevalier, A. & Goldberg, M. (1996) Exposure to 50-Hz electric field and incidence of leukemia, brain tumors and other cancers among French electric utility workers. *Am. J. Epidemiol.*, **144**, 1107–1121
- Gunnarsson, L.G., Bodin, L., Soderfeldt, B. & Axelsson, O. (1992) A case-control study of motor neurone disease: Its relation to heritability, and occupational exposures, particularly to solvents. *Br. J. ind. Med.*, **49**, 791–798
- Gurney, J.G., Mueller, B.A., Davis, S., Schwartz, S.M., Stevens, R.G. & Kopecky, K.J. (1996) Childhood brain tumor occurrence in relation to residential power line configurations, electric heating sources, and electric appliance use. *Am. J. Epidemiol.*, **143**, 120–128
- Hackman, R.M. & Graves, H.B. (1981) Corticosterone levels in mice exposed to high intensity electric fields. *Behav. neural Biol.*, **32**, 201–213
- Hallquist, A., Hardell, L., Degerman, A. & Boquist, L. (1993) Occupational exposures and thyroid cancer: Results of a case-control study. *Eur. J. Cancer Prev.*, **2**, 345–349
- Hansen, N.H., Sobel, E., Davanipour, Z., Gillette, L.M., Niiranen, J. & Wilson, B.W. (2000) EMF exposure assessment in the Finnish garment industry: Evaluation of proposed EMF exposure metrics. *Bioelectromagnetics*, **21**, 57–67
- Hansson Mild, K. (2000) Sources and levels of terrestrial electromagnetic field exposure. In: Matthes, R., Bernhardt, M.H. & Repacholi, M., eds, *Proceedings from a Joint Seminar 'International Seminar on Effects of Electromagnetic Fields on the Living Environment' of ICNIRP, WHO and BfS, ICNIRP 10/2000, Ismaning, Germany, October 4–5*, pp. 21–37
- Hansson Mild, K., Sandström, M. & Løvtrup, S. (1981) Development of *Xenopus laevis* embryos in a static magnetic field. *Bioelectromagnetics*, **2**, 199–201
- Hansson Mild, K., Lövdahl, L., Lövstrand, K.-G. & Løvtrup, S. (1982) Effect of high-voltage pulses on the viability of human leucocytes in vitro. *Bioelectromagnetics*, **3**, 213–218
- Hansson Mild, K., Berglund, A. & Forsgren, P.G. (1991) [Reducing 50 Hz magnetic fields from a built-in transformer station.] (Undersökningsrapport 24), Umeå, *Arbetsmiljöinstitutet*
- Hansson Mild, K., Sandström, M. & Johnsson, A. (1996) Measured 50 Hz electric and magnetic fields in Swedish and Norwegian residential buildings. *IEEE Trans. Instrument. Measure.*, **45**, 710–714
- Harland, J.D. & Liburdy, R.P. (1997) Environmental magnetic fields inhibit the antiproliferative action of tamoxifen and melatonin in a human breast cancer cell line. *Bioelectromagnetics*, **18**, 555–562

- Harland, J.D., Engström, S. & Liburdy, R. (1999) Evidence for a slow time-scale of interaction for magnetic fields inhibiting tamoxifen's antiproliferative action in human breast cancer cells. *Cell Biochem. Biophys.*, **31**, 295–306
- Harrington, J.M., McBride, D.I., Sorahan, T., Paddle, G.M. & van Tongeren, M. (1997) Occupational exposure to magnetic fields in relation to mortality from brain cancer among electricity generation and transmission workers. *Occup. environ. Med.*, **54**, 7–13
- Harrington, J.M., Nichols, L., Sorahan, T. & van Tongeren, M. (2001) Leukaemia mortality in relation to magnetic field exposure: Findings from a study of United Kingdom electricity generation and transmission workers, 1973–97. *Occup. environ. Med.*, **58**, 307–314
- Harris, A.W., Basten, A., Gebiski, V., Noonan, D., Finnie, J., Bath, M.L., Bangay, M.J. & Repacholi, M.H. (1998) A test of lymphoma induction by long-term exposure of  $\text{E}\mu\text{-Pim1}$  transgenic mice to 50 Hz magnetic fields. *Radiat. Res.*, **149**, 300–307
- Hatch, M. (1992) The epidemiology of electric and magnetic field exposures in the power frequency range and reproductive outcomes. *Paediatr. perinat. Epidemiol.*, **6**, 198–214
- Hatch, E.E., Linet, M.S., Kleinerman, R.A., Tarone, R.E., Severson, R.K., Hartsock, C.T., Haines, C., Kaune, W.T., Friedman, D., Robison, L.L. & Wacholder, S. (1998) Association between childhood acute lymphoblastic leukemia and use of electrical appliances during pregnancy and childhood. *Epidemiology*, **9**, 234–245
- Hatch, E.E., Kleinerman, R.A., Linet, M.S., Tarone, R.E., Kaune, W.T., Auvinen, A., Baris, D., Robison, L.L. & Wacholder, S. (2000) Do confounding or selection factors of residential wiring codes and magnetic fields distort findings of electromagnetic fields studies? *Epidemiology*, **11**, 189–198
- Haussler, M., Thun-Battersby, S., Mevissen, M. & Löscher, W. (1999) Exposure of rats to a 50-Hz, 100  $\mu\text{T}$  magnetic field does not affect the ex vivo production of interleukins by activated T or B lymphocytes. *Bioelectromagnetics*, **20**, 295–305
- Heikkinen, P., Kumlin, T., Laitinen, J.T., Komulainen, H. & Juutilainen, J. (1999) Chronic exposure to 50 Hz magnetic fields or 900 MHz electromagnetic fields does not alter nocturnal 6-hydroxymelatonin sulphate secretion in CBA/S mice. *Electro- and Magneto-biology*, **18**, 33–42
- Heikkinen, P., Kosma, V.M., Huuskonen, H., Komulainen, H., Kumlin, T., Penttilä, I., Vaananen, A. & Juutilainen, J. (2001) Effects of 50 Hz magnetic fields on cancer induced by ionizing radiation in mice. *Int. J. Radiat. Biol.*, **77**, 483–495
- Henshaw, D.L., Ross, A.N., Fewes, A.P. & Preece, A.W. (1996) Enhanced deposition of radon daughter nuclei in the vicinity of power frequency electromagnetic fields. *Int. J. Radiat. Biol.*, **69**, 25–38
- Héroux, P. (1991) A dosimeter for assessment of exposures to ELF fields. *Bioelectromagnetics*, **12**, 241–257
- Hertz-Picciotto, I., Swan, S.H. & Neutra, R.R. (1992) Reporting bias and mode of interview in a study of adverse pregnancy outcomes and water consumption. *Epidemiology*, **3**, 104–112
- Hietanen, M. & Jokela, K. (1990) Measurements of ELF and RF electromagnetic emissions from video display units. In: Berlinguet, L. & Berthelette, D., eds, *Work With Display Units 89*, Amsterdam, Elsevier Science Publishers, pp. 357–362
- High, W.B., Sikora, J., Ugurbil, K. & Garwood, M. (2000) Subchronic in vivo effects of a high static magnetic field (9.4 T) in rats. *J. magn. Reson. Imaging*, **12**, 122–139



- Hintenlang, D.E. (1993) Synergistic effects of ionizing radiation and 60 Hz magnetic fields. *Bioelectromagnetics*, **14**, 545–551
- Hiraoka, M., Miyakoshi, J., Li, Y.P., Shung, B., Takebe, H. & Abe, M. (1992) Induction of *c-fos* gene expression by exposure to a static magnetic field in HeLaS3 cells. *Cancer Res.*, **52**, 6522–6524
- Hirata, A., Caputa, K., Dawson, T.W. & Stuchly, M.A. (2001) Dosimetry in models of child and adult for low-frequency electric field. *IEEE Trans. Biomed. Eng.*, **48**, 1007–1012
- Hisamitsu, T., Narita, K., Kasahara, T., Seto, A., Yu, Y. & Asano, K. (1997) Induction of apoptosis in human leukemic cells by magnetic fields. *Jpn J. Physiol.*, **47**, 307–310
- Hjeresen D.L., Kaune, W.D., Decker, J.R. & Phillips, R.D. (1980) Effects of 60-Hz electric fields on avoidance behavior and activity of rats. *Bioelectromagnetics*, **1**, 299–312
- Hjeresen, D.L., Miller, M.C., Kaune, W.T. & Phillips, R.D. (1982) A behavioral response of swine to 60-Hz electric field. *Bioelectromagnetics*, **2**, 443–451
- Holder, J.W., Elmore, E. & Barrett, J.C. (1993) Gap junction function and cancer. *Cancer Res.*, **53**, 3475–3485
- Holian, O., Astumian, R.D., Lee, R.C., Reyes, H.M., Attar, B.M. & Walter, R.J. (1996) Protein kinase C activity is altered in HL60 cells exposed to 60 Hz AC electric fields. *Bioelectromagnetics*, **17**, 504–509
- Hong, C.Z., Huestis, P., Thompson, R. & Yu, J. (1988) Learning ability of young rats is unaffected by repeated exposure to a static electromagnetic field in early life. *Bioelectromagnetics*, **9**, 269–273
- House, R.V., Ratajczak, H.V., Gauger, J.R., Johnson, T.R., Thomas, P.T. & McCormick, D.L. (1996) Immune function and host defense in rodents exposed to 60-Hz magnetic fields. *Fundam. appl. Toxicol.*, **34**, 228–239
- Hutzler, B., Baraton, P., Vicente, J.L., Antoine, J.C., Roux, M. & Urbain, J.P. (1994) Exposure to 50 Hz magnetic fields during live work (36-106). *Proc. CIGRE*, 1–9, Paris, CIGRE
- Huuskonen, H., Juutilainen, J. & Komulainen, H. (1993) Effects of low-frequency magnetic fields on fetal development in rats. *Bioelectromagnetics*, **14**, 205–213
- Huuskonen, H., Lindbohm, M.-L. & Juutilainen, J. (1998a) Teratogenic and reproductive effects of low-frequency magnetic fields. *Mutat. Res.*, **410**, 167–183
- Huuskonen, H., Juutilainen, J., Julkunen, A., Mäki-Paakkanen, J. & Komulainen, H. (1998b) Effects of low-frequency magnetic fields on fetal development in CBA/Ca mice. *Bioelectromagnetics*, **19**, 477–485
- Huuskonen, H., Saastamoinen, V., Komulainen, H., Laitinen, J. & Juutilainen, J. (2001a) Effects of low-frequency magnetic fields on implantation in rats. *Reprod. Toxicol.*, **15**, 49–59
- Huuskonen, H., Juutilainen, J. & Komulainen, H. (2001b) Development of preimplantation mouse embryos after exposure to a 50 Hz magnetic field *in vitro*. *Toxicol. Lett.*, **122**, 149–155
- IARC (1984) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 34, *Polynuclear Aromatic Compounds, Part 3, Industrial Exposures in Aluminium Production, Coal Gasification, Coke Production, and Iron and Steel Founding*, Lyon, IARC Press, pp. 37–64
- IARC (1985) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 35, *Polynuclear Aromatic Compounds, Part 4, Bitumens, Coal-tars and Derived Products, Shale-oils and Soots*, Lyon, IARC Press, pp. 83–159

- IARC (1987a) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, IARC Press, pp. 89–91
- IARC (1987b) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, IARC Press, pp. 174–175
- IARC (1990) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 49, *Chromium, Nickel and Welding*, Lyon, IARC Press, pp. 447–525
- IEC (International Electrotechnical Commission) (1998) *Measurement of Low Frequency Magnetic and Electric Fields with Regard to Exposure of Human Beings — Special Requirements for Instruments and Guidance for Measurements* (IEC 61786 (1998-08)), Geneva
- IEEE (Institute of Electrical and Electronics Engineers) (1995a) *Standard Procedures for Measurement of Power Frequency Electric and Magnetic Fields From AC Power Lines* (IEEE Standard 644-1994), New York
- IEEE (Institute of Electrical and Electronics Engineers) (1995b) *Recommended Practice for Instrumentation: Specifications for Magnetic Flux Density and Electric Field Strength Meters- 10Hz to 3 kHz* (IEEE Standard 1308-1994), New York
- Ikehata, M., Koana, T., Suzuki, Y., Shimizu, H. & Nakagawa, M. (1999) Mutagenicity and co-mutagenicity of static magnetic fields detected by bacterial mutation assay. *Mutat. Res.*, **427**, 147–156
- International Commission on Non-Ionizing Radiation Protection (ICNIRP) (1998) Guidelines for limiting exposure to time-varying electric, magnetic and electromagnetic fields (up to 300 GHz). *Health Phys.*, **74**, 494–522
- Irgens, A., Kruger, K., Skorge, A.H. & Irgens, L.M. (1997) Male proportion in offspring of parents exposed to strong static and extremely low-frequency electromagnetic fields in Norway. *Am. J. ind. Med.*, **32**, 557–561
- Ismael, S.J., Callera, F., Garcia, A.B., Baffa, O. & Falcao R.P. (1998) Increased dexamethasone-induced apoptosis of thymocytes from mice exposed to long-term extremely low frequency magnetic fields. *Bioelectromagnetics*, **19**, 131–135
- Jackson, J.D. (1992) Are the stray 60-Hz electromagnetic fields associated with the distribution and use of electric power a significant cause of cancer? *Proc. natl Acad. Sci. (USA)*, **89**, 3508–3510
- Jacobson-Kram, D., Tepper, J., Kuo, P., San, R.H., Curry, P.T., Wagner, V.O. & Putman, D.L. (1997) Evaluation of potential genotoxicity of pulsed electric and electromagnetic fields used for bone growth stimulation. *Mutat. Res.*, **388**, 45–57
- Jaffa K.C., Kim, H. & Aldrich T.E. (2000) The relative merits of contemporary measurements and historical calculated fields in the Swedish childhood cancer study. *Epidemiology*, **11**, 353–356
- Jankovic, B.D., Maric, D., Ranin, J. & Veljic, J. (1991) Magnetic fields, brain and immunity: effect on humoral and cell-mediated immune responses. *Int. J. Neurosci.*, **59**, 25–43
- Jankovic, B.D., Jovanova-Nesic, J. & Nikolic, V. (1993a) Locus ceruleus and immunity. III. Compromised immune function (antibody production, hypersensitivity skin reactions and experimental allergic encephalomyelitis) in rats with lesioned locus ceruleus is restored by magnetic fields applied to the brain. *Int. J. Neurosci.*, **69**, 251–269

- Jankovic, B.D., Jovanova-Nesic, J., Nikolic, V. & Nikolic, P. (1993b) Brain-applied magnetic fields and immune response: role of the pineal gland. *Int. J. Neurosci.*, **70**, 127–134
- Jankovic, B.D., Nikolic, P., Cupic, V. & Hladni, K. (1994) Potentiation of immune responsiveness in aging by static magnetic fields applied to the brain: role of the pineal gland. *Ann. N.Y. Acad. Sci.*, **719**, 410–418
- Jeffers, D.E. (1996) Comment on the paper: Enhanced deposition of radon daughter nuclei in the vicinity of power frequency electromagnetic fields. *Int. J. Radiat. Biol.*, **69**, 651–652
- Jeffers, D.E. (1999) Effects of wind and electric fields on  $^{218}\text{Po}$  deposition from the atmosphere. *Int. J. Radiat. Biol.*, **75**, 1533–1539
- Jenrow, K.A., Smith, C.H. & Liboff, A.R. (1995) Weak extremely low frequency magnetic fields and regeneration in the planarian *Dugesia tigrina*. *Bioelectromagnetics*, **16**, 106–112
- Jenrow, K.A., Smith, C.H. & Liboff, A.R. (1996) Weak extremely-low-frequency magnetic field-induced regeneration anomalies in the planarian *Dugesia tigrina*. *Bioelectromagnetics*, **17**, 467–474
- Johansen, C. & Olsen, J.H. (1998) Risk of cancer among Danish utility workers — A nationwide cohort study. *Am. J. Epidemiol.*, **147**, 548–555
- John, T.M., Liu, G.Y. & Brown, G.M. (1998) 60 Hz magnetic field exposure and urinary 6-sulphatoxymelatonin levels in the rat. *Bioelectromagnetics*, **19**, 172–180
- Johnson, G.B. (1998) Instrumentation and measurement technology. In: Bracken, T.D. & Montgomery, J.H., eds, *Proceedings of EMF Engineering Review Symposium, Status and Summary of EMF Engineering Research*, Oak Ridge, TN, Oak Ridge National Laboratory. Available at <http://www.emf-data.org/symposium98.html>
- Johnson, C.C. & Spitz, M.R. (1989) Childhood nervous system tumours: An assessment of risk associated with paternal occupations involving use, repair or manufacture of electrical and electronic equipment. *Int. J. Epidemiol.*, **18**, 756–762
- Juutilainen, J. (1986) Effects of low frequency magnetic fields on chick embryos. Dependence on incubation temperature and storage of the eggs. *Z. Naturforsch.*, **41C**, 1111–1115
- Juutilainen, J. & Liimatainen, A. (1986) Mutation frequency in *Salmonella* exposed to weak 100-Hz magnetic fields. *Hereditas*, **104**, 145–147
- Juutilainen, J. & Saali, K. (1986) Development of chick embryos in 1 Hz to 100 kHz magnetic fields. *Radiat. environ. Biophys.*, **25**, 135–140
- Juutilainen, J., Harri, M., Saali, K. & Lahtinen, T. (1986) Effects of 100-Hz magnetic fields with various waveforms on the development of chick embryos. *Radiat. Environ. Biophys.*, **25**, 65–74
- Juutilainen, J., Läära, E. & Saali, K. (1987) Relationship between field strength and abnormal development in chick embryos exposed to 50 Hz magnetic fields. *Int. J. Radiat. Biol.*, **52**, 787–793
- Juutilainen, J., Läära, E. & Pukkala, E. (1990) Incidence of leukaemia and brain tumours in Finnish workers exposed to ELF magnetic fields. *Int. Arch. occup. environ. Health*, **62**, 289–293
- Juutilainen, J., Matilainen, P., Saarikoski, S., Laara, E. & Suonio, S. (1993) Early pregnancy loss and exposure to 50-Hz magnetic fields. *Bioelectromagnetics*, **14**, 229–236
- Juutilainen, J., Stevens, R.G., Anderson, L.E., Hansen, N.H., Kilpeläinen, M., Kumlin, T., Laitinen, J.T., Sobel, E. & Wilson, B.W. (2000) Nocturnal 6-hydroxymelatonin sulfate excretion in female workers exposed to magnetic fields. *J. pineal Res.*, **28**, 97–104

- Kang, K.-I., Bouhouche, I., Fortin, D., Baulieu, E.E. & Catelli, M.G. (1998) Luciferase activity and synthesis of Hsp70 and Hsp90 are insensitive to 50Hz electromagnetic fields. *Life Sci.*, **63**, 489–497
- Kangarlu, A., Burgess, R.E., Zhu, H., Nakayama, T., Hamlin, R.L., Abduljalil, A.M. & Robataille, P.M.L. (1999) Cognitive, cardiac, and physiological safety studies in ultra high field magnetic resonance imaging. *Magn. Reson. Imaging*, **17**, 1407–1416
- Kato, M., Honma, K., Shigemitsu, T. & Shiga, Y. (1993) Effects of exposure to a circularly polarized 50-Hz magnetic field on plasma and pineal melatonin levels in rats. *Bioelectromagnetics*, **14**, 97–106
- Kato, M., Honma, K., Shigemitsu, T. & Shiga, Y. (1994a) Circularly polarized, sinusoidal, 50 Hz magnetic field exposure does not influence plasma testosterone levels of rats. *Bioelectromagnetics*, **15**, 513–518
- Kato, M., Honma, K., Shigemitsu, T. & Shiga, Y. (1994b) Recovery of nocturnal melatonin concentration takes place within one week following cessation of 50 Hz circularly polarized magnetic field exposure for six weeks. *Bioelectromagnetics*, **15**, 489–492
- Kato, M., Honma, K., Shigemitsu, T. & Shiga, Y. (1994c) Circularly polarized 50-Hz magnetic field exposure reduces pineal gland and blood melatonin concentrations of Long-Evans rats. *Neurosci. Lett.*, **166**, 59–62
- Kato, M., Honma, K., Shigemitsu, T. & Shiga, Y. (1994d) Horizontal or vertical 50-Hz, 1-microT magnetic fields have no effect on pineal gland or plasma melatonin concentration of albino rats. *Neurosci. Lett.*, **168**, 205–208
- Kaune, W.T. (1981a) Interactive effects in 60-Hz electric-field exposure systems. *Bioelectromagnetics*, **2**, 33–50
- Kaune, W.T. (1981b) Power-frequency electric fields averaged over the body surfaces of grounded humans and animals. *Bioelectromagnetics*, **2**, 403–406
- Kaune, W.T., Phillips, R.D., Hjeresen, D.L., Richardson, R.L. & Beamer, J.L. (1978) A method for the exposure of miniature swine to vertical 60-Hz electric fields. *IEEE Trans. biomed. Eng.*, **25**, 276–283
- Kaune, W.T., Stevens, R.G., Callahan, N.J., Severson, R.K. & Thomas, D.B. (1987) Residential magnetic and electric fields. *Bioelectromagnetics*, **8**, 315–335
- Kaune, W.T., Darby, S.D., Gardner, S.N., Hrubec, Z., Iriye, R.N. & Linet, M.S. (1994) Development of a protocol for assessing time-weighted average exposures of young children to power-frequency magnetic fields. *Bioelectromagnetics*, **15**, 33–51
- Kaune, W.T., Bracken, T.D., Senior, R.S., Rankin, R.F., Niple, J.C. & Kavet, R. (2000) Rate of occurrence of transient magnetic field events in US residences. *Bioelectromagnetics*, **21**, 197–213
- Kavet, R., Zaffanella, L.E., Daigle, J.P. & Ebi, K.L. (2000) The possible role of contact current in cancer risk associated with residential magnetic fields. *Bioelectromagnetics*, **21**, 538–553
- Kavet, R., Stuchly, M.A., Bailey, W.H. & Bracken, T.D. (2001) Evaluation of biological effects, dosimetric models and exposure assessment related to ELF electric- and magnetic-field guidelines. *Appl. occup. environ. Hyg.*, **16**, 1118–1138
- Kazantzis, N., Podd, J. & Whittington, C. (1996) Acute effects of 50 Hz, 100  $\mu$ T magnetic field exposure on visual duration discrimination at two different times of the day. *Bioelectromagnetics*, **19**, 310–317

- Kelsh, M.A., Kheifets, L. & Smith, R. (2000) The impact of work environment, utility, and sampling design on occupational magnetic field exposure summaries. *Am. ind. Hyg. Assoc. J.*, **61**, 174–182
- Khalil, A.M. & Qassem, W. (1991) Cytogenetic effects of pulsing electromagnetic field on human lymphocytes *in vitro*: chromosome aberrations, sister-chromatid exchanges and cell kinetics. *Mutat. Res.*, **247**, 141–146
- Kharazi, A.I., Babbitt, J.T. & Hahn, T.J. (1999) Primary brain tumor incidence in mice exposed to split-dose ionizing radiation and circularly polarized 60 Hz magnetic fields. *Cancer Lett.*, **147**, 149–156
- Kheifets, L.I., Abdelmonem, A.A., Buffler, P.A. & Zhang, Z.W. (1995) Occupational electric and magnetic field exposure and brain cancer: A meta-analysis. *J. occup. environ. Med.*, **37**, 1327–1341
- Kheifets, L.I., Kavet, R. & Sussman, S.S. (1997a) Wire codes, magnetic fields, and childhood cancer. *Bioelectromagnetics*, **18**, 99–110
- Kheifets, L.I., London, S.J. & Peters, J.M. (1997b) Leukemia risk and occupational electric field exposure in Los Angeles County, California. *Am. J. Epidemiol.*, **146**, 87–90
- Kheifets, L.I., Gilbert, E.S., Sussman, S.S., Guénel, P., Sahl, J.D., Savitz, D.A. & Thériault, G. (1999) Comparative analyses of the studies of magnetic fields and cancer in electric utility workers: Studies from France, Canada, and the United States. *Occup. environ. Med.*, **56**, 567–574
- Kinouchi, Y., Yamaguchi, H. & Tenforde, T.S. (1996) Theoretical analysis of magnetic field interactions with aortic blood flow. *Bioelectromagnetics*, **17**, 21–32
- Kirschvink, J.L. (1992) Uniform magnetic fields and double-wrapped coil systems: improved techniques for the design of bioelectromagnetic experiments. *Bioelectromagnetics*, **13**, 401–411
- Kirschvink, J.L., Kobayashi-Kirschvink, A. & Woodford, B.J. (1992) Magnetite biomineralization in the human brain. *Proc. natl Acad. Sci. USA*, **89**, 7683–7687
- Kirschvink, J.L., Padmanabha, S., Boyce, C.K. & Oglesby, J. (1997) Measurement of the threshold sensitivity of honeybees to weak, extremely low-frequency magnetic fields. *J. Exp. Biol.*, **200**, 1363–1368
- Kleinerman, R.A., Linet, M.S., Hatch, E.E., Wacholder, S., Tarone, R.E., Severson, R.K., Kaune, W.T., Friedman, D.R., Haines, C.M., Muirhead, C.R., Boice, J.D., Jr & Robison, L.L. (1997) Magnetic field exposure assessment in a case-control study of childhood leukemia. *Epidemiology*, **8**, 575–583
- Kleinerman, R.A., Kaune, W.T., Hatch, E.E., Wacholder, S., Linet, M.S., Robison, L.L., Niwa, S. & Tarone, R.E. (2000) Are children living near high-voltage power lines at increased risk of acute lymphoblastic leukemia? *Am. J. Epidemiol.*, **151**, 512–515
- Kliukiene, J., Tynes, T., Martinsen, J.I., Blaasaas, K.G. & Andersen, A. (1999) Incidence of breast cancer in a Norwegian cohort of women with potential workplace exposure to 50 Hz magnetic fields. *Am. J. ind. Med.*, **36**, 147–154
- Koana, T., Okada, M.O., Ikehata, M. & Nakagawa, M. (1997) Increase in the mitotic recombination frequency in *Drosophila melanogaster* by magnetic field exposure and its suppression by vitamin E supplement. *Mutat. Res.*, **373**, 55–60
- Koana, T., Okada, M.-O., Takashima, Y., Ikehata, M. & Miyakoshi, J. (2001) Involvement of eddy currents in the mutagenicity of ELF magnetic fields. *Mutat. Res.*, **476**, 55–62

- Koifman, S., Ferraz, I., Viana, T.S., Silveira, C.L., Carneiro, M.T.D., Koifman, R.J., Sarcinelli, P.N., de Cássia, C., Mattos, R., Lima, J.S., Silva, J.J.O., Moreira, J.C., de Fátima, A., Ferreira, M., Fernandes, C. & Bulcão, A.C. (1998) Cancer cluster among young Indian adults living near power transmission lines in Bom Jesus do Tocantins, Pará, Brazil. *Cad. Saude públ.*, **14** (Suppl. 3), 161–172
- Konermann, G. & Mönig, H. (1986) [Studies on the influence of static magnetic fields on prenatal development of mice.] *Radiologie*, **26**, 490–497 (in German)
- König, H.L., Krueger, A.P., Lang, S. & Sönning, W. (1981) *Biologic Effects of Environmental Electromagnetism*, New York, Springer-Verlag
- Korneva, H.A., Grigoriev, V.A., Isaeva, E.N., Kaloshina, S.M. & Barnes, F.S. (1999) Effects of low-level 50 Hz magnetic fields on the level of host defense and on spleen colony formation. *Bioelectromagnetics*, **20**, 57–63
- Korzh-Sleptsova, I.L., Lindström, E., Mild, K.H., Berglund, A. & Lundgren, E. (1995) Low frequency MFs increased inositol 1,4,5-triphosphate levels in the Jurkat cell line. *FEBS Lett.*, **359**, 151–154
- Kowalczyk, C.I. & Saunders, R.D. (1990) Dominant lethal studies in male mice after exposure to a 50-Hz electric field. *Bioelectromagnetics*, **11**, 129–137
- Kowalczyk, C.I., Sienkiewicz, Z.J. & Saunders, R.D. (1991) *Biological Effects of Exposure to Non-ionizing Electromagnetic Fields and Radiation. 1. Static Electric and Magnetic Fields* (NRPB-R238), Didcot, National Radiological Protection Board
- Kowalczyk, C.I., Robbins, L., Thomas, J.M., Butland, B.K. & Saunders, R.D. (1994) Effects of prenatal exposure to 50 Hz magnetic fields on development in mice: I. Implantation rate and fetal development. *Bioelectromagnetics*, **15**, 349–361
- Kowalczyk, C.I., Robbins, L., Thomas, J.M. & Saunders, R.D. (1995) Dominant lethal studies in male mice after exposure to a 50 Hz magnetic field. *Mutat. Res.*, **328**, 229–237
- Kristupaitis, D., Dibirdik, I., Vassilev, A., Mahajan, S., Kurosaki, T., Chu, A., Tuel-Ahlgren, L., Tuong, D., Pond, D., Luben, R. & Uckun, F.M. (1998) Electromagnetic field-induced stimulation of Bruton's tyrosine kinase. *J. biol. Chem.*, **273**, 12397–12401
- Kuijten, R.R., Bunin, G.R., Nass, C.C. & Meadows, A.T. (1992) Parental occupation and childhood astrocytoma: Results of a case-control study. *Cancer Res.*, **52**, 782–786
- Kumlin, T., Kosma, V.M., Alhonen, L., Janne, J., Komulainen, H., Lang, S., Rytomaa, T., Servomaa, K. & Juutilainen, J. (1998a) Effects of 50 Hz magnetic fields on UV-induced skin tumorigenesis in ODC-transgenic and non-transgenic mice. *Int. J. Radiat. Biol.*, **73**, 113–121
- Kumlin, T., Alhonen, L., Janne, J., Lang, S., Kosma, V.M. & Juutilainen, J. (1998b) Epidermal ornithine decarboxylase and polyamines in mice exposed to 50 Hz magnetic fields and UV radiation. *Bioelectromagnetics*, **19**, 388–391
- Kwee, S. & Raskmark, P. (1995) Changes in cell proliferation due to environmental non-ionizing radiation. 1. ELF electromagnetic fields. *Bioelectrochem. Bioenerg.*, **36**, 109–114
- Lacy-Hulbert, A., Wilkins, R.C., Hesketh, T.R. & Metcalfe, J.C. (1995) No effect of 60 Hz electromagnetic fields on *MYC* or  $\beta$ -actin expression in human leukemic cells. *Radiat. Res.*, **144**, 9–17
- Laden, F., Neas, L.M., Tolbert, P.E., Holmes, M.D., Hankinson, S.E., Spiegelman, D., Speizer, F.E. & Hunter, D.J. (2000) Electric blanket use and breast cancer in the Nurses' Health Study. *Am. J. Epidemiol.*, **152**, 41–49

- Lagroye, I. & Poncy, J.L. (1997) The effect of 50 Hz electromagnetic fields on the formation of micronuclei in rodent cell lines exposed to gamma radiation. *Int. J. Radiat. Biol.*, **72**, 249–254
- Lagroye, I. & Poncy, J.L. (1998) Influence of 50-Hz magnetic fields and ionizing radiation on *c-jun* and *c-fos* oncoproteins. *Bioelectromagnetics*, **19**, 112–116
- Lai, H. (1996) Spatial learning deficit in the rat after exposure to a 60 Hz magnetic field. *Bioelectromagnetics*, **17**, 494–496
- Lai, H. & Singh, N.P. (1997a) Acute exposure to a 60 Hz magnetic field increases DNA strand breaks in rat brain cells. *Bioelectromagnetics*, **18**, 156–165
- Lai, H. & Singh, N.P. (1997b) Melatonin and N-*t*-butyl-alpha-phenylnitronone block 60-Hz magnetic field-induced DNA single and double strand breaks in rat brain cells. *J. Pineal Res.*, **22**, 152–162
- Lai, H., Carino, M.A. & Ushijima, I. (1998) Acute exposure to a 60 Hz magnetic field affects rats' water-maze performance. *Bioelectromagnetics*, **19**, 117–122
- Leal, J., Shamsaifar, K., Trillo, M.A., Ubeda, A., Abaira, V. & Chacon, L. (1989) Embryonic development and weak changes of the geomagnetic field. *J. Bioelectr.*, **7**, 141–153
- Lednev, V.V. (1991) Possible mechanism for the influence of weak magnetic fields on biological systems. *Bioelectromagnetics*, **12**, 71–75
- Lee, J.M., Stormshak, F., Thompson, J.M., Thinesen, P., Painter, L.J., Olenchek, E.G., Hess, D.L., Forbes, R. & Foster, D.L. (1993) Melatonin secretion and puberty in female lambs exposed to environmental electric and magnetic fields. *Biol. Reprod.*, **49**, 857–864
- Lee, J.M., Stormshak, F., Thompson, J.M., Hess, D.L. & Foster, D.L. (1995) Melatonin and puberty in female lambs exposed to EMF; a replicate study. *Bioelectromagnetics*, **16**, 119–123
- Lee, G.M., Neutra, R.R., Hristova, L., Yost, M. & Hiatt, R.A. (2000) The use of electric bed heaters and the risk of clinically recognized spontaneous abortion. *Epidemiology*, **11**, 406–415
- Lerchl, A., Reiter, R.J., Howes, K.A., Nonaka, K.O. & Stokkan, K.-A. (1991) Evidence that extremely low frequency Ca<sup>2+</sup>-cyclotron resonance depresses pineal melatonin synthesis *in vitro*. *Neurosci. Lett.*, **124**, 213–215
- Levin, M. & Ernst, S.G. (1997) Applied DC magnetic fields cause alterations in the time of cell divisions and developmental abnormalities in early sea urchin embryos. *Bioelectromagnetics*, **18**, 255–263
- Li, C.-Y., Thériault, G. & Lin, R.S. (1997) Residential exposure to 60-Hertz magnetic fields and adult cancers in Taiwan. *Epidemiology*, **8**, 25–30
- Li, C.-Y., Lee, W.-C. & Lin, R.S. (1998) Risk of leukemia in children living near high-voltage transmission lines. *J. occup. environ. Med.*, **40**, 144–147
- Li, C.M., Chiang, H., Fu, Y.D., Shao, B.J., Shi, J.R. & Yao, G.D. (1999) Effects of 50 Hz magnetic fields on gap junctional intercellular communication. *Bioelectromagnetics*, **20**, 290–294
- Li, D.-K., Checkoway, H. & Mueller, B.A. (1995) Electric blanket use during pregnancy in relation to the risk of congenital urinary tract anomalies among women with a history of subfertility. *Epidemiology*, **6**, 485–489

- Li, D.K., Odouli, R., Wi, S., Janevic, T., Golditch, I., Bracken, T.D., Senior, R., Rankin, R. & Iriye, R. (2002) A population-based prospective cohort study of personal exposure to magnetic fields during pregnancy and the risk of miscarriage. *Epidemiology*, **13**, 9–20
- Liboff, A.R. (1985) Geomagnetic cyclotron resonance in living cells. *J. biol. Phys.*, **13**, 99–102
- Liboff, A.R. & Parkinson, W.C. (1991) Search for ion-cyclotron resonance in a Na<sup>+</sup>-transport system. *Bioelectromagnetics*, **12**, 77–83
- Liboff, A.R., Williams, T., Jr, Strong, D.M. & Wistar, R., Jr (1984) Time-varying magnetic fields: Effect on DNA synthesis. *Science*, **223**, 818–820
- Liboff, A.R., Thomas, J.R. & Schrot, J. (1989) Intensity threshold for 60-Hz magnetically induced behavioral changes in rats. *Bioelectromagnetics*, **10**, 111–113
- Liboff, A.R., Jenrow, K.A. & McLeod, B.R. (1993) ELF-induced proliferation at 511 mG in HSB-2 cell culture as a function of 60 Hz field intensity. In: Blank, M., ed., *Electricity and Magnetism in Biology and Medicine*, San Francisco, CA, San Francisco Press Inc., pp. 623–627
- Liburdy, R.P., Sloma, T.R., Sokolic, R.R. & Yaswen, P. (1993) ELF magnetic fields, breast cancer, and melatonin: 60 Hz fields block melatonin's oncostatic action on ER<sup>+</sup> breast cancer cell proliferation. *J. pineal Res.*, **14**, 89–97
- Lin, R.S. & Lee, W.C. (1994) Risk of childhood leukemia in areas passed by high power lines. *Rev. environ. Health*, **10**, 97–103
- Lin, R.S., Dischinger, P.C., Conde, J. & Farrell, K.P. (1985) Occupational exposure to electromagnetic fields and the occurrence of brain tumors. An analysis of possible associations. *J. occup. Med.*, **27**, 413–419
- Lin, H., Goodman, R. & Shirley-Henderson, A. (1994) Specific region of the c-myc promoter is responsive to electric and magnetic fields. *J. cell. Biochem.*, **54**, 281–288
- Lin, H., Han, L., Blank, M., Head, M. & Goodman, R. (1998a) Magnetic field activation of protein–DNA binding. *J. cell. Biochem.*, **70**, 297–303
- Lin, H., Head, M., Blank, M., Han, L., Jin, M. & Goodman, R. (1998b) Myc-mediated trans-activation of HSP70 expression following exposure to magnetic fields. *J. cell. Biochem.*, **69**, 181–188
- Lindbohm, M.-L., Hietanen, M., Kyyronen, P., Sallmen, M., von Nandelstadh, P., Taskinen, H., Pekkarinen, M., Ylikoski, M. & Hemminki, K. (1992) Magnetic fields of video display terminals and spontaneous abortion. *Am. J. Epidemiol.*, **136**, 1041–1051
- Lindström, E., Lindström, P., Berglund, A., Hansson Mild, K. & Lundgren, E. (1993) Intracellular calcium oscillations induced in a T-cell line by a weak 50 Hz magnetic field. *J. cell. Physiol.*, **156**, 395–398
- Lindström, E., Lindström, P., Berglund, A., Lundgren, E. & Hansson Mild, K. (1995a) Intracellular calcium oscillations in a T-cell line after exposure to extremely-low-frequency magnetic fields with variable frequencies and flux densities. *Bioelectromagnetics*, **16**, 41–47
- Lindström, E., Berglund, A., Mild, K.H., Lindström, P. & Lundgren, E. (1995b) CD45 phosphatase in Jurkat cells is necessary for response to applied ELF magnetic fields. *FEBS Lett.*, **370**, 118–122
- Lindström, E., Lindström, P., Berglund, A., Mild, K.H. & Lundgren, E. (1996) Intracellular calcium oscillations induced in a T-cell line by a weak 50 Hz magnetic field. *J. cell. Physiol.*, **156**, 395–398



- Linnet, M.S., Hatch, E.E., Kleinerman, R.A., Robison, L.L., Kaune, W.T., Friedman, D.R., Severson, R.K., Haines, C.M., Hartsock, C.T., Niwa, S., Wacholder, S. & Tarone, R.E. (1997) Residential exposure to magnetic fields and acute lymphoblastic leukemia in children. *New Engl. J. Med.*, **337**, 1–7
- Litovitz, T.A., Krause, D. & Mullins, J.M. (1991) Effect of coherence time of the applied magnetic field on ornithine decarboxylase activity. *Biochem. biophys. Res. Commun.*, **178**, 862–865
- Livingston, G.K., Witt, K.L., Gandhi, O.P., Chatterjee, I. & Roti Roti, J.L. (1991) Reproductive integrity of mammalian cells exposed to power frequency electromagnetic fields. *Environ. mol. Mutag.*, **17**, 49–58
- London, S.J., Thomas, D.C., Bowman, J.D., Sobel, E., Cheng, T.-C. & Peters, J.M. (1991) Exposure to residential electric and magnetic fields and risk of childhood leukemia. *Am. J. Epidemiol.*, **134**, 923–937
- London, S.J., Thomas, D.C., Bowman, J.D., Sobel, E., Cheng, T.-C. & Peters, J.M. (1993) Exposure to residential electric and magnetic fields and risk of childhood leukemia. *Am. J. Epidemiol.*, **137**, 381 (Erratum)
- London, S.J., Bowman, J.D., Sobel, E., Thomas, D.C., Garabrant, D.H., Pearce, N., Bernstein, L. & Peters, J.M. (1994) Exposure to magnetic fields among electrical workers in relation to leukemia risk in Los Angeles County. *Am. J. ind. Med.*, **26**, 47–60
- Lonne-Rahm, S., Andersson, B., Melin, L., Schultzberg, M., Arnetz, B. & Berg, M. (2000) Provocation with stress and electricity of patients with 'sensitivity to electricity'. *J. occup. environ. Med.*, **42**, 512–516
- Loomis, D.P. (1992) Cancer of breast among men in electrical occupations (Letter to the Editor). *Lancet*, **339**, 1482–1483
- Loomis, D.P. & Savitz, D.A. (1990) Mortality from brain cancer and leukaemia among electrical workers. *Br. J. ind. Med.*, **47**, 633–638
- Loomis, D.P., Peipins, L.A., Browning, S.R., Howard, R.L., Kromhout, H. & Savitz, D.A. (1994a) Organization and classification of work history data in industry-wide studies: An application to the electric power industry. *Am. J. ind. Med.*, **26**, 413–425
- Loomis, D.P., Savitz, D.A. & Ananth, C.V. (1994b) Breast cancer mortality among female electrical workers in the United States. *J. natl Cancer Inst.*, **86**, 921–925
- Loomis, A., Kromhout, H., Kleckner, R.C. & Savitz, D.A. (1998) Effects of the analytical treatment of exposure data on associations of cancer and occupational magnetic field exposure. *Am. J. ind. Med.*, **34**, 49–56
- Lorimore, S.A., Kowalczyk, C.I., Saunders, R.D. & Wright, E.G. (1990) Lack of acute effects of 20 mT, 50 Hz magnetic fields on murine haemopoiesis. *Int. J. Radiat. Biol.*, **58**, 713–723
- Löscher, W. & Mevissen, M. (1995) Linear relationship between flux density and tumor co-promoting effect of prolonged magnetic field exposure in a breast cancer model. *Cancer Lett.*, **96**, 175–180
- Löscher, W., Mevissen, M., Lehmacher, W. & Stamm, A. (1993) Tumor promotion in a breast cancer model by exposure to a weak alternating magnetic field. *Cancer Lett.*, **71**, 75–81
- Löscher, W., Wahnschaffe, U., Mevissen, M., Lerchl, A. & Stamm, A. (1994) Effects of weak alternating magnetic fields on nocturnal melatonin production and mammary carcinogenesis in rats. *Oncology*, **51**, 288–295

- Löscher, W., Mevissen, M. & Lerchl, A. (1998) Exposure of female rats to a 100-microT 50 Hz magnetic field does not induce consistent changes in nocturnal levels of melatonin. *Radiat. Res.*, **150**, 557–567
- Lovely, R.H. (1988) Recent Studies in the behavioral toxicology of ELF electric and magnetic fields. In: O'Connor, M.E. & Lovely, R.H., eds, *Electromagnetic Fields and Neuro-behavioral Function*, New York, A.R. Liss, pp. 327–347
- Lovely, R.H., Creim, J.A., Kaune, W.T., Miller, M.C., Phillips, R.D. & Anderson, L.E. (1992) Rats are not aversive when exposed to 60-Hz magnetic fields at 3.03 mT. *Bioelectromagnetics*, **13**, 351–362
- Lovely, R.H., Buschbom, R.L., Slavich, A.L., Anderson, L.E., Hansen, N.H. & Wilson, B.W. (1994) Adult leukemia risk and personal appliance use: A preliminary study. *Am. J. Epidemiol.*, **140**, 510–517
- Lövsund, P., Öberg, P.Å. & Nilsson, S.E.G. (1979) Influence on vision of extremely low frequency electromagnetic fields. Industrial measurements, magnetophosphenes studies in volunteers and intraretinal studies in animals. *Acta Ophthalmol.*, **57**, 812–821
- Lövsund, P., Öberg, P.Å. & Nilsson, S.E.G. (1980a) Magneto- and electrophosphenes: a comparative study. *Med. Biol. Eng. Comput.*, **18**, 758–764
- Lövsund, P., Öberg, P.Å., Nilsson, S.E.G. & Reuter, T. (1980b) Magnetophosphenes: a qualitative analysis of thresholds. *Med. Biol. Eng. Comput.*, **18**, 326–334
- Lövsund, P., Öberg, P.Å. & Nilsson, S.E.G. (1982) ELF magnetic fields in electrosteel and welding industries. *Radio Sci.*, **17**, 35S–38S
- Lundsberg, L.S., Bracken, M.B. & Belanger, K. (1995) Occupationally related magnetic field exposure and male subfertility. *Fertil. Steril.*, **63**, 384–391
- Lyle, D.B., Fuchs, T.A., Casamento, J.P., Davis, C.C. & Swicord, M.L. (1997) Intracellular calcium signaling by Jurkat T-lymphocytes exposed to a 60 Hz magnetic field. *Bioelectromagnetics*, **18**, 439–445
- Lyle, D.B., Ayotte, R.D., Sheppard, A.R. & Adey, W.R. (1998) Suppression of T-lymphocyte cytotoxicity following exposure to 60-Hz sinusoidal electric fields. *Bioelectromagnetics*, **9**, 303–313
- Lymangrover, J.R., Keku, E. & Seto, Y.J. (1983) 60-Hz electric field alters the steroidogenic response of rat adrenal tissue *in vitro*. *Life Sci.*, **32**, 691–696
- Lyskov, E.B., Juutilainen, J., Jousmäki, V., Partanen, J., Medvedev, S. & Hänninen, O. (1993a) Effects of 45-Hz magnetic fields on the functional state of the human brain. *Bioelectromagnetics*, **14**, 87–95
- Lyskov, E., Juutilainen, J., Jousmäki, V., Hänninen, O., Medvedev, S. & Partanen, J. (1993b) Influence of short-term exposure of magnetic field on the bioelectrical processes of the brain and performance. *Int. J. Psychophysiol.*, **14**, 227–231
- Maddock, B.J. (1992) Overhead line design in relation to electric and magnetic field limits. *Power Engin. J.*, **September**, 217–224
- Maes, A., Collier, M., Vandoninck, S., Scarpa, P. & Verschaeve, L. (2000) Cytogenetic effects of 50 Hz magnetic fields of different magnetic flux densities. *Bioelectromagnetics*, **21**, 589–596
- Maestroni, G.J., Conti, A. & Pierpaoli, W. (1986) Role of the pineal gland in immunity. Circadian synthesis and release of melatonin modulates the antibody response and antagonizes the immunosuppressive effect of corticosterone. *J. Neuroimmunol.*, **13**, 19–30

- Maffeo, S., Miller, M.W. & Carstensen, E.L. (1984) Lack of effect of weak low frequency electromagnetic fields on chick embryogenesis. *J. Anat.*, **139**, 613–618
- Maffeo, S., Brayman, A.A., Miller, M.W., Carstensen, E.L., Ciaravino, V. & Cox, C. (1988) Weak low frequency electromagnetic fields and chick embryogenesis: failure to reproduce findings. *J. Anat.*, **157**, 101–104
- Male, J.C., Norris, W.T. & Watts, M.W. (1987) Exposure of people to power-frequency electric and magnetic fields. In: Anderson, L.E., Kelman, B.J. & Weigel, R.J., eds, *Interaction of Biological Systems with Static and ELF Electric and Magnetic Fields (Twenty-third Hanford Life Sciences Symposium, October 2–4, 1984, Richland, WA)*, Richland, WA, Pacific Northwest Laboratory, pp. 407–418
- Malmivuo, J. & Plonsey, R. (1995) *Bioelectromagnetism*, New York, Oxford Press
- Mammi, G.I., Rocchi, R., Cadossi, R., Massari, L. & Traina, G.C. (1993) The electrical stimulation of tibial osteotomies. Double-blind study. *Clin. Orthop. rel. Res.*, **288**, 246–253
- Mandeville, R., Franco, E., Sidrac-Ghali, S., Paris-Nadon, L., Rocheleau, N., Mercier, G., Désy, M. & Gaboury, L. (1997) Evaluation of the potential carcinogenicity of 60 Hz linear sinusoidal continuous-wave magnetic fields in Fischer F344 rats. *FASEB J.*, **11**, 1127–1136
- Mandeville, R., Franco, E., Sidrac-Ghali, S., Paris-Nadon, L., Rocheleau, N., Mercier, G., Désy, M., Devaux, C. & Gaboury, L. (2000) Evaluation of the potential promoting effect of 60 Hz magnetic fields on *N*-ethyl-*N*-nitrosourea induced neurogenic tumors in female F344 rats. *Bioelectromagnetics*, **21**, 84–93
- Margonato, V., Veicsteinas, A., Conti, R., Nicolini, P. & Cerretelli, P. (1993) Biologic effects of prolonged exposure to ELF electromagnetic fields in rats. I. 50 Hz electric fields. *Bioelectromagnetics*, **14**, 479–493
- Margonato, V., Nicolini, P., Conti, R., Zecca, L., Veicsteinas, A. & Cerretelli, P. (1995) Biologic effects of prolonged exposure to ELF electromagnetic fields in rats: II. 50 Hz magnetic fields. *Bioelectromagnetics*, **16**, 343–355
- Marino, A.A., Wolcott, R.M., Chervenak, R., Jourd'Heuil, F., Nilsen, E. & Frilot, C., II (2000) Nonlinear response of the immune system to power-frequency magnetic fields. *Am. J. Physiol. Regul. Integr. Comp. Physiol.*, **279**, R761–R768
- Markkanen, A., Juutilainen, J., Lang, S., Pelkonen, J., Rytömaa, T. & Naarala, J. (2001) Effects of 50 Hz magnetic field on cell cycle kinetics and the colony forming ability of budding yeast exposed to ultraviolet radiation. *Bioelectromagnetics*, **22**, 345–350
- Martinez-Soriano, F., Gimenez-Gonzalez, M., Armanazas, E. & Ruiz-Torner, A. (1992) Pineal 'synaptic ribbons' and serum melatonin levels in the rat following the pulse action of 52-Gs (50-Hz) magnetic fields: An evolutive analysis over 21 days. *Acta Anat.*, **143**, 289–293
- Maruvada, P.S., Jutras, P. & Plante, M. (2000) An investigation to identify possible sources of electromagnetic field transients responsible for exposures reported in recent epidemiological studies. *IEEE Trans. Power Del.*, **15**, 266–271
- Massot, O., Grimaldi, B., Bailly, J.-M., Kochanek, M., Deschamps, R., Lambrozo, J. & Fillion, G. (2000) Magnetic field desensitizes 5-HT<sub>1B</sub> receptor in brain: pharmacological and functional studies. *Brain Res.*, **858**, 143–150
- Matanoski, G.M., Breyse, P.N. & Elliott, E.A. (1991) Electromagnetic field exposure and male breast cancer (Letter to the Editor). *Lancet*, **337**, 737
- Matanoski, G.M., Elliott, E.A., Breyse, P.N. & Lynberg, M.C. (1993) Leukemia in telephone linemen. *Am. J. Epidemiol.*, **137**, 609–619

- Matthes, R. (1998) Response to questions and comments on ICNIRP. *Health Phys.*, **75**, 438–439
- Mattos, I.E. & Koifman, S. (1996) [Cancer mortality among electricity utility workers in the state of São Paulo, Brazil.] *Rev. Saúde públ.*, **30**, 564–575 (in Portuguese)
- Mattsson, M.-O. & Rehnholm, U. (1993) Gene expression in tumor cell lines after exposure to a 50Hz sinusoidal magnetic field. In: Blank, M., ed., *Electricity and Magnetism in Biology and Medicine*, San Francisco, San Francisco Press, pp. 500–502
- McBride, M.L., Gallagher, R.P., Thériault, G., Armstrong, B.G., Tamaro, S., Spinelli, J.J., Deadman, J.E., Fincham, S., Robson, D. & Choi, W. (1999) Power-frequency electric and magnetic fields and risk of childhood leukemia in Canada. *Am. J. Epidemiol.*, **149**, 831–842 (Erratum: *Am. J. Epidemiol.*, 1999, **150**, 223)
- McCormick, D.L., Ryan, B.M., Findlay, J.C., Gauger, J.R., Johnson, T.R., Morrissey, R.L. & Boorman, G.A. (1998) Exposure to 60 Hz magnetic fields and risk of lymphoma in PIM transgenic and TSG-*p53* (*p53* knockout) mice. *Carcinogenesis*, **19**, 1649–1653
- McCormick, D.L., Boorman, G.A., Findlay, J.C., Hailey, J.R., Johnson, T.R., Gauger, J.R., Pletcher, J.M., Sills, R.C. & Haseman, J.K. (1999) Chronic toxicity/oncogenicity evaluation of 60 Hz (power frequency) magnetic fields in B6C3F<sub>1</sub> mice. *Toxicol. Pathol.*, **27**, 279–285
- McCredie, M., Maisonneuve, P. & Boyle, P. (1994) Perinatal and early postnatal risk factors for malignant brain tumours in New South Wales children. *Int. J. Cancer*, **56**, 11–15
- McDonald, A.D., Cherry, N.M., Delorme, C. & McDonald, J.C. (1986) Visual display units and pregnancy: evidence from the Montreal survey. *J. occup. Med.*, **28**, 1226–1231
- McDowall, M.E. (1983) Leukaemia mortality in electrical workers in England and Wales (Letter to the Editor). *Lancet*, **i**, 246
- McDowall, M.E. (1986) Mortality of persons resident in the vicinity of electricity transmission facilities. *Br. J. Cancer*, **53**, 271–279
- McFarlane, E.H., Dawe, G.S., Marks, M. & Campbell, I.C. (2000) Changes in neurite outgrowth but not in cell division induced by low EMF exposure: Influence of field strength and culture conditions on responses in rat PC12 pheochromocytoma cells. *Bioelectrochemistry*, **52**, 23–28
- McGivern, R.F., Sokol, R.Z. & Adey, W.R. (1990) Prenatal exposure to a low-frequency electromagnetic field demasculinizes adult scent marking behavior and increases accessory sex organ weights in rats. *Teratology*, **41**, 1–8
- McKay, B.E. & Persinger, M.A. (1999) Geophysical variables and behavior: LXXXVII. Effects of synthetic and natural geomagnetic patterns on maze learning. *Percept. Mot. Skills*, **89**, 1023–1024
- McLean, J.R., Stuchly, M.A., Mitchel, R.E., Wilkinson, D., Yang, H., Goddard, M., Lecuyer, D., Schunk, M., Callary, E. & Morrison, D. (1991) Cancer promotion in a mouse-skin model by a 60-Hz magnetic field: II. Tumor development and immune response. *Bioelectromagnetics*, **12**, 273–287
- McLean, J., Thansandote, A., Lecuyer, D., Goddard, M., Tryphonas, L., Scaiano, J.C. & Johnson, F. (1995) A 60-Hz magnetic field increases the incidence of squamous cell carcinomas in mice previously exposed to chemical carcinogens. *Cancer Lett.*, **92**, 121–125
- McLean, J.R.N., Thansandote, A., Lecuyer, D. & Goddard, M. (1997) The effect of 60-Hz magnetic fields on co-promotion of chemically induced skin tumors on SENCAR mice: A discussion of three studies. *Environ. Health Perspect.*, **105**, 94–96

- McLeod, K.J., Lee, R.C. & Ehrlich, H.P. (1987) Frequency dependence of electric field modulation of fibroblast protein synthesis. *Science*, **236**, 1465–1469
- McMahan, S., Ericson, J. & Meyer, J. (1994) Depressive symptomatology in women and residential proximity to high-voltage transmission lines. *Am. J. Epidemiol.*, **39**, 58–63
- Merchant, C.J., Renew, D.C. & Swanson, J. (1994) Occupational exposure to power-frequency magnetic fields in the electricity supply industry. *J. Radiol. Protect.*, **14**, 155–164
- Merritt, R., Purcell, C. & Stroink, G. (1983) Uniform magnetic field produced by three, four and five square coils. *Rev. Sci. Instr.*, **54**, 879–882
- Mevissen, M., Stamm, A., Buntenkötter, S., Zwingelberg, R., Wahnschaffe, U. & Löscher, W. (1993) Effects of magnetic fields on mammary tumor development induced by 7,12-dimethylbenz(a)anthracene in rats. *Bioelectromagnetics*, **14**, 131–143
- Mevissen, M., Buntenkötter, S. & Löscher, W. (1994) Effects of static and time-varying (50 Hz) magnetic fields on reproduction and fetal development in rats. *Teratology*, **50**, 229–237
- Mevissen, M., Kietzmann, M. & Loscher, W. (1995) In vivo exposure of rats to a weak alternating magnetic field increases ornithine decarboxylase activity in the mammary gland by a similar extent as the carcinogen DMSA. *Cancer Lett.*, **90**, 207–214
- Mevissen, M., Lerchl, A. & Löscher, W. (1996a) Study of pineal function and DMBA-induced breast cancer formation in rats during exposure to a 100-mG, 50-Hz magnetic field. *J. Toxicol. environ. Health*, **48**, 169–185
- Mevissen, M., Lerchl, A., Szamel, M. & Löscher, W. (1996b) Exposure of DMBA-treated female rats in a 50-Hz, 50  $\mu$ Tesla magnetic field: effects on mammary tumor growth, melatonin levels, and T lymphocyte activation. *Carcinogenesis*, **17**, 903–910
- Mevissen, M., Haussler, M., Lerchl, A. & Löscher, W. (1998a) Acceleration of mammary tumorigenesis by exposure of 7,12-dimethylbenz[a]anthracene-treated female rats in a 50-Hz, 100-microT magnetic field: replication study. *J. Toxicol. environ. Health*, **53**, 401–418
- Mevissen, M., Haussler, M., Szamel, M., Emmendorffer, A., Thun-Battersby, S. & Löscher, W. (1998b) Complex effects of long-term 50 Hz magnetic field exposure in vivo on immune functions in female Sprague-Dawley rats depend on duration of exposure. *Bioelectromagnetics*, **19**, 259–270
- Mezei, G., Kheifets, L.I., Nelson, L.M., Mills, K.M., Iriye, R. & Kelsey, J.L. (2001) Household appliance use and residential exposure to 60-Hz magnetic fields. *J. Expos. Anal. environ. Epidemiol.*, **11**, 41–49
- Michaelis, J., Schüz, J., Meinert, R., Menger, M., Grigat, J.-P., Kaatsch, P., Kaletsch, U., Miesner, A., Stamm, A., Brinkmann, K. & Kärner, H. (1997) Childhood leukemia and electromagnetic fields: Results of a population-based case-control study in Germany. *Cancer Causes Control*, **8**, 167–174
- Michaelis, J., Schüz, J., Meinert, R., Zemann, E., Grigat, J.-P., Kaatsch, P., Kaletsch, U., Miesner, A., Brinkmann, K., Kalkner, W. & Kärner, H. (1998) Combined risk estimates for two German population-based case-control studies on residential magnetic fields and childhood acute leukemia. *Epidemiology*, **9**, 92–94
- Milham, S., Jr (1982) Mortality from leukemia in workers exposed to electrical and magnetic fields (Letter to the Editor). *New Engl. J. Med.*, **307**, 249
- Milham, S., Jr (1985a) Silent keys: Leukaemia mortality in amateur radio operators (Letter to the Editor). *Lancet*, **i**, 812

- Milham, S., Jr (1985b) Mortality in workers exposed to electromagnetic fields. *Environ. Health Perspectives*, **62**, 297–300
- Milham, S. & Ossiander, E.M. (2001) Historical evidence that residential electrification caused the emergence of the childhood leukemia peak. *Med. Hypotheses*, **56**, 290–295
- Miller, S.C. & Furniss, M.J. (1998) Bruton's tyrosine kinase activity and inositol 1,4,5-trisphosphate production are not altered in DT40 lymphoma B cells exposed to power line frequency magnetic fields. *J. Biol. Chem.*, **273**, 32618–32626
- Miller, A.B., To, T., Agnew, D.A., Wall, C. & Green, L.M. (1996) Leukemia following occupational exposure to 60-Hz electric and magnetic fields among Ontario electricity utility workers. *Am. J. Epidemiol.*, **144**, 150–160
- Mills, K.M., Kheifets, L.I., Nelson, L.M., Bloch, D.A., Takemoto-Hambleton, R. & Kelsey, J.L. (2000) Reliability of proxy-reported and self-reported household appliance use. *Epidemiology*, **11**, 581–588
- Milunsky, A., Ulcickas, M., Rothman, K.J., Willett, W., Jick, S.S. & Jick, H. (1992) Maternal heat exposure and neural tube defects. *J. Am. med. Assoc.*, **268**, 882–885
- Minder, C.E. & Pfluger, D.H. (2001) Leukemia, brain tumors, and exposure to extremely low frequency electromagnetic fields in Swiss railway employees. *Am. J. Epidemiol.*, **153**, 825–835
- Misakian, M., Sheppard, A. R., Krause, D., Frazier, M. E., & Miller, D. L. (1993) Biological, physical, and electrical parameters for in vitro studies with ELF magnetic and electric fields: a primer. *Bioelectromagnetics*, **Suppl. 2**, S1–S73
- Miyakoshi, J., Ohtsu, S., Tatsumi-Miyajima, J. & Takebe, H. (1994) A newly designed experimental system for exposure of mammalian cells to extremely low frequency magnetic fields. *J. Radiat. Res.*, **36**, 26–34
- Miyakoshi, J., Yamagishi, N., Ohtsu, S., Mohri, K. & Takebe, H. (1996a) Increase in hypoxanthine–guanine phosphoribosyl transferase gene mutations by exposure to high-density 50-Hz magnetic fields. *Mutat. Res.*, **349**, 109–114
- Miyakoshi, J., Ohtsu, S., Shibata, T. & Takebe, H. (1996b) Exposure to magnetic field (5 mT at 60 Hz) does not affect cell growth and *c-myc* gene expression. *J. Radiat. Res.*, **37**, 185–191
- Miyakoshi, J., Kitagawa, K. & Takebe, H. (1997) Mutation induction by high-density, 50-Hz magnetic fields in human MeWo cells exposed in the DNA synthesis phase. *Int. J. Radiat. Biol.*, **71**, 75–79
- Miyakoshi, J., Mori, Y., Yamagishi, N., Yagi, K. & Takebe, H. (1998a) Suppression of high-density magnetic field (400 mT at 50 Hz)-induced mutations by wild-type p53 expression in human osteosarcoma cells. *Biochem. biophys. Res. Commun.*, **243**, 579–584
- Miyakoshi, J., Tsukada, T., Tachiiri, S., Bandoh, S., Yamaguchi, K. & Takebe, H. (1998b) Enhanced NOR-1 gene expression by exposure of Chinese hamster cells to high-density 50 Hz magnetic fields. *Mol. cell. Biochem.*, **181**, 191–195
- Miyakoshi, J., Koji, Y., Wakasa, T. & Takebe, H. (1999) Long-term exposure to a magnetic field (5 mT at 60 Hz) increases X-ray-induced mutations. *J. Radiat. Res.*, **40**, 13–21
- Miyakoshi, J., Yoshida, M., Shibuya, K. & Hiraoka, M. (2000a) Exposure to strong magnetic fields at power frequency potentiates X-ray-induced DNA strand breaks. *J. Radiat. Res.*, **41**, 293–302
- Miyakoshi, J., Mori, Y., Yaguchi, H., Ding, G. & Fujimori, A. (2000b) Suppression of heat-induced hsp-70 by simultaneous exposure to 50 mT magnetic field. *Life Sci.*, **66**, 1187–1196

- Miyakoshi, J., Yoshida, M., Yaguchi, H. & Ding, G.-R. (2000c) Exposure to extremely low frequency magnetic fields suppresses X-ray-induced transformation in mouse C3H10T1/2 cells. *Biochem. biophys. Res. Commun.*, **271**, 323–327
- Monson, R. (1990) *Occupational Epidemiology*, 2nd Ed., Boca Raton, FL, CRC Press
- Mooney, V. (1990) A randomized double-blind prospective study of the efficacy of pulsed electromagnetic fields for interbody lumbar fusions. *Spine*, **15**, 708–712
- Mooney, N.A., Smith, R.E. & Watson, B.W. (1986) Effect of extremely-low-frequency pulsed magnetic fields on the mitogenic response of peripheral blood mononuclear cells. *Bioelectromagnetics*, **7**, 387–394
- Morandi, M.A., Pak, C.M., Caren, R.P. & Caren, L.D. (1996) Lack of an EMF-induced genotoxic effect in the Ames assay. *Life Sci.*, **59**, 263–271
- Morgan, M.G. & Nair, I. (1992) Alternative functional relationships between ELF field exposure and possible health effects: report on an expert workshop. *Bioelectromagnetics*, **13**, 335–350
- Morris, J.E. & Ragan, H.A. (1979) Immunological studies of 60-Hz electric fields. In: Phillips, X., Gillis, X., Kaune, X. & Mahlum, X., eds, *Biological Effects of Extremely Low Frequency Electromagnetic Fields* (Hanford Life Sciences Symposium 18; DOE Symposium Series 50; CONF-781016), Washington DC, Richland, pp. 326–334
- Morris, J.E., Sasser, L.B., Miller, D.L., Dagle, G.E., Rafferty, C.N., Ebi, K.L. & Anderson, L.E. (1999) Clinical progression of transplanted large granular lymphocytic leukemia in Fischer 344 rats exposed to 60 Hz magnetic fields. *Bioelectromagnetics*, **20**, 48–56
- Mullins, R.D., Siskin, J.E., Hejase, H. & Siskin, B.F. (1993) Design and characterization of a system for exposure of cultured cells to extremely low frequency electric and magnetic fields over a wide range of field strengths. *Bioelectromagnetics*, **14**, 173–186
- Mullins, J.M., Penafiel, L.M., Juutilainen, J. & Litovitz, T.A. (1999) Dose–response of electromagnetic field-enhanced ornithine decarboxylase activity. *Bioelectrochem. Bioenerg.*, **48**, 193–199
- Murthy, K.K., Rogers, W.R. & Smith, H.D. (1995) Initial studies on the effects of combined 60 Hz electric and magnetic field exposure on the immune system of nonhuman primates. *Bioelectromagnetics*, **3**, 93–102
- Mutnick, A. & Muscat, J.E. (1997) Primary brain cancer in adults and the use of common household appliances: A case–control study. *Rev. environ. Health*, **12**, 59–62 (erratum: *Rev. environ. Health*, **12**, 131)
- Myers, A., Clayden, A.D., Cartwright, R.A. & Cartwright, S.C. (1990) Childhood cancer and overhead powerlines: A case–control study. *Br. J. Cancer*, **62**, 1008–1014
- Nafziger, J., Desjobert, H., Benamar, B., Guillosson, J.J. & Adolphe, M. (1993) DNA mutations and 50 Hz electromagnetic fields. *Bioelectrochem. Bioenerg.*, **30**, 133–141
- Nakagawa, M. & Matsuda, Y. (1988) A strong static-magnetic field alters operant responding by rats. *Bioelectromagnetics*, **9**, 25–37
- Narita, K., Hanakawa, K., Kasahara, T., Hisamitsu, T. & Asano, K. (1997) Induction of apoptotic cell death in human leukemic cell line, HL-60, by extremely low frequency electric magnetic fields: analysis of the possible mechanisms *in vitro*. *In Vivo*, **11**, 329–335

- Nasca, P.C., Baptiste, M.S., MacCubbin, P.A., Metzger, B.B., Carlton, K., Greenwald, P., Armbrustmacher, V.W., Earle, K.M. & Waldman, J. (1988) An epidemiologic case-control study of central nervous system tumors in children and parental occupational exposures. *Am. J. Epidemiol.*, **128**, 1256–1265
- National Geophysical Data Center (United States Department of Commerce, National Oceanic and Atmospheric Administration, National Environment Satellite, Data and Information Service), <http://www.ngdc.noaa.gov>
- National Institute of Environmental Health Sciences (NIEHS) (1999) *Health Effects from Exposure to Power-line Frequency Electric and Magnetic Fields* (NIH Publication No. 99-4493), Cincinnati, OH
- National Radiological Protection Board (NRPB) (1992) *Electromagnetic Fields and the Risk of Cancer, Report of an Advisory Group on Non-ionising Radiation* (Doc NRPB 3), Chilton, UK
- National Radiological Protection Board (NRPB) (2001) *ELF Electromagnetic Fields and the Risk of Cancer, Report of an Advisory Group on Non-ionizing Radiation* (Doc NRPB 12), Chilton, UK
- National Research Council (1997) *Possible Health Effects to Residential Electric and Magnetic Fields*, Washington DC, National Academy Press
- National Toxicology Program (NTP) (1996) *Toxicity, Reproductive and Developmental Studies of 60-Hz Magnetic Fields Administered by Whole-body Exposure to F344/N rats, Sprague-Dawley rats and B6C3F<sub>1</sub> mice (Toxicity Report Series No. 58)*, NIH Publication No. 96-3939, US Department of Health and Human Services, Public Health Service, Research Triangle Park, NC
- National Toxicology Program (1999a) *Toxicology and Carcinogenesis Studies of 60-Hz Magnetic Fields in F344/N Rats and B6C3F<sub>1</sub> Mice (Whole-Body Exposure Studies)* (NTP Technical Report 488), Research Triangle Park, NC
- National Toxicology Program (1999b) *Toxicology and Carcinogenesis Studies of Magnetic Field Promotion (DMBA Initiation) in Female Sprague-Dawley Rats (Whole-Body Exposure, Gavage Studies)* (NTP Technical Report 489), Research Triangle Park, NC
- Neurath, P.W. (1968) High gradient magnetic field inhibits embryonic development of frogs. *Nature*, **219**, 1358–1359
- Neutra, R.R. & DelPizzo, V. (1996) When ‘wire codes’ predict cancer better than spot measurements of magnetic fields (Editorial). *Epidemiology*, **7**, 217–218
- Neutra, R.R., DelPizzo, V., Lee, G., Leonard, A., Stevenson, M. & Hristova, L. (1996) Progress Report from the California EMF Program. In: *The Annual review of Research on Biological Effects of Electric and Magnetic Fields from the Generation, Delivery and Use of Electricity*, P-78, DOE, NIEH, EPRI, San Antonio, Texas
- Nguyen, P., Bourmias-Vardiabasis, N., Haggren, W., Adey, W.R. & Phillips, J.L. (1995) Exposure of *Drosophila melanogaster* embryonic cell cultures to 60-Hz sinusoidal magnetic fields: assessment of potential teratogenic effects. *Teratology*, **51**, 273–277
- Niehaus, M., Bruggemeyer, H., Behre, H.M. & Lerchl, A. (1997) Growth retardation, testicular stimulation, and increased melatonin synthesis by weak magnetic fields (50 Hz) in Djungarian hamsters, *Phodopus sungorus*. *Biochem. biophys. Res. Commun.*, **234**, 707–711
- Nielsen, C.V. & Brandt, L.P. (1990) Spontaneous abortion among women using video display terminals. *Scand. J. Work environ. Health*, **16**, 323–328



- Nishimura, I., Yamazaki, K., Shigemitsu, T., Negishi, T. & Sasano, T. (1999) Linearly and circularly polarized, 50 Hz magnetic fields did not alter intracellular calcium in rat immune cells. *Ind. Health*, **37**, 289–299
- Nolte, C.M., Pittman, D.W., Kalevitch, B., Henderson, R. & Smith, J.C. (1998) Magnetic field conditioned taste aversion in rats. *Physiol. Behav.*, **63**, 683–688
- Nordenson, I., Hansson-Mild, K., Nordstrom, S., Sweins, A. & Birke, E. (1984) Clastogenic effects in human lymphocytes of power frequency electric fields: in vivo and in vitro studies. *Radiat. environ. Biophys.*, **23**, 191–201
- Nordenson, I., Mild, K.H., Östman, U. & Ljungberg, H. (1988) Chromosomal effects in lymphocytes of 400 kV-substation workers. *Radiat. environ. Biophys.*, **27**, 39–47
- Nordenson, I., Mild, K.H., Andersson, G. & Sandstrom, M. (1994) Chromosomal aberrations in human amniotic cells after intermittent exposure to fifty Hertz magnetic fields. *Bioelectromagnetics*, **15**, 293–301
- Nordenson, I., Hansson Mild, K., Järventaus, H., Hirvonen, A., Sandström, M., Wilén, J., Blix, N. & Norppa, H. (2001) Chromosomal aberrations in peripheral lymphocytes of train engine drivers. *Bioelectromagnetics*, **22**, 306–315
- Nordström, S., Birke, E. & Gustavsson, L. (1983) Reproductive hazards among workers at high voltage substations. *Bioelectromagnetics*, **4**, 91–101
- Ohtsu, S., Miyakoshi, J., Tsukada, T., Hiraoka, M., Abe, M. & Takebe, H. (1995) Enhancement of  $\beta$ -galactosidase gene expression in rat pheochromocytoma cells by exposure to extremely low frequency magnetic fields. *Biochem. biophys. Res. Commun.*, **212**, 104–109
- Okonogi, H., Nakagawa, M. & Tsuji, Y. (1996) The effects of a 4.7 tesla static magnetic field on the frequency of micronucleated cells induced by mitomycin C. *Tohoku J. exp. Med.*, **180**, 209–215
- Olin, R., Vågerö, D. & Ahlbom, A. (1985) Mortality experience of electrical engineers. *Br. J. ind. Med.*, **42**, 211–212
- Olsen, R.G. (1994) Power-transmission electromagnetics. *IEEE Antennas Propagation Mag.*, **36**, 7–16
- Olsen, J.H., Nielsen, A. & Schulgen, G. (1993) Residence near high voltage facilities and risk of cancer in children. *Br. med. J.*, **307**, 891–895
- Orr, J.L., Rogers, W.R. & Smith, H.D. (1995a) Exposure of baboons to combined 60 Hz electric and magnetic fields does not produce work stoppage or affect operant performance on a match to sample task. *Bioelectromagnetics*, **Suppl. 3**, 61–70
- Orr, J.L., Rogers, W.R. & Smith, H.D. (1995b) Detection thresholds for 60 Hz electric fields by nonhuman primates. *Bioelectromagnetics*, **Suppl. 3**, 23–34
- Pacini, S., Aterini, S., Pacini, P., Ruggiero, C., Gulisano, M. & Ruggiero, M. (1999a) Influence of static magnetic field on the antiproliferative effects of vitamin D on human breast cancer cells. *Oncol. Res.*, **11**, 265–271
- Pacini, S., Vannelli, G.B., Barni, T., Ruggiero, M., Sardi, I., Pacini, P. & Gulisano, M. (1999b) Effect of 0.2 T static magnetic field on human neurons: remodeling and inhibition of signal transduction without genome instability. *Neurosci. Lett.*, **267**, 185–188
- Pafková, H. & Jerábek, J. (1994) Interaction of MF 50 Hz, 10 mT with high dose of X-rays: Evaluation of embryotoxicity in chick embryos. *Rev. environ. Health*, **10**, 235–241

- Pafková, H., Jerábek, J., Tejnorová, I. & Bednár, V. (1996) Developmental effects of magnetic field (50 Hz) in combination with ionizing radiation and chemical teratogens. *Toxicol. Lett.*, **88**, 313–316
- Paile, W., Jokela, K., Koivistoinen, A. & Salomaa, S. (1995) Effects of 50 Hz sinusoidal magnetic fields and spark discharges on human lymphocytes in vitro. *Bioelectrochem. Bioenerg.*, **36**, 15–22
- Parkinson, W.C. & Hanks, C.T. (1989) Search for cyclotron resonance in cells *in vitro*. *Bioelectromagnetics*, **10**, 129–145
- Parkinson, W.C. & Sulik, G.L. (1992) Diatom response to extremely low-frequency magnetic fields. *Radiat. Res.*, **130**, 319–330
- Pearce, N.E., Sheppard, R.A., Howard, J.K., Fraser, J. & Lilley, B.M. (1985) Leukaemia in electrical workers in New Zealand (Letter to the Editor). *Lancet*, **i**, 811–812
- Pearce, N.E., Reif, J. & Fraser, J. (1989) Case-control studies of cancer in New Zealand electrical workers. *Int. J. Epidemiol.*, **18**, 55–59
- Percy, C., Stenek, E. III. & Gloeckler, L. (1981) Accuracy of cancer death certificates and its effect on cancer mortality statistics. *Am. J. Public Health*, **71**, 242–250
- Perry, F.S., Reichmanis, M., Marino, A.A. & Becker, R.O. (1981) Environmental power-frequency magnetic fields and suicide. *Health Phys.*, **41**, 267–277
- Persinger, M.A. & Pear, J.J. (1972) Prenatal exposure to an ELF-rotating magnetic field and subsequent increase in conditioned suppression. *Dev. Psychobiol.*, **5**, 269–274
- Pessina, G.P. & Aldinucci, C. (1997) Short cycles of both static and pulsed electromagnetic fields have no effect on the induction of cytokines by peripheral blood mononuclear cells. *Bioelectromagnetics*, **18**, 548–554
- Pessina, G.P. & Aldinucci, C. (1998) Pulsed electromagnetic fields enhance the induction of cytokines by peripheral blood mononuclear cells challenged with phytohemagglutinin. *Bioelectromagnetics*, **19**, 445–451
- Peto, R. (1974) Guidelines on the analysis of tumour rates and death rates in experimental animals. *Br. J. Cancer*, **29**, 101–105
- Petralia, S.A., Chow, W.-H., McLaughlin, J., Jin, F., Gao, Y.-T. & Dosemeci, M. (1998) Occupational risk factors for breast cancer among women in Shanghai. *Am. J. Ind. Med.*, **34**, 477–483
- Petridou, E., Hsieh, C.C., Skalkidis, Y., Toupadaki, N. & Athanassopoulos, Y. (1993) Suggestion of concomitant changes of electric power consumption and childhood leukemia in Greece. *Scand. J. Soc. Med.*, **21**, 281–285
- Petridou, E., Trichopoulos, D., Kravaritis, A., Pourtsidis, A., Dessypris, N., Skalkidis, Y., Kogevinas, M., Kalmanti, K., Kolioukas, D., Kosmidis, H., Panagiotou, J.P., Piperopoulou, F., Tzortzatou, F. & Kalapothaki, V. (1997) Electrical power lines and childhood leukemia: A study from Greece. *Int. J. Cancer*, **73**, 345–348
- Pfluger, D.H. & Minder, C.E. (1996) Effects of exposure to 16.7 Hz magnetic fields on urinary 6-hydroxymelatonin sulfate excretion of Swiss railway workers. *J. pineal Res.*, **21**, 91–100
- Phillips, J.L., Haggren, W., Thomas, W.J., Ishida-Jones, T. & Adey, W.R. (1992) Magnetic field-induced changes in specific gene transcription. *Biochim. biophys. Acta*, **1132**, 140–144
- Philips, K.L., Morandi, M.T., Oehme, D. & Cloutier, P.A. (1995) Occupational exposure to low frequency magnetic fields in health care facilities. *Am. Ind. Hyg. Assoc. J.*, **56**, 677–685

- Picazo, M.L., deMiguel, M.P., Leyton, V., Franco, P., Varela, L., Paniagua, R. & Bardasano, J.L. (1995) Long-term effects of ELF magnetic fields on the mouse testis and serum testosterone levels. *Electro- & Magnetobiol.*, **14**, 127–134
- Picazo, M.L., Catalá, M.D., Romo, M.A. & Bardasano, J.L. (1998) Inhibition of melatonin in the plasma of third-generation male mice under the action of ELF magnetic fields. *Electro- & Magnetobiol.*, **17**, 75–85
- Pira, E., Turbiglio, M., Maroni, M., Carrer, P., La Vecchia, C., Negri, E. & Lachetta, R. (1999) Mortality among workers in the geothermal power plants at Larderello, Italy. *Am. J. ind. Med.*, **35**, 536–539
- Plonsey, R. & Barr, R.C. (1988) *Bioelectricity: A quantitative approach*, New York, Plenum Press
- Podd, J.V., Whittington, C.J., Barnes, G.R.G., Page, W.H. & Rapley, B.I. (1995) Do ELF magnetic fields affect human reaction time? *Bioelectromagnetics*, **16**, 317–323
- Polk, C. (1992) Dosimetry of extremely-low-frequency magnetic fields. *Bioelectromagnetics*, **Suppl. 1**, 209–235
- Polk, C. (1993) Physical mechanisms for biological effects of ELF low-intensity electric and magnetic fields: thermal noise limit and counterion polarization. In: Blank, M., ed., *Electricity and Magnetism in Biology and Medicine*, San Francisco, CA, San Francisco Press, Inc., pp. 543–546
- Polk, C. (1994) Effects of extremely-low frequency magnetic fields on biological magnetite. *Bioelectromagnetics*, **15**, 261–270
- Polk, C. (1995) Electric and magnetic fields for bone and soft tissue repair. In: Polk, C. & Postow, E., eds, *Handbook of Biologic Effects of Electromagnetic fields*, 2nd Ed., Boca Raton, CRC Press, pp. 231–246
- Poole, C., Kavet, R., Funch, D.P., Donelan, K., Charry, J.M. & Dreyer, N.A. (1993) Depressive symptoms and headaches in relation to proximity of residence to an alternating-current transmission line right-of-way. *Am. J. Epidemiol.*, **137**, 318–330
- Portet, R. & Cabanes, J. (1988) Development of young rats and rabbits exposed to a strong electric field. *Bioelectromagnetics*, **9**, 95–104
- Portier, C. (1986) Type 1 error and power of the linear trend test in proportion under the National Toxicology Program's modified pathology protocol. *Fund. appl. Toxicol.*, **6**, 515–519
- Portier, C.J. & Wolfe, M.D., eds (1998) *Assessment of Health Effects from Exposure to Power-line Frequency Electric and Magnetic Fields*, NIEHS Working Group Report (NIH Publication No. 98-3981), Research Triangle Park, NC, National Institute of Environmental Health Sciences
- Potter, M.E., Okoniewski, M. & Stuchly, M.A. (2000) Low frequency finite difference time domain (FDTD) for modeling of induced fields in humans close to line sources. *J. Comput. Phys.*, **162**, 82–103
- Prasad, N., Wright, D.A. & Forster, J.D. (1982) Effect of nuclear magnetic resonance on early stages of amphibian development. *Magn. Reson. Imaging*, **1**, 35–38
- Preece, A.W., Kaune, W., Grainger, P., Preece, S. & Golding, J. (1997) Magnetic fields from domestic appliances in the UK. *Phys. med. Biol.*, **42**, 67–76
- Preece, A.W., Wesnes, K.A. & Iwi, G.R. (1998) The effect of a 50 Hz magnetic field on cognitive function in humans. *Int. J. Radiat. Biol.*, **74**, 463–470

- Preston-Martin, S., Peters, J.M., Yu, M.C., Garabrant, D.H. & Bowman, J.D. (1988) Myelogenous leukemia and electric blanket use. *Bioelectromagnetics*, **9**, 207–213
- Preston-Martin, S., Mack, W. & Henderson, B.E. (1989) Risk factors for gliomas and meningiomas in males in Los Angeles county. *Cancer Res.*, **49**, 6137–6143
- Preston-Martin, S., Navidi, W., Thomas, D., Lee, P.-J., Bowman, J. & Pogoda, J. (1996a) Los Angeles study of residential magnetic fields and childhood brain tumors. *Am. J. Epidemiol.*, **143**, 105–119
- Preston-Martin, S., Gurney, J.G., Pogoda, J.M., Holly, E.A. & Mueller, B.A. (1996b) Brain tumor risk in children in relation to use of electric blankets and water bed heaters. *Am. J. Epidemiol.*, **143**, 1116–1122
- Price, J.A. & Strattan, R.D. (1998) Analysis of the effect of a 60 Hz AC field on histamine release by rat peritoneal mast cells. *Bioelectromagnetics*, **19**, 192–198
- Pulsoni, A., Stazi, A., Cotichini, R., Allione, B., Cerri, R., di Bona, E., Nosari, A.M., Pagano, L., Recchia, A., Ribersani, M., Rocchi, L., Veneri, D., Visani, G., Mandelli, F. & Mele, A. (1998) Acute promyelocytic leukaemia: Epidemiology and risk factors. A report of the GIMEMA Italian archive of adult acute leukaemia. *Eur. J. Haematol.*, **61**, 327–332
- Quittan, M., Schuhfried, O., Wiesinger, G.F. & Fialka-Moser, V. (2000) [Clinical effectiveness of magnetic field therapy — a review of the literature.] *Acta Med. Austriaca*, **27**, 61–68 (in German)
- Ragan, H.A., Buschbom, R.L., Pipes, M.J., Phillips, R.D. & Kaune, W.T. (1983) Hematologic and serum chemistry studies in rats exposed to 60-Hz electric fields. *Bioelectromagnetics*, **4**, 79–90
- Ramirez, E., Monteagudo, J.L., Garcia-Garcia, M. & Delgado, J.M.R. (1983) Oviposition and development of *Drosophila* modified by magnetic fields. *Bioelectromagnetics*, **4**, 315–326
- Ramoni, C., Dupuis, M.L., Vecchia, P., Polichetti, A., Petrini, C., Bersani, F., Capri, M., Cossarizza, A., Francheschi, C. & Grandolfo, M. (1995) Human natural killer cytotoxic activity is not affected by in vitro exposure to 50-Hz sinusoidal magnetic fields. *Int. J. Radiat. Biol.*, **68**, 693–705
- Rannug, A., Holmberg, B., Ekström, T. & Mild, K.H. (1993a) Rat liver foci study on coexposure with 50 Hz magnetic fields and known carcinogens. *Bioelectromagnetics*, **14**, 17–27
- Rannug, A., Ekström, T., Mild, K.H., Holmberg, B., Gimenez-Conti, I. & Slaga, T.J. (1993b) A study on skin tumour formation in mice with 50 Hz magnetic field exposure. *Carcinogenesis*, **14**, 573–578
- Rannug, A., Holmberg, B. & Mild, K.H. (1993c) A rat liver foci promotion study with 50-Hz magnetic fields. *Environ. Res.*, **62**, 223–229
- Rannug, A., Holmberg, B., Ekström, T., Mild, K.H., Gimenez-Conti, I. & Slaga, T.J. (1994) Intermittent 50 Hz magnetic field and skin tumour promotion in SENCAR mice. *Carcinogenesis*, **15**, 153–157
- Rao, S. & Henderson, A.S. (1996) Regulation of *c-fos* is affected by electromagnetic fields. *J. cell. Biochem.*, **63**, 358–365
- Reese, J.A., Jostes, R.F. & Frazier, M.E. (1988) Exposure of mammalian cells to 60-Hz magnetic or electric fields: analysis for DNA single-strand breaks. *Bioelectromagnetics*, **9**, 237–247
- Reichmanis, M., Perry, F.S., Marino, A.A. & Becker, R.O. (1979) Relation between suicide and the electromagnetic field of overhead power lines. *Physiol. Chem. Physics*, **11**, 395–403

- Reilly, J.P. (1992) *Electrical Stimulation and Electropathology*, New York, Cambridge University Press
- Reilly, J.P. (1998) Stimulation via electric and magnetic fields. *Applied Bioelectricity: From Electrical Stimulation to Electropathology*, New York, Springer, pp. 341–411
- Reipert, B.M., Allan, D., Reipert, S. & Dexter, T.M. (1997) Apoptosis in haematopoietic progenitor cells exposed to extremely low-frequency magnetic fields. *Life Sci.*, **61**, 1571–1582
- Reiter, R.J., Anderson, L.E., Buschbom, R.L. & Wilson, B.W. (1988) Reduction of the nocturnal rise in pineal melatonin levels in rats exposed to 60-Hz electric fields in utero and for 23 days after birth. *Life Sci.*, **42**, 2203–2206
- Reiter, R.J., Melchiorri, D., Sewerynek, E., Poeggeler, B., Barlow-Walden, L., Chuang, J., Ortiz, G.G. & Acuna-Castroviejo, D. (1995) A review of the evidence supporting melatonin's role as an antioxidant. *J. pineal Res.*, **18**, 1–11
- Repacholi, M.H. & Greenebaum, B. (1999) Interaction of static and extremely low frequency electric and magnetic fields with living systems: Health effects and research needs. *Bioelectromagnetics*, **20**, 133–160
- Richardson, S., Zittoun, R., Bastuji-Garin, S., Lasserre, V., Guihenneuc, C., Cadiou, M., Viguie, F. & Laffont-Faust, I. (1992) Occupational risk factors for acute leukaemia: A case-control study. *Int. J. Epidemiol.*, **21**, 1063–1073
- Rivas, L., Rius, C., Tello, I. & Oroza, M.A. (1985) Effects of chronic exposure to weak electromagnetic fields in mice. *IRCS med. Sci.*, **13**, 661–662
- Rivas, L., Oroza, M.A. & Delgado, J.M.R. (1987) Influence of electromagnetic fields on body weight and serum chemistry in second generation mice. *Med. Sci. Res.*, **15**, 1041–1042
- Robinson, C.F., Lalich, N.R., Burnett, C.A., Sestito, J.P., Frazier, T.M. & Fine, L.J. (1991) Electromagnetic field exposure and leukemia mortality in the United States. *J. occup. Med.*, **33**, 160–162
- Rockette, H.E. & Arena, V.C. (1983) Mortality studies of aluminum reduction plant workers: Potroom and carbon department. *J. occup. Med.*, **25**, 549–557
- Rodegertds, E.A., Grönwäller, E.F., Kehlback, R., Roth, P., Wiskirchen, J., Gebert, R., Claussen, C.D. & Duda, S.H. (2000) In vitro evaluation of teratogenic effects by time-varying MR gradient fields on fetal human fibroblasts. *J. magn. Reson. Imaging*, **12**, 150–156
- Rodvall, Y., Ahlbom, A., Stenlund, C., Preston-Martin, S., Lindh, T & Spännare, B. (1998) Occupational exposure to magnetic fields and brain tumours in Central Sweden. *Eur. J. Epidemiol.*, **14**, 563–569
- Rogers, W.R., Reiter, R.J., Barlow-Walden, L., Smith, H.D. & Orr, J.L. (1995a) Regularly scheduled, day-time, slow-onset 60 Hz electric and magnetic field exposure does not depress serum melatonin concentration in nonhuman primates. *Bioelectromagnetics, Suppl.*, 3111–3118
- Rogers, W.R., Reiter, R.J., Smith, H.D. & Barlow-Walden, L. (1995b) Rapid-onset/offset, variably scheduled 60 Hz electric and magnetic field exposure reduces nocturnal serum melatonin concentration in nonhuman primates. *Bioelectromagnetics, Suppl.*, 3119–3122
- Rogers, W.R., Orr, J.L. & Smith, H.D. (1995c) Initial exposure to 30 kV/m or 60 kV/m 60 Hz electric fields produces temporary cessation of operant behavior of nonhuman primates. *Bioelectromagnetics*, **3**, 35–47
- Rogers, W.R., Orr, J.L. & Smith, H.D. (1995d) Nonhuman primates will not respond to turn off strong 60 Hz electric fields. *Bioelectromagnetics*, **3**, 48–60

- Rommereim, D.N., Kaune, W.T., Buschbom, R.L., Phillips, R.D. & Sikov, M.R. (1987) Reproduction and development in rats chronologically exposed to 60-Hz electric fields. *Bioelectromagnetics*, **8**, 243–258
- Rommereim, D.N., Kaune, W.T., Anderson, L.E. & Sikov, M.R. (1989) Rats reproduce and rear litters during chronic exposure to 150-kV/m, 60-Hz electric fields. *Bioelectromagnetics*, **10**, 385–389
- Rommereim, D.N., Rommereim, R.L., Sikov, M.R., Buschbom, R.L. & Anderson, L.E. (1990) Reproduction, growth, and development of rats during chronic exposure to multiple field strengths of 60-Hz electric fields. *Fundam. appl. Toxicol.*, **14**, 608–621
- Rommereim, D.N., Rommereim, R.L., Miller, D.L., Buschbom, R.L. & Anderson, L.E. (1996) Developmental toxicology evaluation of 60-Hz horizontal magnetic fields in rats. *Appl. occup. environ. Hyg.*, **11**, 307–312
- Rønneberg, A., Haldorsen, T., Romundstad, P. & Andersen, A. (1999) Occupational exposure and cancer incidence among workers from an aluminum smelter in western Norway. *Scand. J. Work Environ. Health*, **25**, 207–214
- Rosenbaum, P.F., Vena, J.E., Zielezny, M.A. & Michalek, A.M. (1994) Occupational exposures associated with male breast cancer. *Am. J. Epidemiol.*, **139**, 30–36
- Rosenberg, R.S., Duffy, P.H. & Sacher, G.A. (1981) Effects of intermittent 60-Hz high voltage electric fields on metabolism, activity, and temperature in mice. *Bioelectromagnetics*, **2**, 291–303
- Rosenberg, R.S., Duffy, P.H., Sacher, G.A. & Ehret, C.F. (1983) Relationship between field strength and arousal response in mice exposed to 60-Hz electric fields. *Bioelectromagnetics*, **4**, 181–191
- Rosenthal, M. & Obe, G. (1989) Effects of 50-Hertz electromagnetic fields on proliferation and on chromosomal alterations in human peripheral lymphocytes untreated or pretreated with chemical mutagens. *Mutat. Res.*, **210**, 329–335
- Ross, S.M. (1990) Combined DC and ELF magnetic fields can alter cell proliferation. *Bioelectromagnetics*, **11**, 27–36
- Rozek, R.J., Sherman, M.L., Liboff, A.R., McLeod, B.R. & Smith, S.D. (1987) Nifedipine is an antagonist to cyclotron resonance enhancement of <sup>45</sup>Ca incorporation in human lymphocytes. *Cell Calcium*, **8**, 413–427
- Ryan, P., Lee, M.W., North, J.B. & McMichael, A.J. (1992) Risk factors for tumors of the brain and meninges: Results from the Adelaide adult brain tumor study. *Int. J. Cancer*, **51**, 20–27
- Ryan, B.M., Mallett, E., Jr, Johnson, T.R., Gauger, J.R. & McCormick, D.L. (1996) Developmental toxicity study of 60 Hz (power frequency) magnetic fields in rats. *Teratology*, **54**, 73–83
- Ryan, B.M., Symanski, R.R., Pomeranz, L.A., Johnson, T.R., Gauger, J.R. & McCormick, D.L. (1999) Multigeneration reproductive toxicity assessment of 60-Hz magnetic fields using a continuous breeding protocol in rats. *Teratology*, **59**, 156–162
- Ryan, B.M., Polen, M., Gauger, J.R., Mallett, E., Jr, Kearns, M.B., Bryan, L. & McCormick, D.L. (2000) Evaluation of the developmental toxicity of 60 Hz magnetic fields and harmonic frequencies in Sprague-Dawley rats. *Radiat. Res.*, **153**, 637–641
- Saalman, E., Önfelt, A. & Gillstedt-Hedman, B. (1991) Lack of c-mitotic effects in V79 Chinese hamster cells exposed to 50 Hz magnetic fields. *Bioelectrochem. Bioenerg.*, **26**, 335–338

- Saffer, J.D. & Thurston, S.J. (1995) Short exposures to 60 Hz magnetic fields do not alter *MYC* expression in HL60 or Daudi cells. *Radiat. Res.*, **144**, 18–25
- Saffer, J.D., Chen, G., Colburn, N.H. & Thurston, S.J. (1997) Power frequency magnetic fields do not contribute to transformation of JB6 cells. *Carcinogenesis*, **18**, 1365–1370
- Sahl, J.D., Kelsh, M.A. & Greenland, S. (1993) Cohort and nested case–control studies of hematopoietic cancers and brain cancer among electric utility workers. *Epidemiology*, **4**, 104–114
- Sakamoto, S., Hagino, N. & Winters, W.D. (1993) In vivo studies of the effect of magnetic field exposure on ontogeny of choline acetyltransferase in the rat brain. *Bioelectromagnetics*, **14**, 373–381
- Salerno, S., Lo Casto, A., Caccamo, N., D’Anna, C., De Maria, M., Lagalla, R., Scola, L. & Cardinale, A.E. (1999) Static magnetic fields generated by 0.5 T MRI unit affects in vitro expression of activation markers and interleukin release in human peripheral blood mononuclear cells (PBMC). *Int. J. Radiat. Biol.*, **75**, 457–463
- Salzinger, K., Freimark, S., McCullough, M., Phillips, D. & Birenbaum, L. (1990) Altered operant behavior of adult rats after perinatal exposure to a 60-Hz electromagnetic field. *Bioelectromagnetics*, **11**, 105–116
- Sandström, M., Hansson Mild, K., Stenberg, B. & Wall, S. (1993) A survey of electric and magnetic fields among VDT operators in offices. *IEEE Trans. EMC*, **35**, 394–397
- Sasser, L.B., Morris, J.E., Miller, D.L., Rafferty, C.N., Ebi, K.L. & Anderson, L.E. (1996) Exposure to 60 Hz magnetic fields does not alter clinical progression of LGL leukemia in Fischer rats. *Carcinogenesis*, **17**, 2681–2687
- Sasser, L.B., Anderson, L.E., Morris, J.E., Miller, D.L., Walborg, E.F., Kavet, R., Johnston, D.A. & DiGiovanni, J. (1998) Lack of a co-promoting effect of a 60 Hz magnetic field on skin tumorigenesis in SENCAR mice. *Carcinogenesis*, **19**, 1617–1621
- Sastre, A., Cook, M.R. & Graham, C. (1998) Nocturnal exposure to intermittent 60 Hz magnetic field alters human cardiac rhythm. *Bioelectromagnetics*, **19**, 96–106
- Satter-Syed, A., Islam, M.S., Rabbani, K.S. & Talukder, M.S. (1999) Pulsed electromagnetic fields for the treatment of bone fractures. *Bangladesh Med. Res. Counc. Bull.*, **25**, 6–10
- Savitz, D.A. & Ananth, C.V. (1994) Residential magnetic fields, wire codes, and pregnancy outcome. *Bioelectromagnetics*, **15**, 271–273
- Savitz, D.A. & Loomis, D.P. (1995) Magnetic field exposure in relation to leukemia and brain cancer mortality among electric utility workers. *Am. J. Epidemiol.*, **141**, 123–134
- Savitz, D.A., Wachtel, H., Barnes, F.A., John, E.M. & Tvrdik, J.G. (1988) Case–control study of childhood cancer and exposure to 60-Hz magnetic fields. *Am. J. Epidemiol.*, **128**, 21–38
- Savitz, D.A., John, E.M. & Kleckner, R.C. (1990) Magnetic field exposure from electric appliances and childhood cancer. *Am. J. Epidemiol.*, **131**, 763–773
- Savitz, D.A., Boyle, C.A. & Holmgren, P. (1994) Prevalence of depression among electrical workers. *Am. J. ind. Med.*, **25**, 165–176
- Savitz, D.A., Dufort, V., Armstrong, B. & Thériault, G. (1997) Lung cancer in relation to employment in the electrical utility industry and exposure to magnetic fields. *Occup. environ. Med.*, **54**, 396–402
- Savitz, D., Checkoway, H. & Loomis, D. (1998a) Magnetic field exposure and neurodegenerative disease mortality among electric utility workers. *Epidemiology*, **9**, 398–404

- Savitz, D., Loomis, D. & Chiu-Kit, T. (1998b) Electrical occupations and neurodegenerative disease: Analysis of U.S. mortality data. *Arch. environ. Health*, **53**, 1–5
- Savitz, D.A., Liao, D., Sastre, A., Kleckner, R.C. & Kavet, R. (1999) Magnetic field exposure and cardiovascular disease mortality among electric utility workers. *Am. J. Epidemiol.*, **149**, 135–142
- Savitz, D.A., Cai, J., van Wijngaarden, E., Loomis, D., Mihlan, G., Dufort, V., Kleckner, R.C., Nylander-French, L., Kromhout, H. & Zhou, H. (2000) Case-cohort analysis of brain cancer and leukemia in electric utility workers using a refined magnetic field job-exposure matrix. *Am. J. ind. Med.*, **38**, 417–425
- Scarfì, M.R., Bersani, F., Cossarizza, A., Monti, D., Castellani, G., Cadossi, R., Franceschetti, G. & Franceschi, C. (1991) Spontaneous and mitomycin-C-induced micronuclei in human lymphocytes exposed to extremely low frequency pulsed magnetic fields. *Biochem. biophys. Res. Commun.*, **176**, 194–200
- Scarfì, M.R., Bersani, F., Cossarizza, A., Monti, D., Zeni, O., Lioi, M.B., Franceschetti, G., Capri, M. & Franceschi, C. (1993) 50 Hz AC sinusoidal electric fields do not exert genotoxic effects (micronucleus formation) in human lymphocytes. *Radiat. Res.*, **135**, 64–68
- Scarfì, M.R., Lioi, M.B., Zeni, O., Franceschetti, G., Franceschi, C. & Bersani, F. (1994) Lack of chromosomal aberration and micronucleus induction in human lymphocytes exposed to pulsed magnetic fields. *Mutat. Res.*, **306**, 129–133
- Scarfì, M.R., Prisco, F., Bersani, F., Lioi, M.B., Zeni, O., Di-Pietro, R., Franceschi, C., Motta, M., Iafusco, D. & Stoppoloni, G. (1996) Spontaneous and mitomycin-C-induced micronuclei in lymphocytes from subjects affected by Turner's syndrome. *Mutat. Res.*, **357**, 183–190
- Scarfì, M.R., Prisco, F., Lioi, M.B., Zeni, O., Delle Noce, M., DiPietro, R., Franceschi, C., Iafusco, D., Motta, M. & Bersani, F. (1997) Cytogenetic effects induced by extremely low frequency pulsed magnetic fields in lymphocytes from Turner's syndrome subjects. *Bio-electrochem. Bioenerg.*, **43**, 221–226
- Scarfì, M.R., Lioi, M.B., Zeni, O., Della Noce, M., Franceschi, C. & Bersani, F. (1999) Micronucleus frequency and cell proliferation in human lymphocytes exposed to 50 Hz sinusoidal magnetic fields. *Health Phys.*, **76**, 244–250
- Schenck, J.F., Dumoulin, C.L., Redington, R.W., Kressel, H.Y., Elliott, R.T. & McDougall, I.L. (1992) Human exposure to 4.0-T magnetic fields in a whole-body scanner. *Med. Phys.*, **19**, 1089–1098
- Schimmelpfeng, J. & Dertinger, H. (1997) Action of a 50 Hz magnetic field on proliferation of cells in culture. *Bioelectromagnetics*, **18**, 177–183
- Schnorr, T.M., Grajewski, B.A., Hornung, R.W., Thun, M.J., Egeland, G.M., Murray, W.E., Conover, D.L. & Halperin, W.E. (1991) Video display terminals and the risk of spontaneous abortion. *New Engl. J. Med.*, **324**, 727–733
- Schreiber, G.H., Swaen, G.M.H., Meijers, J.M.M., Slangen, J.J.M. & Sturmans, F. (1993) Cancer mortality and residence near electricity transmission equipment: A retrospective cohort study. *Int. J. Epidemiol.*, **22**, 9–15
- Schroeder, J.C. & Savitz, D.A. (1997) Lymphoma and multiple myeloma mortality in relation to magnetic field exposure among electric utility workers. *Am. J. ind. Med.*, **32**, 392–402



- Schüz, J., Grigat, J.-P., Störmer, B., Rippin, G., Brinkmann, K. & Michaelis, J. (2000) Extremely low frequency magnetic fields in residences in Germany. Distribution of measurements, comparison of two methods for assessing exposure, and predictors for the occurrence of magnetic fields above background level. *Radiat. environ. Biophys.*, **39**, 233–240
- Schüz, J., Grigat, J.-P., Brinkmann, K. & Michaelis, J. (2001a) Residential magnetic fields as a risk factor for childhood acute leukaemia: Results from a German population-based case-control study. *Int. J. Cancer*, **91**, 728–735
- Schüz, J., Kaletsch, U., Kaatsch, P., Meinert, R. & Michaelis, J. (2001b) Risk factors for pediatric tumours of the central nervous system: Results from a German population-based case-control study. *Med. pediatr. Oncol.*, **36**, 274–282
- Schüz, J., Grigat, J.P., Brinkmann, K. & Michaelis, J. (2001c) Childhood acute leukaemia and residential 16.7 Hz magnetic fields in Germany. *Br. J. Cancer*, **84**, 697–699
- Selmaoui, B. & Touitou, Y. (1995) Sinusoidal 50-Hz magnetic fields depress rat pineal NAT activity and serum melatonin. Role of duration and intensity of exposure. *Life Sci.*, **57**, 1351–1358
- Selmaoui, B., Bogdan, A., Auzeby, A., Lambrozo, J. & Touitou, Y. (1996a) Acute exposure to 50 Hz magnetic field does not affect hematological or immunologic functions in healthy young men: a circadian study. *Bioelectromagnetics*, **17**, 364–372
- Selmaoui, B., Lambrozo, J. & Touitou, Y. (1996b) Magnetic fields and pineal function in humans: evaluation of nocturnal acute exposure to extremely low frequency magnetic fields on serum melatonin and urinary 6-sulfatoxymelatonin circadian rhythms. *Life Sci.*, **58**, 1539–1549
- Selmaoui, B., Lambrozo, J. & Touitou, Y. (1997) Endocrine functions in young men exposed for one night to a 50-Hz magnetic field. A circadian study of pituitary, thyroid and adrenocortical hormones. *Life Sci.*, **61**, 473–486
- Seto, Y.J., Majeau-Chargois, D., Lymangrover, J.R., Dunlap, W.P., Walker, C.F. & Hsieh, S.T. (1984) Investigation of fertility and *In Utero* effects in rats chronically exposed to a high-intensity 60-Hz electric field. *IEEE Trans. biomed. Eng.*, **31**, 693–702
- Severson, R.K., Stevens, R.G., Kaune, W.T., Thomas, D.B., Heuser, L., Davis, S. & Sever, L.E. (1988) Acute nonlymphocytic leukemia and residential exposure to power frequency magnetic fields. *Am. J. Epidemiol.*, **128**, 10–20
- Sharrard, W.J. (1990) A double-blind trial of pulsed electromagnetic fields for delayed union of tibial fractures. *J. Bone Joint Surg. Br.*, **72**, 347–355
- Shaw, G.M. (2001) Adverse human reproductive outcomes and electromagnetic fields: A brief summary of the epidemiologic literature. *Bioelectromagnetics*, **Suppl. 5**, S5–S18
- Shaw, G.M. & Croen, L.A. (1993) Human adverse reproductive outcomes and electromagnetic field exposures: review of epidemiologic studies. *Environ. Health Perspect.*, **101** (Suppl. 4), 107–119
- Shen, Y.H., Shao, B.J., Chiang, H., Fu, Y.D. & Yu, M. (1997) The effects of 50 Hz magnetic field exposure on dimethylbenz(a)anthracene induced thymic lymphoma/leukemia in mice. *Bioelectromagnetics*, **18**, 360–364
- Sienkiewicz, Z.J., Robbins, L., Haylock, R.G.E. & Saunders, R.D. (1994) Effects of prenatal exposure to 50 Hz magnetic fields on development in mice: II. Postnatal development and behavior. *Bioelectromagnetics*, **15**, 363–375

- Sienkiewicz, Z.J., Larder, S. & Saunders, R.D. (1996) Prenatal exposure to a 50 Hz magnetic field has no effect on spatial learning in adult mice. *Bioelectromagnetics*, **17**, 249–252
- Sienkiewicz, Z.J., Haylock, R.G.E. & Saunders, R.D. (1998) Deficits in spatial learning after exposure of mice to 50 Hz magnetic field. *Bioelectromagnetics*, **19**, 79–84
- Sikov, M.R., Montgomery, L.D., Smith, L.G. & Phillips, R.D. (1984) Studies on prenatal and postnatal development in rats exposed to 60-Hz electric fields. *Bioelectromagnetics*, **5**, 101–112
- Sikov, M.R., Rommereim, D.N., Beamer, J.L., Buschbom, R.L., Kaune, W.T. & Phillips, R.D. (1987) Developmental studies of Hanford miniature swine exposed to 60-Hz electric fields. *Bioelectromagnetics*, **8**, 229–242
- Silny, J. (1984) Changes in VEP caused by strong magnetic fields. In: Nodar, R.H. & Barber, C., eds, *Visual Evoked Potentials II*, Boston, Butterworth Publishers, pp. 272–279
- Silny, J. (1985) Effects of low-frequency, high intensity magnetic field on the organism. In: *IEE International Conference on Electric and Magnetic Fields in Medicine and Biology, London, December 1985*, London, Institute of Electric Engineers, pp. 103–107
- Silny, J. (1986) The influence threshold of the time-varying magnetic field in the human organism. In: Bernhardt, J.H., ed., *Biological Effects of Static and Extremely Low Frequency Magnetic Fields*, Munich, MMV Medizin Verlag, pp. 105–112
- Simkó, M., Kriehuber, R., Weiss, D.G. & Luben, R.A. (1998a) Effects of 50 Hz EMF exposure on micronucleus formation and apoptosis in transformed and nontransformed human cell lines. *Bioelectromagnetics*, **19**, 85–91
- Simkó, M., Kriehuber, R. & Lange, S. (1998b) Micronucleus formation in human amnion cells after exposure to 50 Hz MF applied horizontally and vertically. *Mutat. Res.*, **418**, 101–111
- Singh, N. & Lai, H. (1998) 60 Hz magnetic field exposure induces DNA crosslinks in rat brain cells. *Mutat. Res.*, **400**, 313–320
- Skauli, K.S., Reitan, J.B. & Walther, B.T. (2000) Hatching in zebrafish (*Danio rerio*) embryos exposed to a 50 Hz magnetic field. *Bioelectromagnetics*, **21**, 407–410
- Skyberg, K., Hansteen, I.L. & Vistnes, A.I. (1993) Chromosome aberrations in lymphocytes of high-voltage laboratory cable splicers exposed to electromagnetic fields. *Scand. J. Work Environ. Health*, **19**, 29–34
- Skyberg, K., Hansteen, I.L. & Vistnes, A.I. (2001) Chromosomal aberrations in lymphocytes of employees in transformer and generator production exposed to electromagnetic fields and mineral oil. *Bioelectromagnetics*, **22**, 150–160
- Smith, S.D., McLeod, B.R., Liboff, A.R. & Cooksey, K.E. (1987) Calcium cyclotron resonance and diatom motility. *Stud. biophys.*, **119**, 131–136
- Smith, S.D., McLeod, B.R. & Liboff, A.R. (1993) Effects of CR-tuned 60 Hz magnetic fields on sprouting and early growth of *Raphanus sativus*. *Bioelectrochem. Bioenerg.*, **32**, 67–76
- Smith, R.F., Clarke, R.L. & Justesen, D.R. (1994) Behavioral sensitivity of rats to extremely-low-frequency magnetic fields. *Bioelectromagnetics*, **15**, 411–426
- Sobel, E., Davanipour, Z., Sulkava, R., Erkinjuntti, T., Wikstrom, J., Henderson, V.W., Buckwalter, G., Bowman, J.D. & Lee, P.J. (1995) Occupations with exposure to electromagnetic fields: A possible risk factor for Alzheimer's disease. *Am. J. Epidemiol.*, **142**, 515–524

- Sobel, E., Dunn, M., Davanipour, Z., Qian, Z. & Chui, H.C. (1996) Elevated risk of Alzheimer's disease among workers with likely electromagnetic field exposure. *Neurology*, **47**, 1477–1481
- Sorahan, T., Nichols, L., van Tongeren, M. & Harrington, J.M. (2001) Occupational exposure to magnetic fields relative to mortality from brain tumours: Updated and revised findings from a study of UK electricity generation and transmission workers, 1973–97. *Occup. environ. Med.*, **58**, 626–630
- Speers, M.A., Dobbins, J.G. & Miller, V.S. (1988) Occupational exposures and brain cancer mortality: A preliminary study of East Texas residents. *Am. J. ind. Med.*, **13**, 629–638
- Spinelli, J.J., Band, P.R., Svirchev, L.M. & Gallagher, R.P. (1991) Mortality and cancer incidence in aluminum reduction plant workers. *J. occup. Med.*, **33**, 1150–1155
- Spitz, M.R. & Johnson, C.C. (1985) Neuroblastoma and paternal occupation. A case–control analysis. *Am. J. Epidemiol.*, **121**, 924–929
- Stather, J.W., Bailey, M.R., Birchall, A. & Miles, J.C.H. (1996) Comment on the paper: enhanced deposition of radon daughter nuclei in the vicinity of power frequency electromagnetic fields. *Int. J. Radiat. Biol.*, **69**, 645–649
- Stenlund, C. & Floderus, B. (1997) Occupational exposure to magnetic fields in relation to male breast cancer and testicular cancer: A Swedish case–control study. *Cancer Causes Control*, **8**, 184–191
- Stern, R.M. (1987) Cancer incidence among welders: Possible effects of exposure to extremely low frequency electromagnetic radiation (ELF) and to welding fumes. *Environ. Health Perspect.*, **76**, 221–229
- Stern, S. & Laties, V.G. (1985) Behavioral detection of 60-Hz electric fields by rats. *Bioelectromagnetics*, **6**, 99–103
- Stern, S., Laties, V.G., Stancampiano, C.V., Cox, C. & de Lorge, J.O. (1983) Behavioral detection of 60-Hz electric fields by rats. *Bioelectromagnetics*, **4**, 215–247
- Stern, S., Laties, V.G., Nguyen, Q.A. & Cox, C. (1996) Exposure to combined static and 60 Hz magnetic fields: failure to replicate a reported behavioral effect. *Bioelectromagnetics*, **17**, 279–292
- Stevens, R.G. (1987) Electric power use and breast cancer: a hypothesis. *Am. J. Epidemiol.*, **125**, 556–561
- Stevens, R.G. (1993) Biologically based epidemiological studies of electric power and cancer. *Environ. Health Perspect.*, **101**(Suppl. 4), 93–100
- Stevens, R.G. (1995) Risk of premenopausal breast cancer and use of electric blankets (Letter). *Am. J. Epidemiol.*, **142**, 446
- Stevens, R.G. & Davis, S. (1996) The melatonin hypothesis: Electric power and breast cancer. *Environ. Health Perspect.*, **104** (Suppl.), 1135–1140
- Stollery, B.T. (1985) Human exposure to 50-Hz electric currents. In: Grandolfo, M., Michaelson, S.M. & Rindi, A., eds, *Biological Effects and Dosimetry of Static and ELF Electromagnetic Fields*, New York, NY, Plenum Press, pp. 445–454
- Strahler, A.N. (1963) *The Earth Sciences*, New York, NY, Harper and Row, pp. 153–155
- Strand, J.A., Abernethy, C.S., Skalski, J.R. & Genoway, R.G. (1983) Effects of magnetic field exposure on fertilization success in rainbow trout, *Salmo gairdneri*. *Bioelectromagnetics*, **4**, 295–301

- Stuchly, M.A. & Lecuyer, D.W. (1989) Exposure to electromagnetic fields in arc welding. *Health Phys.*, **56**, 297–302
- Stuchly, M.A. & Zhao, S. (1996) Magnetic field-induced currents in the human body in proximity of power lines. *IEEE Trans. Power Deliv.*, **11**, 102–109
- Stuchly, M.A. & Dawson, T.W. (2000) Interaction of low frequency electric and magnetic fields with the human body. *Proc. IEEE*, **88**, 643–664
- Stuchly, M.A. & Gandhi, O.P. (2000) Inter-laboratory comparison of numerical dosimetry for human exposure to 60 Hz electric and magnetic fields. *Bioelectromagnetics*, **21**, 167–174
- Stuchly, M.A., Lecuyer, D.W. & McLean, J. (1991) Cancer promotion in a mouse-skin model by a 60-Hz magnetic field: 1. Experimental design and exposure system. *Bioelectromagnetics*, **12**, 261–271
- Stuchly, M.A., McLean, J.R.N., Burnett, R., Goddard, M., Lecuyer, D.W. & Mitchel, R.E.J. (1992) Modification of tumor promotion in the mouse skin by exposure to an alternating magnetic field. *Cancer Lett.*, **65**, 1–7
- Sun, W.Q., Heroux, P., Clifford, T., Sadilek, V. & Hamade, F. (1995) Characterization of the 60-Hz magnetic fields in schools of the Carleton Board of Education. *Am. ind. Hyg. Assoc. J.*, **56**, 1215–1224
- Suri, A., deBoer, J., Kusser, W. & Glickman, B.W. (1996) A 3 milliTesla 60 Hz magnetic field is neither mutagenic nor co-mutagenic in the presence of menadione and MNU in a transgenic rat cell line. *Mutat. Res.*, **372**, 23–31
- Sussman, S.S. & Kheifets, L.I. (1996) Re: Adult leukemia risk and personal appliance use: A preliminary study (Letter to the Editor). *Am. J. Epidemiol.*, **143**, 743–744
- Svedenstål, B.-M. & Holmberg, B. (1993) Lymphoma development among mice exposed to X-rays and pulsed magnetic fields. *Int. J. Radiat. Biol.*, **64**, 119–125
- Svedenstål, B.-M., Johanson, K.J. & Mild, K.H. (1999a) DNA damage induced in brain cells of CBA mice exposed to magnetic fields. *In Vivo*, **13**, 551–552
- Svedenstål, B.-M., Johanson, K.J., Mattsson, M.O. & Paulsson, L.E. (1999b) DNA damage, cell kinetics and ODC activities studied in CBA mice exposed to electromagnetic fields generated by transmission lines. *In Vivo*, **13**, 507–513
- Swan, S.H., Beaumont, J.J., Hammond, S.K., VonBehren, J., Green, R.S., Hallock, M.F., Woskie, S.R., Hines, C.J. & Schenker, M.B. (1995) Historical cohort study of spontaneous abortion among fabrication workers in the Semiconductor Health Study: agent-level analysis. *Am. J. ind. Med.*, **28**, 751–769
- Swanson, J. (1996) Long-term variations in the exposure of the population of England and Wales to power-frequency magnetic fields. *J. Radiol. Prot.*, **16**, 287–301
- Swanson, J. (1999) Residential power-frequency electric and magnetic fields: Sources and exposures. *Radiat. Protect. Dosim.*, **83**, 9–14
- Swanson, J. & Jeffers, D. (1999) Possible mechanisms by which electric fields from power lines might affect airborne particles harmful to health. *J. radiol. Prot.*, **19**, 213–229
- Swanson, J. & Kaune, W.T. (1999) Comparison of residential power-frequency magnetic fields away from appliances in different countries. *Bioelectromagnetics*, **20**, 244–254
- Swanson, J. & Jeffers, D.E. (2000) Comment on the papers: increased exposure to pollutant aerosols under high voltage power lines; and Corona ions from powerlines and increased exposure to pollutant aerosols [Letter to the Editor and Reply from Fews & Henshaw]. *Int. J. Radiat. Biol.*, **76**, 1685–1691

- Sweetland, J., Kertesatz, A., Prato, F.S. & Nantau, K. (1987) The effect of magnetic resonance imaging on human cognition. *Magn. Reson. Imaging*, **5**, 129–135
- Tablado, L., Soler, C., Nunez, M., Nunez, J. & Pérez-Sánchez, F. (2000) Development of mouse testis and epididymis following intrauterine exposure to a static magnetic field. *Bioelectromagnetics*, **21**, 19–24
- Tachiiri, S., Takebe, H., Hiraoka, M. & Miyakoshi, J. (1999) Magnetic fields (60Hz, 5mT) do not influence MCF-7 growth in melatonin insensitive cells. In: Bersani, F., ed., *Electricity and Magnetism in Biology and Medicine*, New York, NY, Kluwer Academic/Plenum Publishers, pp. 841–843
- Takahashi, K., Kaneko, I., Date, M. & Fukada, E. (1986) Effect of pulsing electromagnetic fields on DNA synthesis in mammalian cells in culture. *Experientia*, **42**, 185–186
- Takahashi, K., Kaneko, I., Date, M. & Fukada, E. (1987) Influence of pulsing electromagnetic field on the frequency of sister-chromatid exchanges in cultured mammalian cells. *Experientia*, **43**, 331–332
- Tarone, R.E., Kaune, W.T., Linet, M.S., Hatch, E.E., Kleinerman, R.A., Robison, L.L., Boice, J.D., Jr & Wacholder, S. (1998) Residential wire codes: Reproducibility and relation with measured magnetic fields. *Occup. environ. Med.*, **55**, 333–339
- Tenforde, T.S. (1992) Interaction mechanisms and biological effects of static magnetic fields. *Automedica*, **14**, 271–293
- Tenforde, T.S. (1993) Cellular and molecular pathways of extremely low frequency electromagnetic field interactions with living systems. In: Blank, M., ed., *Electricity and Magnetism in Biology and Medicine*, San Francisco, CA, San Francisco Press, pp. 1–8
- Tenforde, T.S. & Shifrine, M. (1984) Assessment of the immune responsiveness of mice exposed to 1.5-T stationary magnetic field. *Bioelectromagnetics*, **5**, 443–446
- Terol, F.F. & Panchon, A. (1995) Exposure of domestic quail embryos to extremely low frequency magnetic fields. *Int. J. Radiat. Biol.*, **68**, 321–330
- Thériault, G., Goldberg, M., Miller, A.B., Armstrong, B., Guénel, P., Deadman, J., Imbernon, E., To, T., Chevalier, A., Cyr, D. & Wall, C. (1994) Cancer risks associated with occupational exposure to magnetic fields among electric utility workers in Ontario and Quebec, Canada and France: 1970–1989. *Am. J. Epidemiol.*, **139**, 550–572
- Thomas, J.R., Schrot, J. & Liboff, A.R. (1986) Low-intensity magnetic fields alter operant behavior in rats. *Bioelectromagnetics*, **7**, 349–357
- Thomas, T.L., Stolley, P.D., Stemhagen, A., Fontham, E.T.H., Bleecker, M.L., Stewart, P.A. & Hoover, R.N. (1987) Brain tumor mortality risk among men with electrical and electronics jobs: A case-control study. *J. natl Cancer Inst.*, **79**, 233–238
- Thommesen, G. & Bjølseth, P. (1992) [*Static and Low Frequency Magnetic Fields in Norwegian Alloy and Electrolysis Plants*], Oslo, National Institute of Radiation Hygiene (in Norwegian)
- Thomson, R.A.E., Michaelson, S.M. & Nguyen, Q.A. (1988) Influence of 60-Hertz fields on leukemia. *Bioelectromagnetics*, **9**, 149–158
- Thun-Battersby, S., Mevissen, M. & Löscher, W. (1999) Exposure of Sprague-Dawley rats to a 50-Hertz, 100- $\mu$ Tesla magnetic field for 27 weeks facilitates mammary tumorigenesis in the 7,12-dimethylbenz[a]anthracene model of breast cancer. *Cancer Res.*, **59**, 3627–3633

- Tobey, R.A., Price, H.J., Scott, L.D. & Ley, K.D. (1981) *Lack of Effect of 60-Hz Fields on Growth of Cultured Mammalian Cells*, Report No. LA-8831-MS, Los Alamos, NM, Los Alamos Scientific Laboratory
- Tomenius, L. (1986) 50-Hz electromagnetic environment and the incidence of childhood tumors in Stockholm county. *Bioelectromagnetics*, **7**, 191–207
- Törnqvist, S. (1998) Paternal work in the power industry: effects on children at delivery. *J. occup. environ. Med.*, **40**, 111–117
- Törnqvist, S., Norell, S., Ahlbom, A. & Knave, B. (1986) Cancer in the electric power industry. *Br. J. ind. Med.*, **43**, 212–213
- Törnqvist, S., Knave, B., Ahlbom, A. & Persson, T. (1991) Incidence of leukaemia and brain tumours in some 'electrical occupations'. *Br. J. ind. Med.*, **48**, 597–603
- Tremblay, L., Houde, M., Mercier, G., Gagnon, J. & Mandeville, R. (1996) Differential modulation of natural and adaptor immunity in Fischer rats exposed for 6 weeks to 60 Hz linear sinusoidal continuous-wave magnetic fields. *Bioelectromagnetics*, **17**, 373–383
- Trillo, M.A., Ubeda, A., Blanchard, J.-P., House, D.E. & Blackman, C.F. (1996) Magnetic fields at resonant conditions for the hydrogen ion affect neurite outgrowth in PC-12 cells: a test of the ion parametric resonance model. *Bioelectromagnetics*, **17**, 10–20
- Truong, H. & Yellon, S.M. (1997) Effect of various acute 60 Hz magnetic field exposures on the nocturnal melatonin rise in the adult Djungarian hamster. *J. pineal Res.*, **22**, 177–183
- Truong, H., Smith, J.C. & Yellon, S.M. (1996) Photoperiod control of the melatonin rhythm and reproductive maturation in the juvenile Djungarian hamster: 60-Hz magnetic field exposure effects. *Biol. Reprod.*, **55**, 455–460
- Trzeciak, H.I., Grzesik, J., Bortel, M., Kuska, R., Duda, D., Michnik, J. & Malecki, A. (1993) Behavioral effects of long-term exposure to magnetic fields in rats. *Bioelectromagnetics*, **14**, 287–297
- Tuschl, H., Neubauer, G., Schmid, G., Weber, E. & Winker, N. (2000) Occupational exposure to static, ELF, VF and VLF magnetic fields and immune parameters. *Int. J. occup. Med. environ. Health*, **13**, 39–50
- Tyndall, D.A. (1993) MRI effects on cranofacial size and crown–rump length in C57BL/6J mice in 1.5 T fields. *Oral Surg. oral Med. oral Pathol.*, **76**, 655–660
- Tyndall, D.A. & Sulik, K.K. (1991) Effects of magnetic resonance imaging on eye development in the C57BL/6J mouse. *Teratology*, **43**, 263–275
- Tynes, T. & Andersen, A. (1990) Electromagnetic fields and male breast cancer (Letter to the Editor). *Lancet*, **336**, 1596
- Tynes, T. & Haldorsen, T. (1997) Electromagnetic fields and cancer in children residing near Norwegian high-voltage power lines. *Am. J. Epidemiol.*, **145**, 219–226
- Tynes, T., Andersen, A. & Langmark, F. (1992) Incidence of cancer in Norwegian workers potentially exposed to electromagnetic fields. *Am. J. Epidemiol.*, **136**, 81–88
- Tynes, T., Reitan, J.B. & Andersen, A. (1994a) Incidence of cancer among workers in Norwegian hydroelectric power companies. *Scand. J. Work Environ. Health*, **20**, 339–344
- Tynes, T., Jynge, H. & Vistness, A.I. (1994b) Leukemia and brain tumors in Norwegian railway workers, a nested case–control study. *Am. J. Epidemiol.*, **139**, 645–653
- Ubeda, A., Leal, J., Trillo, M.A., Jiménez, M.A. & Delgado, J.M.R. (1983) Pulse shape of magnetic fields influences chick embryogenesis. *J. Anat.*, **137**, 513–536

- Ubeda, A., Leal, J., Trillo, M.A., Jiménez, M.A. & Delgado, J.M.R. (1985) Authors' correction to data. *J. Anat.*, **140**, 721
- Ubeda, A., Trillo, M.A. & Leal, J. (1987) Magnetic field effects on embryonic development: influence of the organism orientation. *Med. Sci. Res.*, **15**, 531–532
- Ubeda, A., Trillo, M.A., Chacon, L., Blanco, M.J. & Leal, J. (1994) Chick embryo development can be irreversibly altered by early exposure to weak extremely-low-frequency magnetic fields. *Bioelectromagnetics*, **15**, 385–398
- Ubeda, A., Trillo, M.A., House, D.E. & Blackman, C.F. (1995) A 50 Hz magnetic field blocks melatonin-induced enhancement of junctional transfer in normal C3H/10T1/2 cells. *Carcinogenesis*, **16**, 2945–2949
- Uckun, F.M., Kurosaki, T., Jin, J., Jun, X., Morgan, A., Takata, M., Bolen, J. & Luben, R. (1995) Exposure of B-lineage lymphoid cells to low energy electromagnetic fields stimulates Lyn kinase. *J. biol. Chem.*, **270**, 27666–27670
- Ueno, S., Harada, K. & Shiokawa, K. (1984) The embryonic development of frogs under strong dc magnetic fields. *IEEE Trans. Magn.*, **20**, 1663–1665
- UK Childhood Cancer Study Investigators (UKCCSI) (1999) Exposure to power-frequency magnetic fields and the risk of childhood cancer. *Lancet*, **354**, 1925–1931
- UK Childhood Cancer Study Investigators (UKCCSI) (2000a) Childhood cancer and residential proximity to power lines. *Br. J. Cancer*, **83**, 1573–1580
- UK Childhood Cancer Study Investigators (UKCCSI) (2000b) The United Kingdom childhood cancer study: Objectives, materials and methods. *Br. J. Cancer*, **82**, 1073–1102
- Vågerö, D. & Olin, R. (1983) Incidence of cancer in the electronics industry: Using the new Swedish Cancer Environment Registry as a screening instrument. *Br. J. ind. Med.*, **40**, 188–192
- Vågerö, D., Ahlbom, A., Olin, R. & Sahlsten, S. (1985) Cancer morbidity among workers in the telecommunications industry. *Br. J. ind. Med.*, **42**, 191–195
- Valberg, P.A. (1995) Designing EMF experiments: what is required to characterize 'exposure'? *Bioelectromagnetics*, **16**, 396–401, 406
- Valjus, J., Norppa, H., Jarventaus, H., Sorsa, M., Nykyri, E., Salomaa, S., Jarvinen, P. & Kajander, J. (1993) Analysis of chromosomal aberrations, sister chromatid exchanges and micronuclei among power linesmen with long-term exposure to 50-Hz electromagnetic fields. *Radiat. environ. Biophys.*, **32**, 325–336
- Valtersson, U., Mild, K.H. & Mattsson, M.-O. (1997) Ornithine decarboxylase activity and polyamine levels are different in Jurkat and CEM-CM3 cells after exposure to a 50 Hz magnetic field. *Bioelectrochem. Bioenerg.*, **43**, 169–172
- van Wijngaarden, E., Savitz, D.A., Kleckner, R.C., Cai, J. & Loomis, D. (2000) Exposure to electromagnetic fields and suicide among electric utility workers: A nested case-control study. *West. J. Med.*, **173**, 94–100
- Vena, J.E., Graham, S., Hellmann, R., Swanson, M. & Brasure, J. (1991) Use of electric blankets and risk of postmenopausal breast cancer. *Am. J. Epidemiol.*, **134**, 180–185
- Vena, J.E., Freudenheim, J.L., Marshall, J.R., Laughlin, R., Swanson, M. & Graham, S. (1994) Risk of premenopausal breast cancer and the use of electric blankets. *Am. J. Epidemiol.*, **140**, 974–979

- Vena, J.E., Marshall, J.R., Freudenheim, J.L., Swanson, M. & Graham, S. (1995) Re: 'Risk of premenopausal breast cancer and use of electric blankets' — The author's reply. *Am. J. Epidemiol.*, **142**, 446–447
- Verkasalo, P.K. (1996) Magnetic fields and leukemia — Risk for adults living close to power lines. *Scand. J. Work Environ. Health*, **22** (Suppl. 2), 1–56
- Verkasalo, P.K., Pukkala, E., Hongisto, M.Y., Valjus, J.E., Järvinen, P.J., Keikkilä, K.V. & Koskenvuo, M. (1993) Risk of cancer in Finnish children living close to power lines. *Br. med. J.*, **307**, 895–899
- Verkasalo, P.K., Pukkala, E., Kaprio, J., Heikkilä, K.V. & Koskenvuo, M. (1996) Magnetic fields of high voltage power lines and risk of cancer in Finnish adults: Nationwide cohort study. *Br. med. J.*, **313**, 1047–1051
- Verkasalo, P.K., Kaprio, J., Varjonen, J., Romanov, K., Heikkilä, K. & Koskenvuo, M. (1997) Magnetic fields of transmission lines and depression. *Am. J. Epidemiol.*, **146**, 1037–1045
- Villeneuve, P.J., Agnew, D.A., Miller, A.B., Corey, P.N. & Purdham, J.T. (2000) Leukemia in electric utility workers: The evaluation of alternative indices of exposure to 60 Hz electric and magnetic fields. *Am. J. ind. Med.*, **37**, 607–617
- Wake, K., Tanaka, T., Kawasumi, M. & Taki, M. (1998) Induced current density distribution in a human related to magnetophosphenes. *Trans. IEE Japan*, **118-A**, 806–811
- Walleczek, J. (1995) Magnetokinetic effects on radical pairs: a paradigm for magnetic field interactions with biological systems at lower than thermal energy. In: Blank, M., ed., *Electromagnetic Fields: Biological Interactions and Mechanisms* (Advances in Chemistry 250), Washington DC, American Chemical Society, pp. 395–420
- Walleczek, J. & Liburdy, R.P. (1990) Nonthermal 60 Hz sinusoidal magnetic-field exposure enhances  $^{45}\text{Ca}^{2+}$  uptake in rat thymocytes: dependence on mitogen activation. *FEBS Lett.*, **271**, 157–160
- Walleczek, J., Shiu, E.C. & Hahn, G.M. (1999) Increase in radiation-induced *HPRT* gene mutation frequency after nonthermal exposure to nonionizing 60 Hz electromagnetic fields. *Radiat. Res.*, **151**, 489–497
- Walters, E. & Carstensen, E.L. (1987) Test for the effects of 60-Hz magnetic fields on fecundity and development in *Drosophila*. *Bioelectromagnetics*, **8**, 351–354
- Weaver, J.C. & Astumian, R.D. (1990) The response of living cells to very weak electric fields: the thermal noise limit. *Science*, **247**, 459–462
- Weigel, R.J. & Lundstrom, D.L. (1987) Effect of relative humidity on the movement of rat vibrissae in a 60-Hz electric field. *Bioelectromagnetics*, **8**, 107–110
- Weigel, R.J., Jaffe, R.A., Lundstrom, D.L., Forsythe, W.C. & Anderson, L.E. (1987) Stimulation of cutaneous mechanoreceptors by 60-Hz electric fields. *Bioelectromagnetics*, **8**, 337–350
- Wertheimer, N. & Leeper, E. (1979) Electrical wiring configurations and childhood cancer. *Am. J. Epidemiol.*, **109**, 273–284
- Wertheimer, N. & Leeper, E. (1982) Adult cancer related to electrical wires near the home. *Int. J. Epidemiol.*, **11**, 345–355
- Wertheimer, N. & Leeper, E. (1986) Possible effects of electric blankets and heated waterbeds on fetal development. *Bioelectromagnetics*, **7**, 13–22
- Wertheimer, N. & Leeper, E. (1987) Magnetic field exposure related to cancer subtypes. *Ann. NY Acad. Sci.*, **502**, 43–53



- Wertheimer, N. & Leeper, E. (1989) Fetal loss associated with two seasonal sources of electromagnetic field exposure. *Am. J. Epidemiol.*, **129**, 220–224
- Wertheimer, N., Savitz, D.A. & Leeper, E. (1995) Childhood cancer in relation to indicators of magnetic fields from ground current sources. *Bioelectromagnetics*, **16**, 86–96
- West, R.W., Hinson, W.G. & Swicord, M.L. (1996) Anchorage-independent growth with JB6 cells exposed to 60 Hz magnetic fields at several flux densities. *Bioelectrochem. Bioenerg.*, **39**, 175–179
- Westerholm, P., & Ericson, A. (1987) *Pregnancy Outcome and VDU-work in a Cohort of Insurance Clerks, Proceedings of the International Scientific Conference: Work with Display Units, 1986*, Stockholm, pp. 104–107
- Wey, H.E., Conover, D.P., Mathias, P., Toraason, M. & Lotz, W.G. (2000) 50-Hertz magnetic field and calcium transients in Jurkat cells: results of a research and public information dissemination (RAPID) program study. *Environ. Health Perspect.*, **108**, 135–140
- Whittington, C.J., Podd, J.V. & Rapley, B.R. (1996) Acute effects of 50 Hz magnetic field exposure on human visual task and cardiovascular performance. *Bioelectromagnetics*, **17**, 131–137
- WHO (1984) *Extremely Low Frequency (ELF) Fields* (Environmental Health Criteria Report 35), Geneva, World Health Organization
- WHO (1987) *Magnetic Fields* (Environmental Health Criteria Report 69), Geneva, World Health Organization
- Wiklund, K., Einhorn, J. & Eklund, G. (1981) An application of the Swedish Cancer-Environment Registry. Leukaemia among telephone operators at the telecommunications administration in Sweden. *Int. J. Epidemiol.*, **10**, 373–376
- Wilkins, J.R., III & Koutras, R.A. (1988) Paternal occupation and brain cancer in offspring: A mortality-based case-control study. *Am. J. ind. Med.*, **14**, 299–318
- Wilkins, J.R., III & Hundley, V.D. (1990) Paternal occupational exposure to electromagnetic fields and neuroblastoma in offspring. *Am. J. Epidemiol.*, **131**, 995–1008
- Wilkins, J.R., III & Wellage, L.C. (1996) Brain tumor risk in offspring of men occupationally exposed to electric and magnetic fields. *Scand. J. Work Environ. Health*, **22**, 339–345
- Wilson, B.W., Anderson, L.E., Hilton, D.I. & Phillips, R.D. (1981) Chronic exposure to 60-Hz electric fields: Effects on pineal function in the rat. *Bioelectromagnetics*, **2**, 371–380
- Wilson, B.W., Anderson, L.E., Hilton, D.I. & Phillips, R.D. (1983) Chronic exposure to 60-Hz electric fields: Effects on pineal function in the rat. *Bioelectromagnetics*, **4**, 293
- Wilson, B.W., Chess, E.K. & Anderson, L.E. (1986) 60-Hz electric-field effects on pineal melatonin rhythms: Time course for onset and recovery. *Bioelectromagnetics*, **7**, 239–242
- Wilson, B.W., Stevens, R.G. & Anderson, L.E. (1989) Neuroendocrine mediated effects of electromagnetic-field exposure: possible role of the pineal gland. *Life Sci.*, **45**, 1319–1332
- Wilson, B.W., Wright, C.W., Morris, J.E., Buschbom, R.L., Brown, D.P., Miller, D.L., Sommers-Flannigan, R. & Anderson, L.E. (1990) Evidence for an effect of ELF electromagnetic fields on human pineal gland function. *J. pineal Res.*, **9**, 259–269
- Wilson, B.W., Caputa, K., Stuchly, M.A., Saffer, J.D., Davis, K.C., Washam, C.E., Washam, L.G., Washam, G.R. & Wilson, M.A. (1994) Design and fabrication of well confined uniform magnetic field exposure systems. *Bioelectromagnetics*, **15**, 563–577

- Wilson, B.W., Lee, G.M., Yost, M.G., Davis, K.C., Heimbigner, T. & Buschbom, R.L. (1996) Magnetic field characteristics of electric bed-heating devices. *Bioelectromagnetics*, **17**, 174–179
- Wilson, B.W., Matt, K.S., Morris, J.E., Sasser, L.B., Miller, D.L. & Anderson, L.E. (1999) Effects of 60 Hz magnetic field exposure on the pineal and hypothalamic-pituitary-gonadal axis in the Siberian hamster (*Phodopus sungorus*). *Bioelectromagnetics*, **20**, 224–232
- Windham, G.C., Fenster, L., Swan, S.H. & Neutra, R.R. (1990) Use of video display terminals during pregnancy and risk of spontaneous abortion, low birthweight, or intrauterine growth retardation. *Am. J. ind. Med.*, **18**, 675–688
- Wiskirchen, J., Groenewäller, E.F., Kehlbach, R., Heinzelmann, F., Wittau, M., Rodemann, H.P., Claussen, C.D. & Duda, S.H. (1999) Long-term effects of repetitive exposure to a static magnetic field (1.5 T) on proliferation of human fetal lung fibroblasts. *Magn. Reson. Med.*, **41**, 464–468
- Wiskirchen, J., Grönwäller, E.F., Heinzelmann, F., KehlbaCh, R., Rodegerdts, E., Wittau, M., Rodemann, H.P., Claussen, C.D. & Duda, S.H. (2000) Human fetal lung fibroblasts: in vitro study of repetitive magnetic field exposure at 0.2, 1.0, and 1.5 T. *Radiology*, **215**, 858–862
- Withers, H.R., Mason, K.A. & Davis, C.A. (1985) MR effect on murine spermatogenesis. *Radiology*, **156**, 741–742
- Wolpaw, J.R., Seegal, R.F. & Dowman, R. (1989) Chronic exposure of primates to 60-Hz electric and magnetic fields: I. Exposure system and measurements of general health and performance. *Bioelectromagnetics*, **10**, 277–288
- Wood, A.W., Armstrong, S.M., Sait, M.L., Devine, L. & Martin, M.J. (1998) Changes in human plasma melatonin profiles in response to 50 Hz magnetic field exposure. *J. pineal Res.*, **25**, 116–127
- Woods, M., Bobanovic, F., Brown, D. & Alexander, D.R. (2000) Lyn and Syk tyrosine kinases are not activated in B-lineage lymphoid cells exposed to low-energy electromagnetic fields. *FASEB J.*, **14**, 2284–2290
- Wrensch, M., Yost, M., Miike, R., Lee, G. & Touchstone, J. (1999) Adult glioma in relation to residential power frequency electromagnetic field exposures in the San Francisco Bay area. *Epidemiology*, **10**, 523–527
- Wright, W.E., Peters, J.M. & Mack, T.M. (1982) Leukaemia in workers exposed to electrical and magnetic fields (Letter to the Editor). *Lancet*, **ii**, 1160–1161
- Yaguchi, H., Yoshida, M., Ejima, Y. & Miyakoshi, J. (1999) Effect of high-density extremely low frequency magnetic field on sister chromatid exchanges in mouse m5S cells. *Mutat. Res.*, **440**, 189–194
- Yaguchi, H., Yoshida, M., Ding, G.-R., Shingu, K. & Miyakoshi, J. (2000) Increased chromatid-type chromosomal aberrations in mouse m5S cells exposed to power-line frequency magnetic fields. *Int. J. Radiat. Biol.*, **76**, 1677–1684
- Yasui, M., Kikuchi, T., Ogawa, M., Otaka, Y., Tsuchitani, M. & Iwata, H. (1997) Carcinogenicity test of 50 Hz sinusoidal magnetic fields in rats. *Bioelectromagnetics*, **18**, 531–540
- Yellon, S.M. (1994) Acute 60 Hz magnetic field exposure effects on the melatonin rhythm in the pineal gland and circulation of the adult Djungarian hamster. *J. pineal Res.*, **16**, 136–144
- Yellon, S.M. (1996a) 60-Hz magnetic field exposure effects on the melatonin rhythm and photoperiod control of reproduction. *Am. J. Physiol.*, **270**, E816–E821

- Yellon, S.M. (1996b) Daily melatonin treatments regulate the circadian melatonin in the adult Djungarian hamster. *J. Biol. Rhythms*, **11**, 4–13
- Yellon, S.M. & Truong, H.N. (1998) Melatonin rhythm onset in the adult siberian hamster: Influence of photoperiod but not 60-Hz magnetic field exposure on melatonin content in the pineal gland and in circulation. *J. Biol. Rhythms*, **13**, 52–59
- Yip, Y.P., Capriotti, C., Norbash, S.G., Talagala, S.L. & Yip, J.W. (1994) Effects of MR exposure on cell proliferation and migration of chick motoneurons. *J. magn. Reson. Imaging*, **4**, 799–804
- Youngson, J.H.A.M., Clayden, A.D., Myers, A. & Cartwright, R.A. (1991) A case/control study of adult haematological malignancies in relation to overhead powerlines. *Br. J. Cancer*, **63**, 977–985
- Yu, M.C., Gona, A.G., Gona, O., Al-Rabiai, S., Von Hagen, S. & Cohen, E. (1993) Effects of 60 Hz electric and magnetic fields on maturation of the rat neopallium. *Bioelectromagnetics*, **14**, 449–458
- Zaffanella, L. (1996) *Environmental Surveys* (EMF RAPID Engineering Project 3), Washington DC, US Department of Energy, Report available at <ftp://ftp.emf-data.org/pub/emf-data/datasets/004/rapid3.pdf>
- Zaffanella, L. & Kalton, G.W. (1998) *Survey of Personal Magnetic Field Exposure. Phase II: 1000-Person Survey* (EMF RAPID Program Engineering Project #6), Oak Ridge, TN, Lockheed Martin Energy Systems, Report available at <http://www.emf-data.org>
- Zaffanella, L.E., Kavet, R., Pappa, J.R. & Sullivan, T.P. (1997) Modeling magnetic fields in residences: Validation of the RESICALC [computer] program. *J. Expo. anal. Environ. Epidemiol.*, **7**, 241–259
- Zecca, L., Ferrario, P. & Dal Conte, G. (1985) 765-Toxicological and teratological studies in rats after exposure to pulsed magnetic fields. *Bioelectrochem. Bioenerget.*, **14**, 63–69
- Zecca, L., Mantegazza, C., Margonato, V., Cerretelli, P., Caniatti, M., Piva, F., Dondi, D. & Hagino, N. (1998) Biological effects of prolonged exposure to ELF electromagnetic fields in rats: III. 50 Hz electromagnetic fields. *Bioelectromagnetics*, **19**, 57–66
- Zhadin, M.N. (1998) Combined action of static and alternating magnetic fields on ion motion in a macromolecule: theoretical aspects. *Bioelectromagnetics*, **19**, 279–292
- Zhadin, M.N., Deryugina, O.N. & Pisachenko, T.M. (1999) Influence of combined DC and AC magnetic fields on rat behavior. *Bioelectromagnetics*, **20**, 378–386
- Zheng, T., Holford, T.R., Mayne, S.T., Owens, P.H., Zhang, B., Boyle, P., Carter, D., Ward, B., Zhang, Y. & Hoar Zahm, S. (2000) Exposure to electromagnetic fields from use of electric blankets and other in-home electrical appliances and breast cancer risk. *Am. J. Epidemiol.*, **151**, 1103–1111
- Zhu, K., Weiss, N.S., Stanford, J.L., Daling, J.R., Stergachis, A., McKnight, B., Brawer, M.K. & Levine, R.S. (1999) Prostate cancer in relation to the use of electric blanket or heated water bed. *Epidemiology*, **10**, 83–85
- Zimmermann, B. & Hentschel, D. (1987) [Effect of a static magnetic field (3.5 T) on the reproductive behavior of mice, on the embryo and fetal development and on selected hematologic parameters]. *Digit. Bilddiagn.*, **7**, 155–161 (in German)
- Zimmerman, S., Zimmerman, A.M., Winters, W.D. & Cameron, I.L. (1990) Influence of 60 Hz magnetic fields on sea urchin development. *Bioelectromagnetics*, **11**, 37–45

- Zmyslony, M., Palus, J., Jajte, J., Dziubaltowska, E. & Rajkowska, E. (2000) DNA damage in rat lymphocytes treated in vitro with iron cations and exposed to 7 mT magnetic fields (static or 50 Hz). *Mutat. Res.*, **453**, 89–96
- Zubal, I.G., Harrell, C.R., Smith, E.O., Rattner, Z., Gindi, G. & Hoffer, P.H. (1994) Computerized three-dimensional segmented human anatomy. *Med. Phys.*, **21**, 299–302
- Zusman, I., Yaffe, P., Pinus, H. & Ornoy, A. (1990) Effects of pulsing electromagnetic fields on the prenatal and postnatal development in mice and rats: In Vivo and In Vitro studies. *Teratology*, **42**, 157–170
- Zwingelberg, R., Obe, G., Rosenthal, M., Mevissen, M., Buntenkötter, S. & Löscher, W. (1993) Exposure of rats to a 50-Hz, 30-mT magnetic field influences neither the frequencies of sister-chromatid exchanges nor proliferation characteristics of cultured peripheral lymphocytes. *Mutat. Res.*, **302**, 39–44