

6. References

- ACGIH (American Conference of Governmental Industrial Hygienists) (2001) *2001 TLVs® and BEIs® Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices*, Cincinnati, OH
- Adachi, S., Takemoto, K. & Kimura, K. (1991) Tumorigenicity of fine man-made fibers after intratracheal administrations to hamsters. *Environ. Res.*, **54**, 52–73
- Adachi, S., Kawamura, K., Yoshida, S. & Takemoto, K. (1992) Oxidative damage on DNA induced by asbestos and man-made fibers *in vitro*. *Int. Arch. occup. environ. Health*, **63**, 553–557
- Alexander, I.C., Jubb, G.A. & Penn, J.A. (1997) Fibre sizing for classification. *Br. Ceram. Transact.*, **96**, 74–79
- APFE (European Glass Fibre Producers Association) (2001) *Continuous Filament Glass Fibre and Human Health*, Brussels
- Arbejdstilsynet (Danish Working Environmental Authority) (2001) *At-Vejledning C.O.I. Graensevaerdier for Stoffer og Materialer* [Limit Values for Substances and Materials], Copenhagen (in Danish)
- Asgharian, B. & Anjilvel, S. (1998) A multiple-path model of fiber deposition in the rat lung. *Toxicol. Sci.*, **44**, 80–86
- Asgharian, B. & Yu, C.P. (1988) Deposition of inhaled fibrous particles in the human lung. *J. Aerosol Med.*, **1**, 37–50
- Asgharian, B. & Yu, C.P. (1989) Deposition of fibers in the rat lung. *J. Aerosol Sci.*, **20**, 355–366
- ASTM (American Society for Testing and Materials) (2000) *Standard Specification for Glass Fiber Strands* (ASTM D578-00), Philadelphia, PA
- Assuncao, J. & Corn, M. (1975) The effects of milling on diameters and lengths of fibrous glass and chrysotile asbestos fibers. *Am. ind. Hyg. Assoc. J.*, **36**, 811–819
- Australian National Occupational Health and Safety Commission (1999) *List of Designated Hazardous Substances* (NOHSC: 10005)
- Australian National Occupational Health & Safety Commission (2001) *National Standard for Synthetic Mineral Fibres* (<http://www.nohsc.gov.au>)
- Axelson, O. & Steenland, K. (1988) Indirect methods of assessing the effects of tobacco use in occupational studies. *Am. J. ind. Med.*, **13**, 105–118
- Baier, R., Meyer, A., Glaves-Rapp, D., Axelson, E., Forsberg, R., Kozak, M. & Nickerson, P. (2000) The body's response to inadvertent implants: Respirable particles in lung tissues. *J. Adhesion*, **74**, 103–124
- Bailey, M.R., Fry, F.A. & James, A.C. (1982) The long-term clearance kinetics of insoluble particles from the human lung. *Ann. occup. Hyg.*, **26**, 273–290

- Bailey, M.R., Fry, F.A. & James, A.C. (1985) Long-term retention of particles in the human respiratory tract. *J. Aerosol Sci.*, **16**, 295–305
- Balzer, J.L. (1976) Environmental data: Airborne concentrations found in various operations. In: *Occupational Exposure to Fibrous Glass, Proceedings of a Symposium, College Park, Maryland, June 26–27, 1974*, Washington, DC, U.S. Department of Health, Education and Welfare, pp. 83–89
- Balzer, J.L., Cooper, W.C. & Fowler, D.P. (1971) Fibrous glass-lined air transmission systems: An assessment of their environmental effects. *Am. ind. Hyg. Assoc. J.*, **32**, 512–518
- Barchowsky, A., Lannon, B.M., Elmore, L.C. & Treadwell, M.D. (1997) Increased focal adhesion kinase- and urokinase-type plasminogen activator receptor-associated cell signaling in endothelial cells exposed to asbestos. *Environ. Health Perspect.*, **105** (Suppl. 5), 1131–1137
- Barrett, J.C., Lamb, P.W. & Wiseman, R.W. (1989) Multiple mechanisms for the carcinogenic effects of asbestos and other mineral fibers. *Environ. Health Perspect.*, **81**, 81–89
- Bauer, J.F. (1998a) Interaction of glass fiber with physiological fluids: The role of surface. In: *Proceedings of XVIII International Congress on Glass*, San Francisco, American Ceramic Society, pp. 1–10
- Bauer, J.F. (1998b) Effect of fiberization process on glass fiber surfaces. *Ceram. Transact.*, **82**, 187–202
- Bauer, J.F., Law, B.D. & Hesterberg, T.W. (1994) Dual pH durability studies of man-made vitreous fiber (MMVF). *Environ. Health Perspect.*, **102** (Suppl. 5), 61–65
- Bellmann, B., Muhle, H., Creutzenberg, O., Ernst, H., Brown, R.C. & Sébastien, P. (2001) Effects of nonfibrous particles on ceramic fiber (RCF1) toxicity in rats. *Inhal. Toxicol.*, **13**, 101–125
- Bergamaschi, A., Ripanucci, G., Sacco, A. & De Lorenzo, G. (1997) [Indoor pollution from airborne glass fibers (MMMVF) in biomedical research laboratories.] *G. ital. med. Lav. Erg.*, **19**, 44–46 (in Italian)
- Bernstein, D.M. & Riego-Sintes, J.M. (1999) *Methods for the Determination of the Hazardous Properties for Human Health of Man Made Mineral Fibres (MMMVF) (Report No. EUR 18748)*, Brussels, European Commission Joint Research Centre, European Chemicals Bureau
- Bernstein, D.M., Drew, R.T., Schidlowsky, G. & Kuschner, M. (1980) Experimental approaches for exposure to sized glass fibers. *Environ. Health Perspect.*, **34**, 47–57
- Bernstein, D.M., Drew, R.T., Schidlowsky, G. & Kuschner, M. (1984) Pathogenicity of MMMVF and the contrasts with natural fibres. *Biological Effects of Man-made Mineral Fibres*, Vol. 2, Copenhagen, World Health Organization, pp. 169–195
- Bernstein, D.M., Mast, R., Anderson, R., Hesterberg, T.W., Musselman, R., Kamstrup, O. & Hadley, J. (1994) An experimental approach to the evaluation of the biopersistence of respirable synthetic fibers and minerals. *Environ. Health Perspect.*, **102** (Suppl. 5), 15–18
- Bernstein, D.M., Morscheidt, C., Grimm, H.G., Thévenaz, P. & Teichert, U. (1996) Evaluation of soluble fibers using the inhalation biopersistence model, a nine-fiber comparison. *Inhal. Toxicol.*, **8**, 345–385
- Bernstein, D.M., Morscheidt, C., de Meringo, A., Schumm, M., Grimm, H.G., Teichert, U., Thévenaz, P. & Mellon, L. (1997) The biopersistence of fibres following inhalation and intratracheal instillation exposure. *Ann. occup. Hyg.*, **41** (Suppl. 1), 224–230

- Bernstein, D.M., Riego Sintes, J.M., Ersboell, B.K. & Kunert, J. (2001a) Biopersistence of synthetic mineral fibers as a predictor of chronic inhalation toxicity in rats. *Inhal. Toxicol.*, **13**, 823–849
- Bernstein, D.M., Riego Sintes, J.M., Ersboell, B.K. & Kunert, J. (2001b) Biopersistence of synthetic mineral fibers as a predictor of chronic intraperitoneal injection tumor response in rats. *Inhal. Toxicol.*, **13**, 851–875
- Berry, G. (1999) Models for mesothelioma incidence following exposure to fibers in terms of timing and duration of exposure and the biopersistence of the fibers. *Inhal. Toxicol.*, **11**, 111–130
- Blake, T., Castranova, V., Schwegler-Berry, D., Baron, P., Deye, G.J., Li, C. & Jones, W. (1998) Effect of fiber length on glass microfiber cytotoxicity. *J. Toxicol. environ. Health*, **A54**, 243–259
- Boffetta, P., Saracci, R., Andersen, A., Bertazzi, P.A., Chang-Claude, J., Ferro, G., Fletcher, A.C., Frenzel-Beyme, R., Gardner, M.J., Olsen, J.H., Simonato, L., Teppo, L., Westerholm, P., Winter, P. & Zocchetti, C. (1992) Lung cancer mortality among workers in the European production of man-made mineral fibers — A Poisson regression analysis. *Scand. J. Work Environ. Health*, **18**, 279–286
- Boffetta, P., Saracci, R., Andersen, A., Bertazzi, P.A., Chang-Claude, J., Cherrie, J., Ferro, G., Frenzel-Beyme, R., Hansen, J., Olsen, J.H., Plato, N., Teppo, L., Westerholm, P., Winter, P.D. & Zocchetti, C. (1997) Cancer mortality among man-made vitreous fibre production workers. *Epidemiology*, **8**, 259–268
- Boffetta, P., Sali, D., Kolstad, H., Coggon, D., Olsen, J., Andersen, A., Spence, A., Pesatori, A.C., Lynge, E., Frenzel-Beyme, R., Chang-Claude, J., Lundberg, I., Biocca, M., Gennaro, V., Teppo, L., Partanen, R., Welp, E., Saracci, R. & Kogevinas, M. (1998) Mortality of short-term workers in two international cohorts. *J. occup. environ. Med.*, **40**, 1120–1126
- Boffetta, P., Andersen, A., Hansen, J., Olsen, J.H., Plato, N., Teppo, L., Westerholm, P. & Saracci, R. (1999) Cancer incidence among European man-made vitreous fibre production workers. *Scand. J. Work environ. Health*, **25**, 222–226
- Böckler, M., Kempf, E. & Mattes, L. (1995) [MMMf concentrations when removing and mounting insulation material in thermal stations.] *Staub-Reinhalte. Luft*, **55**, 293–298 (in German)
- Brass, D.M., Hoyle, G.W., Poovey, H.G., Liu, J.-Y. & Brody, A.R. (1999) Reduced tumor necrosis factor α and transforming growth factor- β_1 expression in the lungs of inbred mice that fail to develop fibroproliferative lesions consequent to asbestos exposure. *Am. J. Pathol.*, **154**, 853–862
- Breyse, P.N., Cherrie, J.W., Lees, P.S.J. & Brown, P. (1994) Comparison of NIOSH 7400 'B' rules and WHO reference methods for the evaluation of airborne man-made mineral fibres. *Ann. occup. Hyg.*, **38** (Suppl. 1), 527–531
- Breyse, P.N., Lees, P.S.J. & Rooney, B.C. (1999) Comparison of NIOSH method 7400 A and B counting rules for assessing synthetic vitreous fiber exposures. *Am. ind. Hyg. Assoc. J.*, **60**, 526–532
- Breyse, P.N., Lees, P.S.J., Rooney, B.C., McArthur, B.R., Miller, M.E. & Robbins, C. (2001) End user exposures to synthetic vitreous fibers. II. Fabrication and installation of commercial products. *Appl. occup. environ. Hyg.*, **16**, 464–470

- Brody, A.R. & Roe, M.W. (1983) Deposition pattern of inorganic particles at the alveolar level in the lungs of rats and mice. *Am. Rev. respir. Dis.*, **128**, 724–729
- Brown, R.C. (2000) Influence of non-fibrous particles in the animal testing of refractory ceramic fibers. In: Rammlmair, D., Mederer, J., Oberthur, T., Heimann, R.B. & Penttinghaus, H., eds, *Applied Mineralogy in Research, Economy, Technology, Ecology and Culture*, Rotterdam, Balkema, pp. 739–742
- Brown, R.C., Sara, E.A., Hoskins, J.A., Evans, C.E., Young, J., Laskowski, J.J., Acheson, R., Forder, S.D. & Rood, A.P. (1992) The effects of heating and devitrification on the structure and biological activity of aluminosilicate refractory ceramic fibers. *Ann. occup. Hyg.*, **36**, 115–129
- Brown, N., Peat, J., Mellis, C. & Woolcock, A. (1996) Respiratory health of workers in the Australian glass wool and rock wool manufacturing industry. *J. occup Health Safety Aust. NZ*, **12**, 319–325
- Brown, D.M., Roberts, N.K. & Donaldson, K. (1998a) Effect of coating with lung lining fluid on the ability of fibers to produce a respiratory burst in rat alveolar macrophages. *Toxicol. In Vitro*, **12**, 15–24
- Brown, D.M., Fisher, C. & Donaldson, K. (1998b) Free radical activity of synthetic vitreous fibers: Iron chelation inhibits hydroxyl radical generation by refractory ceramic fiber. *J. Toxicol. environ. Health*, **A53**, 545–561
- Brown, D.M., Beswick, P.H. & Donaldson, K. (1999) Induction of nuclear translocation of NF- κ B in epithelial cells by respirable mineral fibres. *J. Pathol.*, **189**, 258–264
- Brown, R.C., Sébastien, P., Bellmann, B. & Muhle, H. (2000a) Particle contamination in experimental fiber preparations. *Inhal. Toxicol.*, **12** (Suppl. 3), 99–107
- Brown, D.M., Beswick, P.H., Bell, K.S. & Donaldson, K. (2000b) Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres. *Ann. occup. Hyg.*, **44**, 101–108
- Brüske-Hohlfeld, I., Möhner, M., Pohlabein, H., Ahrens, W., Bolm-Audorff, U., Kreienbrock, L., Kreuzer, M., Jahn, I., Wichmann, H.-E. & Jöckel, K.-H. (2000) Occupational lung cancer risk for men in Germany: Results from a pooled case–control study. *Am. J. Epidemiol.*, **151**, 384–395
- Buchanich, J.B., Marsh, G.M. & Youk, A.O. (2001) Historical cohort study of US man-made vitreous fiber production workers. V. Tobacco-smoking habits. *J. occup. environ. Med.*, **43**, 793–802
- Buchta, T.M., Rice, C.H., Lockey, J.E., Lemasters, G.K. & Gartside, P.S. (1998) A comparative study of the National Institute for Occupational Safety and Health 7400 ‘A’ and ‘B’ counting rules using refractory ceramic fibers. *Appl. occup. environ. Hyg.*, **13**, 58–61
- Bundesgesetzblatt (2000) Ordinance of 25 May 2000 amending the Chemicals Regulations. *German Federal Law Gazette*, Part I, No. 24, 747–749
- Burge, P.S., Calvert, I.A., Trethowan, W.N. & Harrington, J.M. (1995) Are the respiratory health effects found in manufacturers of ceramic fibres due to the dust rather than the exposure to fibres? *Occup. environ. Med.*, **52**, 105–109
- Burley, C.G., Brown, R.C. & Maxim, L.D. (1997) Refractory ceramic fibres: The measurement and control of exposure. *Ann. occup. Hyg.*, **41**, 267–272
- Carter, C.M., Axten, C.W., Byers, C.D., Chase, G.R., Koenig, A.R., Reynolds, J.W. & Rosinski, K.D. (1999) Indoor airborne fiber levels of MMVF in residential and commercial buildings. *Am. ind. Hyg. Assoc. J.*, **60**, 794–800

- Carthew, P., Edwards, R.E., Dorman, B.M., Brown, R.C., Young, J., Laskowski, J.J. & Wagner, J.C. (1995) Intrapleural administration of vitreous high duty ceramic fibres and heated devitrified ceramic fibres does not give rise to pleural mesothelioma in rats. *Hum. exp. Toxicol.*, **14**, 657–661
- Cavalleri, A., Gobba, F., Ferrari, D., Bacchella, L., Robotti, M., Mineo, F. & Pedroni, C. (1992) [The determination of serum amino-terminal procollagen type-III propeptide PIIINP] in occupational exposure to rockwool fiber.] *Med. Lav.*, **83**, 127–134 (in Italian)
- CEN (European Committee for Standardization) (Comité européen de Normalisation) (1993) *Workplace Atmospheres — Size Fraction Definitions for Measurements of Airborne Particles* (European Standard EN 481), Brussels
- Chamberlain, M. & Tarmy, E.M. (1977) Asbestos and glass fibers in bacterial mutation tests. *Mutat. Res.*, **43**, 159–164
- Cherrie, J. & Schneider, T. (1999) Validation of a new method for structured subjective assessment of past concentrations. *Ann. occup. Hyg.*, **43**, 235–245
- Cherrie, J., Dodgson, J., Groat, S. & Maclaren, W. (1986) Environmental surveys in the European man-made mineral fiber production industry. *Scand. J. Work Environ. Health*, **12** (Suppl. 1), 18–25
- Cherrie, J., Krantz, S., Schneider, T., Öhberg, I., Kamstrup, O. & Linander, W. (1987) An experimental simulation of an early rock wool/slag wool production process. *Ann. occup. Hyg.*, **31**, 583–593
- Cherrie, J.W., Crawford, N.P. & Dodgson, J. (1988) Problems in assessing airborne man-made mineral fibre concentrations in relation to epidemiology. *Ann. occup. Hyg.*, **32** (Suppl. 1), 715–723
- Cherrie, J.W., Schneider, T., Spankie, S. & Quinn, M. (1996) A new method for structured, subjective assessments of past concentrations. *Occup. Hyg.*, **3**, 75–83
- Chiazze, L., Watkins, D.K. & Fryar, C. (1992) A case-control study of malignant and non-malignant respiratory disease among employees of a fiberglass manufacturing facility. *Br. J. ind. Med.*, **49**, 326–331
- Chiazze, L., Watkins, D.K., Fryar, C. & Kozono, J. (1993) A case-control study of malignant and non-malignant respiratory disease among employees of a fibreglass manufacturing facility. II. Exposure assessment. *Br. J. ind. Med.*, **50**, 717–725
- Chiazze, L., Watkins, D.K. & Fryar, C. (1997) Historical cohort mortality study of a continuous filament fiberglass manufacturing plant. I. White men. *J. occup. environ. Med.*, **39**, 432–441
- Chiazze, L., Watkins, D.K., Fryar, C., Fayerweather, W., Bender, J.R. & Chiazze, M. (1999) Mortality from nephritis and nephrosis in the fibreglass manufacturing industry. *Occup. environ. Med.*, **56**, 164–166
- Cholak, J. & Schafer, L.J. (1971) Erosion of fibers from installed fibrous-glass ducts. *Arch. environ. Health*, **22**, 220–229
- Christensen, V.R., Lund Jensen, S., Guldborg, M. & Kamstrup, O. (1994) Effect of chemical composition of man-made vitreous fibers on the rate of dissolution *in vitro* at different pHs. *Environ. Health Perspect.*, **102** (Suppl. 5), 83–86
- Churg, A. (1996) The uptake of mineral particles by pulmonary epithelial cells. *Am. J. respir. crit. Care Med.*, **154**, 1124–1140

- Churg, A. & Green, F.H.Y. (1998) Pathology of Occupational Lung Disease, Vancouver, Lippincott, Williams & Wilkins
- Churg, A. & Stevens, B. (1995) Enhanced retention of asbestos fibers in the airways of human smokers. *Am. J. respir. crit. Care Med.*, **151**, 1409–1413
- Churg, A., Wright, J.L., Hobson, J. & Stevens, B. (1992) Effects of cigarette smoke on the clearance of short asbestos fibres from the lung and a comparison with the clearance of long asbestos fibres. *Int. J. exp. Pathol.*, **73**, 287–297
- Churg, A., Wright, J., Gilks, B. & Dai, J. (2000) Pathogenesis of fibrosis produced by asbestos and man-made mineral fibers: What makes a fiber fibrogenic? *Inhal. Toxicol.*, **12** (Suppl. 3), 15–26
- Class, P., Deghilage, P. & Brown, R.C. (2001) Dustiness of different high-temperature insulation wools and refractory ceramic fibres. *Ann. occup. Hyg.*, **45**, 381–384
- Clausen, J., Netterstrom, B. & Wolff, C. (1993) Lung function in insulation workers. *Br. J. ind. Med.*, **50**, 252–256
- Collier, C.G., Morris, K.J., Launder, K.A., Humphreys, J.A., Morgan, A., Eastes, W. & Townsend, S. (1994) The behavior of glass fibers in the rat following intraperitoneal injection. *Reg. Toxicol. & Pharmacol.*, **20**, S89–S103
- Collier, C.G., Morris, K.J., Launder, K.A., Humphreys, J.A., Morgan, A., Eastes, W. & Townsend, S. (1995) The durability and distribution of glass fibres in the rat following intraperitoneal injection. *Ann. occup. Hyg.*, **39**, 699–704
- Consonni, D., Boffetta, P., Andersen, A., Chang, C.-J., Cherrie, J.W., Ferro, G., Frentzel-Beyme, R., Hansen, J., Olsen, J., Plato, N., Westerholm, P. & Saracci, R. (1998) Lung cancer mortality among European rock/slag wool workers: Exposure–response analysis. *Cancer Causes Control*, **9**, 411–416
- Corn, M. & Sansone, E.B. (1974) Determination of total suspended particulate matter and airborne fiber concentrations at three fibrous glass manufacturing facilities. *Environ. Res.*, **8**, 37–52
- Corn, M., Hammad, Y., Whittier, D. & Kotsko, N. (1976) Employee exposure to airborne fiber and total particulate matter in two mineral wool facilities. *Environ. Res.*, **12**, 59–74
- Corn, M., Lees, P.S.J. & Breyse, P.N. (1992) *Characterization of End-User Exposures to Industrial (RCF) Insulation Products*, Final report for Thermal Insulation Manufacturers Association, Baltimore, MD, Johns Hopkins University
- Cornett, M.J., Rice, C., Hertzberg, V.S. & Lockey, J.E. (1989) Assessment of fiber deposition on the conductive sampling cowl in the refractory ceramic fiber industry. *Appl. ind. Hyg.*, **4**, 201–204
- Cowie, H.A., Wild, P., Beck, J., Auburtin, G., Piekarski, C., Massin, N., Cherrie, J.W., Hurley, J.F., Miller, B.G., Groat, S. & Soutar, C.A. (2001) An epidemiological study of the respiratory health of workers in the European refractory ceramic fibre (RCF) industry. *Occup. environ. Med.*, **58**, 800–810
- Crapo, J.D., Young, S.L., Fram, E.K., Pinkerton, K.E., Barry, B.E. & Crapo, R.O. (1983) Morphometric characteristics of cells in the alveolar region of mammalian lungs. *Am. Rev. respir. Dis.*, **128**, S42–S46
- Creutzenberg, O., Bellmann, B. & Muhle, H. (1997) Biopersistence and bronchoalveolar lavage investigations in rats after a subacute inhalation of various man-made mineral fibres. *Ann. occup. Hyg.*, **41** (Suppl. 1), 213–218

- Cullen, R.C., Miller, B.G., Davis, J.M.G., McAllister Brown, D. & Donaldson, K. (1997) Short-term inhalation and *in vitro* tests as predictors of fiber pathogenicity. *Environ. Health Perspect.*, **105** (Suppl. 5), 1235–1240
- Cullen, R.T., Searl, A., Buchanan, D., Davis, J.M., Miller, B.G. & Jones, A.D. (2000) Pathogenicity of a special-purpose glass microfibre (E glass) relative to another glass microfibre and amosite asbestos. *Inhal. Toxicol.*, **12**, 959–977
- Cuypers, J.M.C., Bleumink, E. & Nater, J.P. (1975) [Dermatological aspect of glass fibre manufacture.] *Berufsdermatosen*, **23**, 143–154 (in German)
- Dai, Y.T. & Yu, C.P. (1998) Alveolar deposition of fibers in rodents and humans. *J. Aerosol Med.*, **11**, 247–258
- Davis, J.M.G. (1970) Further observations on the ultrastructure and chemistry of the formation of asbestos bodies. *Exper. mol. Pathol.*, **13**, 346–358
- Davis, J.M.G. (1976) Pathological aspects of the injection of glass fiber into the pleural and peritoneal cavities of rats and mice. In: LeVee, W.N. & Schulte, P.A., eds, *Occupational Exposure to Fibrous Glass* (DHEW Publ. No. (NIOSH) 76-151; NTIS Publ. No. PB-258869), Cincinnati, OH, National Institute for Occupational Safety and Health, pp. 141–149
- Davis, J.M.G., Addison, J., Bolton, R.E., Donaldson, K., Jones, A.D. & Wright, A. (1984) The pathogenic effects of fibrous ceramic aluminium silicate glass administered to rats by inhalation or peritoneal injection. In: *Biological Effects of Man-made Mineral Fibres* (Proceedings of a WHO/IARC Conference), Vol. 2, Copenhagen, World Health Organization, pp. 303–322
- Davis, J.M.G., Jones, A.D. & Miller, B.G. (1991) Experimental studies in rats on the effects of asbestos inhalation coupled with the inhalation of titanium dioxide or quartz. *Int. J. exp. Pathol.*, **72**, 501–525
- Davis, J.M.G., Brown, D.M., Cullen, R.T., Donaldson, K., Jones, A.D., Miller, B.G., McIntosh, C. & Searl, A. (1996a) A comparison of methods of determining and predicting the pathogenicity of mineral fibres. *Inhal. Toxicol.*, **8**, 747–770
- Davis, J.M., Dungworth, D.L. & Boorman, G.A. (1996b) Concordance in diagnosis of mesotheliomas. *Toxicol. Pathol.*, **24**, 662–663
- Dement, J.M. (1975) Environmental aspects of fibrous glass production and utilization. *Environ. Res.*, **9**, 295–312
- Deutsche Forschungsgemeinschaft (DFG) (2001) *List of MAK and BAT Values. Commission for the Investigation of Health Hazards of Chemical Compounds on the Work area* (Report No. 37), Weinheim, Wiley-VCH Verlag
- Ding, M., Dong, Z., Chen, F., Pack, D., Ma, W.-Y., Ye, J., Shi, X., Castranova, V. & Vallyathan, V. (1999) Asbestos induces activator protein-1 transactivation in transgenic mice. *Cancer Res.*, **59**, 1884–1889
- Dodgson, J., Cherrie, J. & Groat, S. (1987a) Estimates of past exposure to respirable man-made mineral fibres in the European insulation wool industry. *Ann. occup. Hyg.*, **31**, 567–582
- Dodgson, J., Harrison, G.E., Cherrie, J.W. & Sneddon, E. (1987b) *Assessment of Airborne Mineral Wool Fibres in Domestic Houses (Report TM/87/18)*, Edinburgh, UK, Environmental Branch, Institute of Occupational Medicine
- Donaldson, K. (1994) Biological activity of respirable industrial fibres treated to mimic residence in the lung. *Toxicol. Lett.*, **72**, 299–305

- Donaldson, K. (2000) Nonneoplastic lung responses induced in experimental animals by exposure to poorly soluble nonfibrous particles. *Inhal. Toxicol.*, **12**, 121–139
- Donaldson, K., Miller, B.G., Brown, G.M., Slight, J., Addison, J. & Davis, J.M.G. (1993) Inflammation in the mouse peritoneal cavity in the investigation of factors determining the biological activity of respirable industrial fibers. In: Hurych, J., Lesage, M. & David, A., eds, *Proceedings of the 8th International Conference on Occupational Lung Diseases, Prague, Czechoslovakia, September 14–17, 1992*, pp. 531–539
- Donaldson, K., Brown, D.M., Miller, B.G. & Brody, A.R. (1995a) Bromo-deoxyuridine (BrdU) uptake in the lungs of rats inhaling amosite asbestos or vitreous fibres at equal airborne fibre concentrations. *Exp. Toxicol. Pathol.*, **47**, 207–211
- Donaldson, K., Hill, I.M. & Beswick, P.H. (1995b) Superoxide anion release by alveolar macrophages exposed to respirable industrial fibres: Modifying effect of fibre opsonisation. *Exp. Toxicol. Pathol.*, **47**, 229–231
- Donaldson, K., Gilmour, P.S. & Beswick, P.H. (1995c) Supercoiled plasmid DNA as a model target for assessing the generation of free radicals at the surface of fibres. *Exp. Toxicol. Pathol.*, **47**, 235–237
- Donaldson, K., Beswick, P.H. & Gilmour, P.S. (1996) Free radical activity associated with the surface of particles: A unifying factor in determining biological activity? *Toxicol. Lett.*, **88**, 293–298
- Dopp, E. & Schiffmann, D. (1998) Analysis of chromosomal alterations induced by asbestos and ceramic fibers. *Toxicol. Lett.*, **96/97**, 155–162
- Dopp, E., Nebe, B., Hahnel, C., Papp, T., Alonso, B., Simkó, M. & Schiffmann, D. (1995) Mineral fibers induce apoptosis in Syrian hamster embryo fibroblasts. *Pathobiology*, **63**, 213–221
- Dopp, E., Schuler, M., Schiffmann, D. & Eastmond, D.A. (1997) Induction of micronuclei, hyperdiploidy and chromosomal breakage affecting the centric/pericentric regions of chromosomes 1 and 9 in human amniotic fluid cells after treatment with asbestos and ceramic fibers. *Mutat. Res.*, **377**, 77–87
- Draeger, U. & Löffler, F.-W. (1991) [Workplace fibre concentrations in the manufacture of rock wool insulation.] *Zbl. Arbeitsmed., Arbeitssch. Prophylaxe Ergonom.*, **41**, 218–222 (in German)
- Draeger, U., Teichert, U., Schneider, T. & Trappmann, J. (1998) Criteria for the identification of insulation wool fibres by microscopic evaluation of filter samples. *Gefahrstoffe Reinhalt. Luft*, **58**, 343–346
- Dörger, M., Münzing, S., Allmeling, A.-M. & Krombach, F. (2000) Comparison of the phagocytic response of rat and hamster alveolar macrophages to man-made vitreous fibers *in vitro*. *Human & Experim. Toxicol.*, **19**, 635–640
- Dörger, M., Münzing, S., Allmeling, A.-M., Messmer, K. & Krombach, F. (2001) Differential responses of rat alveolar and peritoneal macrophages to man-made vitreous fibers *in vitro*. *Environ. Res. Section A*, **85**, 207–214
- Drent, M., Bomans, P.H.H., Van Suylen, R.J., Lamers, R.J.S., Bast, A. & Wouters, E.F.M. (2000a) Association of man-made mineral fibre exposure and sarcoidlike granulomas. *Respir. Med.*, **94**, 815–820

- Drent, M., Kessels, B.L.J., Bomans, P.H.H., Wagenaar, S.Sc. & Henderson, R.F. (2000b) Sarcoidlike lung granulomatosis induced by glass fibre exposure. *Sarcoidosis Vasc. Diffuse Lung Dis.*, **17**, 86–87
- Drew, R.T., Kuschner, M. & Bernstein, D.M. (1987) The chronic effects of exposure of rats to sized glass fibres. *Ann. occup. Hyg.*, **31**, 711–729
- Driscoll, K.E. (1996) Effects of fibres on cell proliferation, cell activation and gene expression. In: Kane, A.B., Boffetta, P. & Wilbourn, J.D., eds, *Mechanisms of Fibre Carcinogenesis* (IARC Scientific Publication No. 140), Lyon, IARC Press, pp. 73–96
- Driscoll, K.E., Howard, B.W., Carter, J.M., Asquith, T., Johnston, C., Detilleux, P., Kunkel, S.I. & Isfort, R.J. (1996) α -Quartz-induced chemokine expression by rat lung epithelial cells. Effects of in vivo and in vitro particle exposure. *Am. J. Pathol.*, **149**, 1627–1637
- Dufresne, A., Loosereewanich, P., Armstrong, B., Infante-Rivard, C., Perrault, G., Dion, C., Massé, S. & Bégin, R. (1995) Pulmonary retention of ceramic fibers in silicon carbide (SiC) workers. *Am. ind. Hyg. Assoc. J.*, **56**, 490–498
- Dumortier, P., Broucke, I. & De Vuyst, P. (2001) Pseudoasbestos bodies and fibers in bronchoalveolar lavage of refractory ceramic fiber users. *Am. J. respir. crit. Care Med.*, **164**, 499–503
- Eastes, W. & Hadley, J.G. (1996) A mathematical model of fiber carcinogenicity and fibrosis in inhalation and intraperitoneal experiments in rats. *Inhal. Toxicol.*, **8**, 323–343
- Eastes, W., Potter, R.M. & Hadley, J.G. (2000a) Estimating in-vitro glass fiber dissolution rate from composition. *Inhal. Toxicol.*, **12**, 269–280
- Eastes, W., Potter, R.M. & Hadley, J.G. (2000b) Estimation of dissolution rate from in-vivo studies of synthetic vitreous fibers. *Inhal. Toxicol.*, **12**, 1037–1054
- Eastes, W., Potter, R.M. & Hadley, J.G. (2000c) Estimating rock and slag wool fiber dissolution rate from composition. *Inhal. Toxicol.*, **12**, 1127–1139
- ECA (Everest Consulting Associates) (1996) *Refractory Ceramic Fibers: A Substitute Study*. Refractory Ceramic Fibers Coalition (RCFC), Augusta, Georgia, Miller Printing Co.
- ECFIA & RCFC (European Ceramic Fibre Industries Association and Refractory Ceramic Fibres Coalition) (USA) (2001) *Alkaline Earth Silicate (AES) Wools Fact Sheet*, October 2001, Paris, France/Washington, DC
- EIPPCB (European Integrated Pollution Prevention and Control Bureau) (2000) *Reference Document on Best Available Techniques in the Glass Manufacturing Industry*, Seville, Directorate-General Joint Research Centre, Institute for Prospective Technological Studies (<http://eippcb.jrc.es>)
- Eller, P.M. (1984) Asbestos and other fibers by PCM. Method 7400. In: National Institute for Occupational Safety and Health, Cincinnati, OH, *Manual of Analytical Methods*, 3rd Ed.
- Ellouk, S.A. & Jaurand, M.-C. (1994) Review of animal/*in vitro* data on biological effects of man-made fibers. *Environ. Health Perspect.*, **102** (Suppl. 2), 47–61
- Engholm, G., Englund, A., Fletcher, T. & Hallin, N. (1987) Respiratory cancer incidence in Swedish construction workers exposed to man-made mineral fibres and asbestos. *Ann. occup. Hyg.*, **31**, 663–675
- Enterline, P. E. & Marsh, G.M. (1984) The health of workers in the MMVF industry. In: *Biological Effects of Man-Made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization, pp. 311–339

- Enterline, P.E., Marsh, G.M. & Esmen, N.A. (1983) Respiratory disease among workers exposed to man-made mineral fibers. *Am. Rev. respir. Dis.*, **128**, 1–7
- Enterline, P.E., Marsh, G.M., Henderson, V. & Callahan, C. (1987) Mortality update of a cohort of U.S. man-made mineral fibre workers. *Ann. occup. Hyg.*, **31**, 625–656
- ERM (Environmental Resources Management) (1995) *Description and Characterisation of the Ceramic Fibres Industry of the European Union*. Final Report for the European Commission (Reference 3059), Brussels
- Esmen, N.A., Hammad, Y.Y., Corn, M., Whittier, D., Kotsko, N., Haller, M. & Kahn, R.A. (1978) Exposure of employees to man-made mineral fibers: Mineral wool production. *Environ. Res.*, **15**, 262–277
- Esmen, N.A., Corn, M., Hammad, Y., Whittier, D. & Kotsko, N. (1979a) Summary of measurements of employee exposure to airborne dust and fiber in sixteen facilities producing man-made mineral fibers. *Am. ind. Hyg. Assoc. J.*, **40**, 108–117
- Esmen, N.A., Corn, M., Hammad, Y.Y., Whittier, D., Kotsko, N., Haller, M. & Kahn, R.A. (1979b) Exposure of employees to man-made mineral fibers: Ceramic fiber production. *Environ. Res.*, **19**, 265–278
- Esmen, N.A., Sheehan, M.J., Corn, M., Engel, M. & Kotsko, N. (1982) Exposure of employees to man-made vitreous fibers: Installation of insulation materials. *Environ. Res.*, **28**, 386–398
- Etherington, D.J., Pugh, D. & Silver, I.A. (1981) Collagen degradation in an experimental inflammatory lesion: Studies on the role of the macrophage. *Acta biol. med. germ.*, **40**, 1625–1636
- European Chemicals Bureau (1999) *Methods for the Determination of the Hazardous Properties for Human Health of Man Made Mineral Fibres (MMMMF)* (EUR 18748 EN), Ispra, Italy, European Commission Joint Research Centre
- European Commission (1997) Commission Directive 97/69/EC of 13 December 1997. *Off. J. Eur. Comm.*, **L343**, 19–24
- European Insulation Manufacturers Association (EURIMA) (1990) *Thermal Insulation Means Environmental Protection*
- Everitt, J.I., Bermudez, E., Mangum, J.B., Wong, B., Moss, O.R., Janszen, D. & Rutten, A.A.A.J.J.L. (1994) Pleural lesions in Syrian golden hamsters and Fischer-344 rats following intrapleural instillation of man-made ceramic or glass fibers. *Toxicol. Pathol.*, **22**, 229–236
- Everitt, J.I., Gelzleichter, T.R., Bermudez, E., Mangum, J.B., Wong, B.A., Janszen, D.B. & Moss, O.R. (1997) Comparison of pleural responses of rats and hamsters to subchronic inhalation of refractory ceramic fibers. *Environ. Health Perspect.*, **105** (Suppl. 5), 1209–1213
- Fallentin, B. & Kamstrup, O. (1993) Simulation of past exposure in slag wool production. *Ann. occup. Hyg.*, **37**, 419–433
- Fenoglio, I., Martra, G., Coluccia, S. & Fubini, B. (2000) Possible role of ascorbic acid in the oxidative damage induced by inhaled crystalline silica particles. *Chem. Res. toxicol.*, **13**, 971–975
- Feron, V.J., Scherrenberg, P.M., Immel, H.R. & Spit, B.J. (1985) Pulmonary response of hamsters to fibrous glass: Chronic effects of repeated intratracheal instillation with or without benzo[a]pyrene. *Carcinogenesis*, **6**, 1495–1499

- Fischer, M. (1993) Benefits and risks from MMMF in indoor air. In: Kalliokoski, P., Jantunen, M. & Seppänen, O., *Indoor Air, 1993 Proceedings of the 6th International Conference on Indoor Air Quality and Climate*, Volume 4, Helsinki, Jyväskylä, Finland, Gummerus, Oy, pp. 27–31
- Fischer, A.B., Kaw, J.L., Diemer, K. & Eikmann, T. (1998) Low dose effects of fibrous and non-fibrous mineral dusts on the proliferation of mammalian cells in vitro. *Toxicol. Lett.*, **96–97**, 97–103
- Fisher, C.E., Brown, D.M., Shaw, J., Beswick, P.H. & Donaldson, K. (1998) Respirable fibres: Surfactant coated fibres release more Fe³⁺ than native fibres at both pH 4.5 and 7.2. *Ann. occup. Hyg.*, **42**, 337–345
- Fisher, C.E., Rossi, A.G., Shaw, J., Beswick, P.H. & Donaldson, K. (2000) Release of TNF α in response to SiC fibres: Differential effects in rodent and human primary macrophages, and in macrophage-like cell lines. *Toxicol. in Vitro*, **14**, 25–31
- Fowler, D.P. (1980) *Industrial Hygiene Surveys of Occupational Exposure to Mineral Wool* (DHHS (NIOSH) Publication No. 80-135), Cincinnati, OH, US Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, Division of Surveillance, Hazard Evaluation and Field Studies
- Fowler, D.P., Balzer, L. & Cooper, W.C. (1971) Exposure of insulation workers to airborne fibrous glass. *Am. ind. Hyg. Assoc. J.*, **32**, 86–91
- the Freedonia Group (2001) *World Insulation to 2004*, Cleveland, OH
- Friar, J.J. & Phillips, A.M. (1989) Exposure to ceramic man-made mineral fibers. In: Bignon, J., Peto, J. & Saracci, R., eds, *Non-Occupational Exposure to Mineral Fibres* (IARC Scientific Publication No. 90), Lyon, IARC Press, pp. 299–303
- Friedrichs, K.-H., Höhr, D. & Grover, Y.P. (1983) [Results from non-source-related emission measurements of fibres in the Federal Republic of Germany.] In: Reinisch, D., Schneider, H.W. & Birkner, K.F., eds, *Fibrous Dusts Measurement, Effects, Prevention* (VDI-Berichte 475), Dusseldorf, VDI-Verlag, pp.113–116 (in German)
- Fubini, B., Aust, A.E., Bolton, R.E., Borm, P.J.A., Bruch, J., Ciapetti, G., Donaldson, K., Elias, Z., Gold, J., Jaurand, M.-C., Kane, A.B., Lison, D. & Muhle, H. (1998) Non-animal tests for evaluating the toxicity of solid xenobiotics. *ATLA*, **26**, 579–617
- Fujino, A., Hori, H., Higashi, T., Morimoto, Y., Tanaka, I. & Kaji, H. (1995) In-vitro biological study to evaluate the toxic potentials of fibrous materials. *Int. J. occup. environ. Health*, **1**, 21–28
- Gamble, J.L. (1967) *Chemical Anatomy, Physiology and Pathology of Extracellular Fluid*, Cambridge, MA, Harvard University Press
- Gan, L., Savransky, E.F., Fasy, T.M. & Johnson, E.M. (1993) Transfection of human mesothelial cells mediated by different asbestos fiber types. *Environ. Res.*, **62**, 28–42
- Gao, H.-G., Whong, W.-Z., Jones, W.G., Wallace, W.E. & Ong, T. (1995) Morphological transformation induced by glass fibers in BALB/3-BT3 cells. *Teratog. Carcinog. Mutag.*, **15**, 63–71
- Gao, H., Brick, J., Ong, S.-H., Miller, M., Whong, W.-Z. & Ong, T.-M. (1997) Selective hyper-expression of c-jun oncoprotein by glass fiber- and silica-transformed BALB/3-3T3 cells. *Cancer Lett.*, **112**, 65–69

- Gardner, M.J., Magnani, C., Pannett, B., Fletcher, A.C. & Winter, P.D. (1988) Lung cancer among glass fibre production workers: A case-control study. *Br. J. ind. Med.*, **45**, 613–618
- Gaudichet, A., Petit, G., Billon-Galland, M.A. & Dufour, G. (1989) Levels of atmospheric pollution by man-made mineral fibres in buildings. In: Bignon, J., Peto, J. & Saracci, R., eds, *Non-occupational Exposure to Mineral Fibres* (IARC Scientific Publication No. 90), Lyon, IARC Press, pp. 291–298
- Gehr, P., Geiser, M., Im Hof, V., Schürch, S., Waber, U. & Baumann, M. (1993) Surfactant and inhaled particles in the conducting airways: Structural, stereological and biophysical aspects. *Microsc. Res. Techn.*, **26**, 423–436
- Gelzleichter, T.R., Bermudez, E., Mangum, J.B., Wong, B.A., Moss, O.R. & Everitt, J.I. (1996a) Pulmonary and pleural responses in Fischer 344 rats following short-term inhalation of a synthetic vitreous fiber. II. Pathobiologic responses. *Fundam. appl. Toxicol.*, **30**, 39–46
- Gelzleichter, T.R., Bermudez, E., Mangum, J.B., Wong, B.A., Everitt, J.I. & Moss, O.R. (1996b) Pulmonary and pleural responses in Fischer 344 rats following short-term inhalation of a synthetic vitreous fiber. I. Quantitation of lung and pleural fiber burden. *Fundam. appl. Toxicol.*, **30**, 31–38
- Gelzleichter, T.R., Mangum, J.B., Bermudez, E., Wong, B.A., Moss, O.R. & Everitt, J.I. (1996c) Pulmonary and pleural leukocytes from F344 rats produce elevated levels of fibronectin following inhalation of refractory ceramic fibers. *Exp. Toxicol. Pathol.*, **48**, 487–489
- Gelzleichter, T.R., Bermudez, E., Mangum, J.B., Wong, B.A., Janszen, D.B., Moss, O.R. & Everitt, J.I. (1999) Comparison of pulmonary and pleural responses of rats and hamsters to inhaled refractory ceramic fibers. *Toxicol. Sci.*, **49**, 93–101
- Gilmour, P.S., Beswick, P.H., Brown, D.M. & Donaldson, K. (1995) Detection of surface free radical activity of respirable industrial fibres using supercoiled ϕ X174 RF1 plasmid DNA. *Carcinogenesis*, **16**, 2973–2979
- Gilmour, P.S., Brown, D.M., Beswick, P.H., MacNee, W., Rahman, I. & Donaldson, K. (1997) Free radical activity of industrial fibers: Role of iron in oxidative stress and activation of transcription factors. *Environ. Health Perspect.*, **105** (Suppl. 5), 1313–1317
- Goldberg, M.S., Parent, M.-E., Siemiatycki, J., Désy, M., Nadon, L., Richardson, L., Lakhani, R., Latreille, B. & Valois, M.-F. (2001) A case-control study of the relationship between the risk of colon cancer in men and exposures to occupational agents. *Am. J. ind. Med.*, **39**, 531–546
- Goldmann, D. & Kruger, D. (1989) *Abschlussbericht über die Messungen und Ergebnisse des Immissions — Messprogrammes Berlin (West)* (Technischer Bericht nr D-89/185), Berlin, Technischer Überwachungs — Verein eV.
- Government of Canada (1993) *Canadian Environmental Protection Act. Mineral Fibres (Man-Made Vitreous Fibres) Priority Substances List Assessment Report*, Canada Communication Group-Publishing, Ottawa
- Grimm, H.-G. (1983) [Occupational exposure to man-made mineral fibres and their effects on health.] *Zbl. Arbeitsmed.*, **33**, 156–162 (in German)
- Grimm, H.-G., Löffler, F.-W. & Mayer, P. (2000) *Retrospective Assessment of the Exposure Situation and of Health Effects for a Former Stone Wool Production Plant in Germany (Schriftenreihe Zentralblatt für Arbeitsmedizin, Vol. 19)*, Heidelberg, Curt Haefner Verb.
- Guldberg, M., Christensen, V.R., Perander, M., Zoitos, B., Koenig, A.R. & Sebastian, K. (1998) Measurement of in-vitro fibre dissolution rate at acidic pH. *Ann. Occup. Hyg.*, **42**, 233–243

- Guldberg, M., de Meringo, A., Kamstrup, O., Furtak, H. & Rossiter, C. (2000) The development of glass and stone wool compositions with increased biosolubility. *Regul. Toxicol. Pharmacol.*, **32**, 184–189
- Guldberg, M., Jensen, S.L., Knudsen, T., Steenberg, T. & Kamstrup, O. (2002) High-alumina low-silica HT stone wool fibers: A chemical compositional range with high biosolubility. *Regul. Toxicol. Pharmacol.*, **35**, 217–226
- Gustavsson, P., Plato, N., Axelson, O., Brage, H.N., Hogstedt, C., Ringbäck, G., Tornling, G. & Wingren, G. (1992) Lung cancer risk among workers exposed to man-made mineral fibers (MMMF) in the Swedish prefabricated house industry. *Am. J. ind. Med.*, **21**, 825–834
- Hallin, N. (1981) *Mineral Wool Dust in Construction Sites* (Report 1981-09-01), Stockholm, Bygghälsan [The Construction Industry's Organization for Working Environment, Safety and Health]
- Hammad, Y.Y. (1984) Deposition and elimination of MMMF. In: *Biological Effects of Man-made Mineral Fibres*, Copenhagen, World Health Organization, pp. 126–142
- Hansen, K. & Mossman, B.T. (1987) Generation of superoxide (O_2^-) from alveolar macrophages exposed to asbestiform and nonfibrous particles. *Cancer Res.*, **47**, 1681–1686
- Hansen, E.F., Rasmussen, F.V., Hardt, F. & Kamstrup, O. (1999) Lung function and respiratory health of long-term fiber-exposed stonewool factory workers. *Am. J. respir. crit. Care Med.*, **160**, 466–472
- Hart, G.A., Newman, M.M., Bunn, W.B. & Hesterberg, T.W. (1992) Cytotoxicity of refractory ceramic fibres to Chinese hamster ovary cells in culture. *Toxicol. In Vitro*, **6**, 317–326
- Hart, G.A., Kathman, L.M. & Hesterberg, T.W. (1994) *In vitro* cytotoxicity of asbestos and man-made vitreous fibers: Roles of fiber length, diameter and composition. *Carcinogenesis*, **15**, 971–977
- Hart, G.A., Hesterberg, T.H. & Bauer, J.F. (1999) Physical and chemical degradation of synthetic vitreous fibres in the lung and in vitro (Abstract). *Toxicologist*, **48** (Suppl. 1), 133
- Hartman, D.R., Greenwood, M.E. & Miller, D.M. (1996) *High Strength Glass Fibers (Owens Corning technical paper I-PL-19025A)*, Granville, OH, Owens Corning Science & Technical Center
- Head, I.W.H. & Wagg, R.M. (1980) A survey of occupational exposure to man-made mineral fibre dust. *Ann. occup. Hyg.*, **23**, 235–258
- Health and Safety Executive (1988) *Man-made Mineral Fibre* (Methods for the Determination of Hazardous Substances 59), London, Occupational Medicine and Hygiene Laboratory
- Hesterberg, T.W. & Barrett, J.C. (1984) Dependence of asbestos- and mineral dust-induced transformation of mammalian cells in culture on fiber dimension. *Cancer Res.*, **44**, 2170–2180
- Hesterberg, T.W. & Hart, G.A. (2001) Synthetic vitreous fibers: A review of toxicology research and its impact on hazard classification. *Crit. Rev. Toxicol.*, **31**, 1–53
- Hesterberg, T.W., Butterick, C.J., Oshimura, M., Brody, A.R. & Barrett, J.C. (1986) Role of phagocytosis in Syrian hamster cell transformation and cytogenetic effects induced by asbestos and short and long glass fibers. *Cancer Res.*, **46**, 5795–5802
- Hesterberg, T.W., Miiller, W.C., McConnell, E.E., Chevalier, J., Hadley, J., Bernstein, D.M., Thevenaz, P. & Anderson, R. (1993) Chronic inhalation toxicity of size-separated glass fibers in Fischer 344 rats. *Fundam. appl. Toxicol.*, **20**, 464–476

- Hesterberg, T.W., Miiller, W.C., Thevenaz, P. & Anderson, R. (1995) Chronic inhalation studies of man-made vitreous fibres: Characterization of fibres in the exposure aerosol and lungs. *Ann. occup. Hyg.*, **39**, 637–653
- Hesterberg, T., Miiller, W., Hart, G., Bauer, J. & Hamilton, R. (1996a) Physical and chemical transformation of synthetic vitreous fibres in the lung and in vitro. *J. occup. Health Safety Aust. NZ*, **12**, 345–355
- Hesterberg, T.W., McConnell, E.E., Miiller, W.C., Chevalier, J., Everitt, J., Thevenaz, P., Fleissner, H. & Oberdörster, G. (1996b) Use of lung toxicity and lung particle clearance to estimate the maximum tolerated dose (MTD) for a fiber glass chronic inhalation study in the rat. *Fundam. appl. Toxicol.*, **32**, 31–44
- Hesterberg, T.W., Miiller, W.C., Musselman, R.P., Kamstrup, O., Hamilton, R.D. & Thevenaz, P. (1996c) Biopersistence of man-made vitreous fibers and crocidolite asbestos in the rat lung following inhalation. *Fundam. appl. Toxicol.*, **29**, 267–279
- Hesterberg, T.W., Axten, C., McConnell, E.E., Oberdörster, G., Everitt, J., Miiller, W.C., Chevalier, J., Chase, G.R. & Thevenaz, P. (1997) Chronic inhalation study of fiber glass and amosite asbestos in hamsters: Twelve-month preliminary results. *Environ. Health Perspect.*, **105** (Suppl. 5), 1223–1229
- Hesterberg, T.W., Hart, G.A., Chevalier, J., Miiller, W.C., Hamilton, R.D., Bauer, J. & Thevenaz, P. (1998a) The importance of fiber biopersistence and lung dose in determining the chronic inhalation effects of X607, RCF1, and chrysotile asbestos in rats. *Toxicol. appl. Pharmacol.*, **153**, 68–82
- Hesterberg, T.W., Chase, G., Axten, C., Miiller, W.C., Musselman, R.P., Kamstrup, O., Hadley, J., Morscheidt, C., Bernstein, D. & Thevenaz, P. (1998b) Biopersistence of synthetic vitreous fibers and amosite asbestos in the rat lung following inhalation. *Toxicol. appl. Pharmacol.*, **151**, 262–275
- Hesterberg, T.W., Axten, C., McConnell, E.E., Hart, G.A., Miiller, W., Chevalier, J., Everitt, J., Thevenaz, P. & Oberdörster, G. (1999) Studies on the inhalation toxicology of two fiber-glasses and amosite asbestos in the Syrian golden hamster. Part I. Results of a subchronic study and dose selection for a chronic study. *Inhal. Toxicol.*, **11**, 747–784
- Hesterberg, T.W., Hart, G.A., Miiller, W.C., Chase, G., Rogers, R.A., Mangum, J.B. & Everitt, J.I. (2002) Use of short-term assays to evaluate the potential toxicity of two new biosoluble glasswool fibers. *Inhal. Toxicol.*, **14**, 217–246
- Heyder, J. (1982) Particle transport onto human airway surfaces. *Eur. J. respir. Dis.*, **63** (Suppl. 119), 29–50
- Hill, I.M., Beswick, P.H. & Donaldson, K. (1996) Enhancement of the macrophage oxidative burst by immunoglobulin coating of respirable fibers: Fiber-specific differences between asbestos and man-made mineral fibers. *Exp. Lung Res.*, **22**, 133–148
- Hippeli, S., Dornisch, K., Kaiser, S., Dräger, U. & Elstner, E.F. (1997) Biological durability and oxidative potential of a stonewool mineral fibre compared to crocidolite asbestos fibres. *Arch. Toxicol.*, **71**, 532–535
- Höfert, N. & Rödelsperger, K. (1998) [Parallel edges of artificial mineral fibers.] *Gefahrstoffe Reinhalt. Luft*, **58**, 405–406 (in German)
- Höhr, D. (1985) [Investigations by means of transmission electron microscopy (TEM): Fibrous particles in ambient air.] *Reinhalt. Luft*, **45**, 171–174 (in German)

- Hori, H., Higashi, T., Fujino, A., Yamato, H., Ishimatsu, S., Oyabu, T. & Tanaka, I. (1993) Measurement of airborne ceramic fibers in manufacturing and processing factories. *Ann. occup. Hyg.*, **37**, 623–629
- Horie, E. (ed.) (1987) *Ceramic Fiber Insulation Theory and Practice*, The Energy Conservation Center, Osaka, Japan, The Eibun Press
- Howden, P.J. & Faux, S.P. (1996a) Glutathione modulates the formation of 8-hydroxydeoxyguanosine in isolated DNA and mutagenicity in *Salmonella typhimurium* TA100 induced by mineral fibres. *Carcinogenesis*, **17**, 2275–2277
- Howden, P.J. & Faux, S.P. (1996b) Fibre-induced lipid peroxidation leads to DNA adduct formation in *Salmonella typhimurium* TA104 and rat lung fibroblasts. *Carcinogenesis*, **17**, 413–419
- Hsieh, T.H., Yu, C.P. & Oberdörster, G. (1999) A dosimetry model of nickel compounds in the rat lung. *Inhal. Toxicol.*, **11**, 229–248
- Hughes, J.M., Jones, R.N., Glindmeyer, H.W., Haddad, Y.Y. & Weill, H. (1993) Follow up study of workers exposed to man made mineral fibres. *Br. J. ind. Med.*, **50**, 658–667
- Hunting, K.L. & Welch, L.S. (1993) Occupational exposure to dust and lung disease among sheet metal workers. *Br. J. ind. Med.*, **50**, 432–442
- IARC (1988) *IARC Monographs on the Evaluation of Carcinogenic Risk to Humans*, Vol. 43, *Man-made Mineral Fibres and Radon*, Lyon, IARC Press, pp. 33–171
- Iburg, J., Marfels, H. & Spurny, K. (1987) [Measurements of fibrous dusts in ambient air of the Federal Republic of Germany. V. Measurements of three different locations in the region of Bayreuth.] *Staub-Reinhalt Luft*, **47**, 271–274 (in German)
- ICF Inc. (1991) *Preliminary Use and Substitutes Analysis for Refractory Ceramic Fiber Used in Furnace Linings*, Washington, DC
- ICRP (1994) *Annals of the ICRP: Human Respiratory Tract Model for Radiological Protection* (ICRP Publication 66), Vol. 24, Nos. 1–3, New York, Pergamon
- ILO (International Labour Organization) (2000) *Code of Practice on Safety in the Use of Synthetic Vitreous Fibre Insulation Wools (Glass Wool, Rock wool, Slag wool)*, Geneva, International Labour Office
- ILSI (2000) ILSI Risk Science Institute Workshop Participants: The relevance of the rat lung response to particle overload for human risk assessment: A workshop consensus report. *Inhal. Toxicol.*, **12**, 1–17
- INRS (Institut National de Recherche et de Sécurité) (1999) [Threshold Limit Values for Occupational Exposure to Chemicals in France.] (ND 2098-174-99), Paris (<http://www.inrs.fr>) (in French)
- INSERM (1999) *Effets sur la Santé des Fibres de Substitution à l'Amiante*, Paris, Institut National de la Santé et de la Recherche Médicale
- ISO (International Organization for Standardization) (1995) *Air Quality-Particle Size Fractions Definitions for Health-related Sampling* (ISO 7708), Geneva
- Jacob, T.R., Hadley, J.G., Bender, J.R. & Eastes, W. (1992) Airborne glass fiber concentrations during installation of residential insulation. *Am. ind. Hyg. Assoc. J.*, **53**, 519–523
- Jacob, T.R., Hadley, J.G., Bender, J.R. & Eastes, W. (1993) Airborne glass fiber concentrations during manufacturing operations involving glass wool insulation. *Am. ind. Hyg. Assoc. J.*, **54**, 320–326

- Jaffrey, T.S.A.M., Rood, A.P., Llewellyn, J.W. & Wilson, A.J. (1990) Levels of airborne man-made mineral fibres in UK dwellings. II. Fibre levels during and after some disturbance of loft insulation. *Atmosph. Environ.*, **24A**, 143–146
- Janssen, Y.M.W., Heintz, N.H., Marsh, J.P., Borm, P.J.A. & Mossman, B.T. (1994) Induction of *c-fos* and *c-jun* proto-oncogenes in target cells of the lung and pleura by carcinogenic fibers. *Am. J. Respir. Cell mol. Biol.*, **11**, 522–530
- Janssen-Heininger, Y.M.W., Macara, I. & Mossman, B.T. (1999) Cooperativity between oxidants and tumor necrosis factor in the activation of nuclear factor (NF)- κ B. Requirement of Ras/mitogen-activated protein kinases in the activation of NF- κ B by oxidants. *Am. J. Respir. Cell mol. Biol.*, **20**, 942–952
- Järholm, B., Hillerdal, G., Järliden, A.-K., Hansson, A., Lilja, B.-G., Tornling, G. & Westerholm, P. (1995) Occurrence of pleural plaques in workers with exposure to mineral wool. *Int. Arch. occup. environ. Health*, **67**, 343–346
- Jaurand, M.-C. (1994) *In vitro* assessment of biopersistence using mammalian cell systems. *Environ. Health Perspect.*, **102** (Suppl. 5), 55–59
- Jeffery, G.B. (1922) The motion of ellipsoidal particles immersed in a viscous fluid. *Proc. R. Soc. London*, **A102**, 161–179
- Jensen, C.G. & Watson, M. (1999) Inhibition of cytokinesis by asbestos and synthetic fibres. *Cell Biol. int.*, **23**, 829–840
- Johnson, N.F. & Jaramillo, R.J. (1997) *p53*, *Cip1*, and *Gadd153* expression following treatment of A549 cells with natural and man-made vitreous fibers. *Environ. Health Perspect.*, **105** (Suppl. 5), 1143–1145
- Johnson, D.L., Healey, J.J., Ayer, H.E. & Lynch, J.R. (1969) Exposure to fibers in the manufacture of fibrous glass. *Am. ind. Hyg. Assoc. J.*, **30**, 545–550
- Julier, F., Tiesler, H. & Zindler, G. (1993) [Measurement of fibrous dust concentrations when handling mineral-wool insulations on industrial building sites.] *Staub-Reinhalt. Luft*, **53**, 245–250 (in German)
- Kamstrup, O., Davis, J.M.G., Ellehauge, A. & Guldberg, M. (1998) The biopersistence and pathogenicity of man-made vitreous fibers after short- and long-term inhalation. *Ann. occup. Hyg.*, **42**, 191–199
- Kamstrup, O., Ellehauge, A., Chevalier, J., Davis, J.M.G., McConnell, E.E. & Thévenaz, P. (2001) Chronic inhalation studies of two types of stone wool fibers in rats. *Inhal. Toxicol.*, **13**, 603–621
- Kamstrup, O., Ellehauge, A., Collier, C.G. & Davis, J.M.G. (2002) Carcinogenicity studies after intraperitoneal injection of two types of stone wool fibres in rats. *Annals occup. Hyg.*, **46**, 135–142
- Kane, A.B., Boffetta, P., Saracci, R. & Wilbourn, J.D., eds (1996) *Mechanisms of Fibre Carcinogenesis* (IARC Scientific Publications No. 140), Lyon, IARC Press
- Karin, M. (1995) The regulation of AP-1 activity by mitogen-activated protein kinases. *J. Biol. Chem.*, **270**, 16483–16486
- Karin, M. & Delhase, M. (1998) JNK or IKK, AP-1 or NF- κ B, which are the targets for MEK kinase 1 action? *Proc. natl Acad. Sci. USA*, **95**, 9067–9069
- Karin, M., Liu, Z.-G. & Zandi, E. (1997) AP-1 function and regulation. *Current Opin. Cell Biol.*, **9**, 240–246

- Kauffer, E. & Vigneron, J.C. (1987) [Epidemiological survey in two man-made mineral fibre producing plants. I. Measurement of dust levels.] *Arch. Mal. prof.*, **48**, 1–6 (in French)
- Kauffer, E., Schneider, T. & Vigneron, J.C. (1993) Assessment of man-made mineral fibre size distributions by scanning electron microscopy. *Ann. occup. Hyg.*, **37**, 469–479
- Kauppinen, T., Toikkanen, J., Pedersen, D., Young, R., Ahrens, W., Boffetta, P., Hansen, J., Kromhout, H., Maqueda Blasco, J., Mirabelli, D., de la Orden-Rivera, V., Pannett, B., Plato, N., Savela, A., Vincent, R. & Kogevinas, M. (2000) Occupational exposure to carcinogens in the European Union. *Occup. environ. Med.*, **57**, 10–18
- Kiec-Świerczynska, M. & Szymczak, W. (1995) The effect of the working environment on occupational skin disease development in workers processing rockwool. *Int. J. occup. Med. environ. Health*, **8**, 17–22
- Kilburn, K.H. & Warshaw, R.H. (1991) Difficulties of attribution of effect in workers exposed to fiberglass and asbestos. *Am. J. ind. Med.*, **20**, 745–751
- Kilburn, K.H., Powers, D. & Warshaw, R.H. (1992) Pulmonary effects of exposure to fine fibreglass: Irregular opacities and small airways obstruction. *Br. J. ind. Med.*, **49**, 714–720
- Kim, J.-Hong, Chang, H.-S., Kim, K.-Y., Park, W.-M., Lee, Y.-J., Choi, H.-C., Kim, K.-A. & Lim, Y. (1999) Environmental measurements of total dust and fiber concentration in manufacture and use of man-made mineral fibres. *Ind. Health*, **37**, 322–328
- Kjaerheim, K., Boffetta, P., Hansen, J., Cherrie, J., Chang-Claude, J., Eilber, U., Ferro, G., Guldner, K., Olsen, J.H., Plato, N., Proud, L., Saracci, R., Westerholm, P. & Andersen, A. (2002) Lung cancer among rock and slag wool production workers. *Epidemiology*, **13**, 445–453
- Kjuus, H., Skjaerven, R., Langård, S., Lien, J.T. & Aamodt, T. (1986) A case-referent study of lung cancer, occupational exposures and smoking. I. Comparison of title-based and exposure-based occupational information (Original articles). *Scand. J. Work Environ. Health*, **12**, 193–202
- Klingholz, R. & Steinkopf, B. (1984) The reactions of MMMF in a physiological model fluid and water. In: *Biological Effects of Man-made Mineral Fibres*, Vol. 2, Copenhagen, World Health Organization, pp. 60–86
- Knudsen, T., Guldberg, M., Christiansen, V.R. & Lund Jensen, S. (1996) New type of stonewool (HT fibres) with a high dissolution rate at pH = 4.5. *Glastech. Ber. Glass Sci. Technol.*, **69**, 331–337
- Koenig, A.R. & Axten, C.W. (1995) Exposures to airborne fiber and free crystalline silica during installation of commercial and industrial mineral wool products. *Am. ind. Hyg. Assoc. J.*, **56**, 1016–1022
- Koenig, A.R., Hamilton, R.D., Laskowski, T.E., Olson, J.R., Gordon, J.F., Christensen, V.R. & Byers, C.D. (1993) Fiber diameter measurement of bulk man-made vitreous fiber. *Anal. chim. Acta*, **280**, 289–298
- Koshi, K., Kohyama, N., Myojo, T. & Fukuda, K. (1991) Cell toxicity, hemolytic action and clastogenic activity of asbestos and its substitutes. *Ind. Health*, **29**, 37–56
- Krantz, S. (1988) Exposure to man-made mineral fibers at ten production plants in Sweden. *Scand. J. Work Environ. Health*, **14** (Suppl. 1), 49–51
- Krantz, S., Cherrie, J.W., Schneider, T., Öhlberg, I. & Kamstrup, O. (1991) *Modelling of Past Exposure to MMMF in the European Rock/Slag Wool Industry (Arbete och Hälsa 1991:1)*, Solna, Arbetsmiljöinstitutet

- Krombach, F., Münzing, S., Allmeling, A.-M., Gerlach, J.T., Behr, J. & Dörger, M. (1997) Cell size of alveolar macrophages: An interspecies comparison. *Environ. Health Perspect.*, **105** (Suppl. 5), 1261–1263
- Lambré, C., Schorsch, F., Blanchard, O., Richard, J., Boivin, J.C., Hanton, D., Grimm, H. & Morscheidt, C. (1998) An evaluation of the carcinogenic potential of five man-made vitreous fibers using the intraperitoneal test. *Inhal. Toxicol.*, **10**, 995–1021
- Lanting, R.W. & Den Boeft, J. (1983) Ambient air concentrations of mineral fibers in the Netherlands. In: Reinisch, D., Schneider, H.W. & Birkner, K.F., eds, *Fibrous Dusts — Measurement, Effects, Prevention* (VDI-Berichte 475), Dusseldorf, VDI-Verlag, pp. 123–128
- Laskowski, J.J., Young, J., Gray, R., Acheson, R. & Forder, S.D. (1994) The identity, development and quantification of phases in devitrified, commercial-grade, aluminosilicate, refractory ceramic fibers: 'An X-ray powder diffractometry study'. *Anal. chim. Acta*, **286**, 9–23
- Law, B.D., Bunn, W.B. & Hesterberg, T.W. (1990) Solubility of polymeric organic fibers and man-made vitreous fibers in Gamble's solution. *Inhal. Toxicol.*, **2**, 321–339
- Law, B.D., Bunn, W.B. & Hesterberg, T.W. (1991) Dissolution of natural mineral and man-made vitreous fibers in Karnovsky's and formalin fixatives. *Inhal. Toxicol.*, **3**, 309–321
- Lawson, C.C., LeMasters, M.K., Kawas LeMasters, G., Simpson Reutman, S., Rice, C.H. & Lockey, J.E. (2001) Reliability and validity of chest radiograph surveillance programs. *Chest*, **120**, 64–68
- Le Bouffant, L., Henin, J.P., Martin, J.C., Normand, C., Tichoux, G. & Trolard, F. (1984) Distribution of inhaled MMMF in the rat lung — Long-term effects. In: *Biological Effects of Man-Made Mineral Fibres* (Proceedings of a WHO/IARC Conference), Vol. 2, Copenhagen, World Health Organization, pp. 143–167
- Le Bouffant, L., Daniel, H., Henin, J.P., Martin, J.C., Normand, C., Thichoux, G. & Trolard, F. (1987) Experimental study on long-term effects of inhaled MMMF on the lungs of rats. *Ann. occup. Hyg.*, **31**, 765–790
- Lea, C.S., Hertz-Picciotto, I., Andersen, A., Chang-Claude, J., Olsen, J.H., Pesatori, A.C., Teppo, L., Westerholm, P., Winter, P.D. & Boffetta, P. (1999) Gender differences in the healthy workers effect among synthetic vitreous fiber workers. *Am. J. Epidemiol.*, **150**, 1099–1105
- Leanderson, P. & Tagesson, C. (1989) Cigarette smoke potentiates the DNA-damaging effect of manmade mineral fibers. *Am. J. ind. Med.*, **16**, 697–706
- Leanderson, P. & Tagesson, C. (1992) Hydrogen peroxide release and hydroxyl radical formation in mixtures containing mineral fibres and human neutrophils. *Br. J. ind. Med.*, **49**, 745–749
- Leanderson, P., Söderkvist, P., Tagesson, C. & Axelson, O. (1988) Formation of DNA adduct 8-hydroxy-2'-deoxyguanosine induced by man-made mineral fibres. In: Bartsch, H., Hemminki, K. & O'Neill, I.K., eds, *Methods for Detecting DNA Damaging Agents in Humans: Applications in Cancer Epidemiology and Prevention* (IARC Scientific Publications No. 89), Lyon, IARC Press, pp. 422–424
- Leanderson, P., Söderkvist, P. & Tagesson, C. (1989) Hydroxyl radical mediated DNA base modification by manmade mineral fibres. *Br. J. ind. Med.*, **46**, 435–438
- Lee, K.P., Barras, C.E., Griffith, F.D., Waritz, R.S. & Lapin, C.A. (1981) Comparative pulmonary responses to inhaled inorganic fibers with asbestos and fiberglass. *Environ. Res.*, **24**, 167–191

- Lees, P.S.J., Breyse, P.N., McArthur, B.R., Miller, M.E., Rooney, B.C., Robbins, C.A & Corn, M. (1993) End user exposures to man-made vitreous fibers. I. Installation of residential insulation products. *Appl. occup. environ. Hyg.*, **8**, 1022–1030
- Lehuédé, P. & de Meringo, A. (1994) SEM-EDS analysis of glass fibers corroded in physiological solutions by dynamic tests with variable flow rates. *Environ. Health Perspect.*, **102** (Suppl. 5), 73–75
- Lehuédé, P., de Meringo, A. & Bernstein, D.M. (1997) Comparison of the chemical evolution of MMVF following inhalation exposure in rats and acellular in vitro dissolution. *Inhal. Toxicol.*, **9**, 495–523
- Leidel, N.A., Bush, K.A. & Lynch, J.R. (1977) NIOSH occupational exposure sampling strategy manual (NIOSH Publication No. 77-173), Washington, DC, United States Department of Health, Education and Welfare
- Leikauf, G.D., Fink, S.P., Miller, M.L., Lockey, J.E. & Driscoll, K.E. (1995) Refractory ceramic fibers activate alveolar macrophage eicosanoid and cytokine release. *J. appl. Physiol.*, **78**, 164–171
- Leineweber, J.P. (1984) Solubility of fibres *in vitro* and *in vivo*. In: *Biological Effects of Man-made Mineral Fibres*, Vol. 2, Copenhagen, World Health Organization, pp. 87–101
- Lemasters, G., Lockey, J., Rice, C., McKay, R., Hansen, K., Lu, J., Levin, L. & Gartside, P. (1994) Radiographic changes among workers manufacturing refractory ceramic fibre and products. *Ann. occup. Hyg.*, **38** (Suppl. 1), 745–751
- Lemasters, G.K., Lockey, J.E., Levin, L.S., McKay, R.T., Rice, C.H., Horvath, E.P., Papes, D.M., Lu, J.W. & Feldman, D.J. (1998) An industry-wide pulmonary study of men and women manufacturing refractory ceramic fibers. *Am. J. Epidemiol.*, **148**, 910–919
- Lemasters, G., Lockey, J., Levin, L., Yiin, J., Reutman, S., Papes, D. & Rice, C. (2001) A longitudinal study of chest radiographic changes and mortality of workers in the refractory ceramic fiber industry (Abstract at the 2001 Congress of Epidemiology) (Abstract No. 986). *Am. J. Epidemiol.*, **153** (Suppl. 264)
- Ljungman, A.G., Lindahl, M. & Tagesson, C. (1994) Asbestos fibres and man made mineral fibres: Induction and release of tumour necrosis factor- α from rat alveolar macrophages. *Occup. environ. Med.*, **51**, 777–783
- Lockey, J.E. & Ross, C.S. (1994) Radon and man-made vitreous fibers. *J. Allergy clin. Immunol.*, **94**, 310–317
- Lockey, J.E., Lemasters, G., Rice, C., Hansen, K., Levin, L., Shipley, R., Spitz, H. & Wiot, J. (1996) Refractory ceramic fiber exposure and pleural plaques. *Am. J. respir. crit. Care Med.*, **154**, 1405–1410
- Lockey, J.E., Lemasters, G.K., Levin, L., Rice, C., Yiin, J., Reutman, S. & Papes, D.M. (2002) A longitudinal study of chest radiographic changes of workers in the refractory ceramic fiber industry. *Chest*, **121**, 2044–2051
- Loewenstein, K.L. (1993) *The Manufacturing Technology of Continuous Glass Fibres* (Glass Science and Technology 6), 3rd rev. Ed., Amsterdam, Elsevier
- Lum, H., Tyler, W.S., Hyde, D.M. & Plopper, C.G. (1983) Morphometry of in situ and lavaged pulmonary alveolar macrophages from control and ozone-exposed rats. *Exp. Lung Res.*, **5**, 61–77

- Lundborg, M., Johard, U., Johansson, A., Eklund, A., Falk, R., Kreyling, W. & Camner, P. (1995) Phagolysosomal morphology and dissolution of cobalt oxide particles by human and rabbit alveolar macrophages. *Exp. Lung Res.*, **21**, 51–66
- Luoto, K., Holopainen, M., Karppinen, K., Perander, M. & Savolainen, K. (1994a) Dissolution of man-made vitreous fibers in rat alveolar macrophage culture and Gamble's saline solution: Influence of different media and chemical composition of the fibers. *Environ. Health Perspect.*, **102** (Suppl. 5), 103–107
- Luoto, K., Holopainen, M. & Savolainen, K. (1994b) Scanning electron microscopic study on the changes in the cell surface morphology of rat alveolar macrophages after their exposure to man-made vitreous fibers. *Environ. Res.*, **66**, 198–207
- Luoto, K., Holopainen, M., Kangas, J., Kalliokoski, P. & Savolainen, K. (1995) The effect of fiber length on the dissolution by macrophages of rockwool and glasswool fibers. *Environ. Res.*, **70**, 51–61
- Luoto, K., Holopainen, M., Perander, M., Karppinen, K. & Savolainen, K.M. (1996) Cellular effects of particles — Impact of dissolution on toxicity of man-made mineral fibers. *Centr. Eur. J. public Health*, **4**, 29–32
- Luoto, K., Holopainen, M., Sarataho, M. & Savolainen, K. (1997) Comparison of cytotoxicity of man-made vitreous fibers. *Ann. occup. Hyg.*, **41**, 31–50
- Luoto, K., Holopainen, M., Kangas, J., Kalliokoski, P. & Savolainen, K. (1998) Dissolution of short and long rockwool and glasswool fibers by macrophages in flowthrough cell culture. *Environ. Res.*, **A78**, 25–37
- Maltoni, C. & Minardi, F. (1989) Recent results of carcinogenicity bioassays of fibers and other particulate materials. In: Bignon, J., Peto, J. & Saracci, R., eds, *Non-Occupational Exposure to Mineral Fibres* (IARC Scientific Publications No. 90), Lyon, IARC Press, pp. 46–53
- Maples, K.R. & Johnson, N.F. (1992) Fiber induced hydroxyl radical formation: Correlation with mesothelioma induction in rats and humans. *Carcinogenesis*, **13**, 2035–2039
- Marchand, J.L., Luce, D., Leclerc, A., Goldberg, P., Orłowski, E., Bugel, I. & Brugère, J. (2000) Laryngeal and hypopharyngeal cancer and occupational exposure to asbestos and man-made vitreous fibers: Results of a case-control study. *Am. J. ind. Med.*, **37**, 581–589
- Marchant, G.E., Amen, M.A., Bullock, C.H., Carter, C.M., Johnson, K.A., Reynolds, J.W., Connelly, F.R. & Crane, A.E. (2002) A synthetic vitreous fibre (SVF) occupational exposure database: Implementing the SVF health and safety partnership program. *Appl. occup. environ. Hyg.*, **17**, 276–285
- Marks-Konczalik, J., Gillissen, A., Jaworska, M., Löseke, S., Voss, B., Fisseler-Eckhoff, A., Schmitz, I. & Schultze-Werninghaus, G. (1998) Induction of manganese superoxide dismutase gene expression in bronchoepithelial cells after rockwool exposure. *Lung*, **176**, 165–180
- Marsh, G.M., Enterline, P.E., Stone, R.A. & Henderson, V.L. (1990) Mortality among a cohort of US man-made mineral fiber workers: 1985 Follow-up. *J. occup. Med.*, **32**, 594–604
- Marsh, G.M., Stone, R.A., Owens, A.D., Henderson, V.L., Smith, T.J. & Quinn, M.M. (1993) *A Descriptive Analysis of the New Fiber and Co-exposure Data for the US Cohort Study of Man-made Vitreous Fiber Production (Proceedings of the 24th International Congress on Occupational Health, Nice, France)*

- Marsh, G., Stone, R., Youk, A., Smith, T., Quinn, M., Henderson, V., Schall, L., Wayne, L. & Lee, K. (1996) Mortality among United States rock wool and slag wool workers: 1989 Update. *J. occup. Health Safety Austr. N.Z.*, **12**, 297–312
- Marsh, G.M., Youk, A.O., Stone, R.A., Buchanich, J.M., Gula, M.J., Smith, T.J. & Quinn, M.M. (2001a) Historical cohort study of US man-made vitreous fiber production workers. I. 1992 fiberglass cohort follow-up: Initial findings. *J. occup. environ. Med.*, **43**, 741–756
- Marsh, G.M., Buchanich, J.M. & Youk, A.O. (2001b) Historical cohort study of US man-made vitreous fiber production workers. VI. Respiratory system cancer standardized mortality ratios adjusted for the confounding effect of cigarette smoking. *J. occup. environ. Med.*, **43**, 803–808
- Marsh, G.M., Gula, M.J., Youk, A.O., Buchanich, J.M., Churg, A. & Colby, T.V. (2001c) Historical cohort study of US man-made vitreous fiber production workers. II. Mortality from mesothelioma. *J. occup. environ. Med.*, **43**, 757–766
- Martin, J.-C., Imbernon, E., Goldberg, M., Chevalier, A. & Bonenfant, S. (2000) Occupational risk factors for lung cancer in the French electricity and gas industry. A case-control survey nested in a cohort of active employees. *Am. J. Epidemiol.*, **151**, 902–912
- Mast, R.W., Hesterberg, T.W., Glass, L.R., McConnell, E.E., Anderson, R. & Bernstein, D.M. (1994) Chronic inhalation and biopersistence of refractory ceramic fiber in rats and hamsters. *Environ. Health Perspect.*, **102** (Suppl. 5), 207–209
- Mast, R.W., McConnell, E.E., Hesterberg, T.W., Chevalier, J., Kotin, P., Thévenaz, P., Bernstein, D.M., Glass, L.R., Miiller, W.C. & Anderson, R. (1995a) Multiple-dose chronic inhalation toxicity study of size-separated kaolin refractory ceramic fiber in male Fischer 344 rats. *Inhal. Toxicol.*, **7**, 469–502
- Mast, R.W., McConnell, E.E., Anderson, R., Chevalier, J., Kotin, P., Bernstein, D.M., Thévenaz, P., Glass, L.R., Miiller, W.C. & Hesterberg, T.W. (1995b) Studies on the chronic toxicity (inhalation) of four types of refractory ceramic fiber in male Fischer 344 rats. *Inhal. Toxicol.*, **7**, 425–467
- Mast, R.W., Yu, C.P., Oberdörster, G., McConnell, E.E. & Utell, M.J. (2000a) A retrospective review of the carcinogenicity of refractory ceramic fiber in two chronic Fischer 344 rat inhalation studies: An assessment of the MTD and implications for risk assessment. *Inhal. Toxicol.*, **12**, 1141–1172
- Mast, R.W., Maxim, L.D., Utell, M.J. & Walker A.M. (2000b) Refractory ceramic fiber: Toxicology, epidemiology, and risk analyses — A review. *Inhal. Toxicol.*, **12**, 359–399
- Mattson, S.M. (1994) Glass fiber dissolution in simulated lung fluid and measures needed to improve consistency and correspondence to *in vivo* dissolution. *Environ. Health Perspect.*, **102** (Suppl. 5), 87–90
- Maxim, L.D., Kelly, W.P., Walters, T. & Waugh, R. (1994) A multiyear workplace-monitoring program for refractory ceramic fibers. *Regulat. Toxicol. Pharmacol.*, **20**, S200–S215
- Maxim, L.D., Allshouse, J.N., Kelly, W.P., Walters, T. & Waugh, R. (1997) A multiyear workplace-monitoring program for refractory ceramic fibers: Findings and conclusions. *Regul. Toxicol. Pharmacol.*, **26**, 156–171
- Maxim, L.D., Allshouse, J.N., Deadman, J.E., Kleck, C., Kostka, M., Webster, D., Class, P. & Sébastien, P. (1998) CARE — A European programme for monitoring and reducing refractory ceramic fibre dust at the workplace: Initial results. *Gefahrstoffe Reinhalt. Luft*, **58**, 97–103

- Maxim, L.D., Venturin, D. & Allshouse, J.N. (1999a) Respirable crystalline silica exposure associated with the installation and removal of RCF and conventional silica-containing refractories in industrial furnaces. *Regul. Toxicol. Pharmacol.*, **29**, 44–63
- Maxim, L.D., Mast, R.W., Utell, M.J., Yu, C.P., Boymel, P.M., Zoitos, B.K. & Cason, J.E. (1999b) Hazard assessment and risk analysis of two new synthetic vitreous fibers. *Regul. Toxicol. Pharmacol.*, **30**, 54–74
- Maxim, L.D., Allshouse, J.N., Chen, S.H., Treadway, J.C. & Venturin, D.E. (2000a) Workplace monitoring of refractory ceramic fiber in the United States. *Regul. Toxicol. Pharmacol.*, **32**, 293–309
- Maxim, L.D., Allshouse, J.N. & Venturin, D.E. (2000b) The random-effects model applied to refractory ceramic fiber data. *Regul. Toxicol. Pharmacol.*, **32**, 190–199
- McClellan, R.O. (1997) Use of mechanistic data in assessing human risks from exposure to particles. *Environ. Health Perspect.*, **105** (Suppl. 5), 1363–1372
- McConnell, E.E. (1994) Synthetic vitreous fibers — Inhalation studies. *Regul. Toxicol. Pharmacol.*, **20**, S22–S34
- McConnell, E.E., Wagner, J.C., Skidmore, J.W. & Moore, J.A. (1984) A comparative study of the fibrogenic and carcinogenic effects of UICC Canadian chrysotile B asbestos and glass microfibre (JM 100). In: *Biological Effects of Man-made Mineral Fibres* (Proceedings of a WHO/IARC Conference), Vol 2, Copenhagen, World Health Organization, pp. 234–252
- McConnell, E.E., Kamstrup, O., Musselman, R., Hesterberg, T.W., Chevalier, J., Miiller, W.C. & Thévenaz, P. (1994) Chronic inhalation study of size-separated rock and slag wool insulation fibers in Fischer 344/N rats. *Inhal. Toxicol.*, **6**, 571–614
- McConnell, E.E., Mast, R.W., Hesterberg, T.W., Chevalier, J., Kotin, P., Bernstein, D.M., Thévenaz, P., Glass, L.R. & Anderson, R. (1995) Chronic inhalation toxicity of a kaolin-based refractory ceramic fiber (RCF) in Syrian golden hamsters. *Inhal. Toxicol.*, **7**, 503–532
- McConnell, E.E., Axten, C., Hesterberg, T.W., Chevalier, J., Miiller, W.C., Everitt, J., Oberdörster, G., Chase, G.R., Thévenaz, P. & Kotin, P. (1999) Studies on the inhalation toxicology of two fiberglasses and amosite asbestos in the Syrian golden hamster. Part II. Results of chronic exposure. *Inhal. Toxicol.*, **11**, 785–835
- McDonald, J.C., Case, B.W., Enterline, P.E., Henderson, V., McDonald, A.D., Plourde, M. & Sébastien, P. (1990) Lung dust analysis in the assessment of past exposure of man-made mineral fibre workers. *Ann. occup. Hyg.*, **34**, 427–441
- de Meringo, A., Morscheidt, C., Thélohan, S. & Tiesler, H. (1994) *In vitro* assessment of biodegradability: Acellular systems. *Environ. Health Perspect.*, **102** (Suppl. 5), 47–53
- Miller, B.G., Searl, A., Davis, J.M.G., Donaldson, K., Cullen, R.T., Bolton, R.E., Buchanan, D. & Soutar, C.A. (1999) Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity. *Ann. occup. Hyg.*, **43**, 155–166
- Mohr, J.G. & Rowe, W.P. (1978) *Fiber Glass*, New York, Van Nostrand Reinhold
- Monchaux, G., Bignon, J., Jaurand, M.C., Lafuma, J., Sebastien, P., Masse, R., Hirsch, A. & Goni, J. (1981) Mesotheliomas in rats following inoculation with acid-leached chrysotile asbestos and other mineral fibres. *Carcinogenesis*, **2**, 229–236
- Monopolies and Mergers Commission (1991) *The Morgan Crucible Company plc and Manville Corporation, a Report on the Merger Situation*, London, Her Majesty's Stationery Office
- Moolgavkar, S.H., Turim, J., Brown, R.C. & Luebeck, E.G. (2001a) Long man-made fibers and lung cancer risk. *Regul. Toxicol. Pharmacol.*, **33**, 138–146

- Moolgavkar, S.H., Brown, R.C. & Turim, J. (2001b) Biopersistence, fiber length, and cancer risk assessment for inhaled fibers. *Inhal. Toxicol.*, **13**, 755–772
- Moorman, W.J., Mitchell, R.T., Mosberg, A.T. & Donofrio, D.J. (1988) Chronic inhalation toxicology of fibrous glass in rats and monkeys. *Ann. occup. Hyg.*, **32** (Suppl. 1), 757–767
- Morgan, A. (1994) *In vivo* evaluation of chemical biopersistence of man-made mineral fibers. *Environ. Health Perspect.*, **102** (Suppl. 5), 127–131
- Morgan, A. & Holmes, A. (1986) Solubility of asbestos and man-made mineral fibers *in vitro* and *in vivo*: Its significance in lung disease. *Environ. Res.*, **39**, 475–484
- Morgan, A., Holmes, A. & Davison, W. (1982) Clearance of sized glass fibres from the rat lung and their solubility *in vivo*. *Ann. occup. Hyg.*, **25**, 317–331
- Morrow, P.E. (1984) Pulmonary clearance. In: Esman & Mehlman, eds, *Advances in Modern Environmental Toxicology*, Vol. VIII, *Occupational and Industrial Hygiene: Concepts and Methods*, Princeton, NJ, Princeton Scientific Publishers, pp. 183–202
- Morrow, P.E. (1988) Possible mechanisms to explain dust overloading of the lungs. *Fundam. appl. Toxicol.*, **10**, 369–384
- Morrow, P.E. & Yu, C.P. (1985) Models of aerosol behavior in airways. In: Moren, F., Newhouse, M.T. & Dolovich, M.B., eds, *Aerosols in Medicine. Principles, Diagnosis and Therapy*, Amsterdam, Elsevier, pp. 149–191
- Mossman, B.T. & Sesko, A.M. (1990) *In vitro* assays to predict the pathogenicity of mineral fibers. *Toxicology*, **60**, 53–61
- Moulin, J.J., Pham, Q.T., Mur, J.M., Meyer-Bisch, C., Caillard, J.F., Massin, N., Wild, P., Teculescu, D., Delepine, P., Hunzinger, E., Perreaux, J.P. & Muller, J. (1987) [Epidemiological study in two factories producing artificial mineral fibres: II. Respiratory symptoms and lung function.] *Arch. Mal. prof.*, **48**, 7–16 (in French)
- Moulin, J.J., Mur, J.M., Wild, P., Perreaux, J.P. & Pham, Q.T. (1986) Oral cavity and laryngeal cancers among man-made mineral fiber production workers. *Scand. J. Work Environ. Health*, **12**, 27–31
- Moulin, J.J., Wild, P., Mur, J.M., Caillard, J.F., Massin, N., Meyer-Bisch, C., Toamain, J.P., Hanser, P., Liet, S., DuRoscoat, M.N. & Segala, A. (1988) Respiratory health assessment by questionnaire of 2024 workers involved in man-made mineral fiber production. *Int. Arch. occup. environ. Health*, **61**, 171–178
- Muhle, H. & Bellmann, B. (1995) Biopersistence of man-made vitreous fibres. *Ann. occup. Hyg.*, **39**, 655–660
- Muhle, H. & Bellmann, B. (1997) Significance of the biodurability of man-made vitreous fibers to risk assessment. *Environ. Health Perspect.*, **105** (Suppl. 5), 1045–1047
- Muhle, H., Pott, F., Bellmann, B., Takenaka, S. & Ziem, U. (1987) Inhalation and injection experiments in rats to test the carcinogenicity of MMMF. *Ann. occup. Hyg.*, **31**, 755–764
- Muhle, H., Bellmann, B. & Pott, F. (1994) Comparative investigations of the biodurability of mineral fibers in the rat lung. *Environ. Health Perspect.*, **102** (Suppl. 5), 163–168
- Murata-Kamiya, N., Tsutsui, T., Fujino, A., Kasai, H. & Kaji, H. (1997) Determination of carcinogenic potential of mineral fibers by 8-hydroxydeoxyguanosine as a marker of oxidative DNA damage in mammalian cells. *Int. Arch. occup. environ. Health*, **70**, 321–326

- Musselman, R.P., Müller, W.C., Eastes, W., Hadley, J.G., Kamstrup, O., Thevenaz, P. & Hesterberg, T.W. (1994a) Biopersistences of man-made vitreous fibers and crocidolite fibers in rat lungs following short-term exposures. *Environ. Health Perspect.*, **102** (Suppl. 5), 139–143
- Musselman, R.P., Müller, W.C., Eastes, W., Hadley, J.G., Kamstrup, O., Thevenaz, P. & Hesterberg, T.W. (1994b) Biopersistence of crocidolite versus man-made vitreous fibers in rat lungs after brief exposures. In: Mohr, U., Dungworth, D.L., Mauderly, J.L. & Oberdörster, G., eds, *Toxic and Carcinogenic Effects of Solid Particles in the Respiratory Tract*, Washington, DC, ILSI Press, pp. 451–454
- Nadeau, D., Fouquette-Couture, L., Paradis, D., Khorami, J., Lane, D., Dunnigan, J. (1987) Cytotoxicity of respirable dusts from industrial minerals: Comparison of two naturally occurring and two man-made silicates. *Drug Chem. Toxicol.*, **10**, 49–86
- NAIMA (North American Insulation Manufacturers' Association) and EURIMA (European Insulation Manufacturers' Association) (2001) *Background Material Prepared for IARC by NAIMA, EURIMA, and FARIMA (Fiberglass and Rockwool Insulation Manufacturers' Association of Australia)*
- National Research Council (2000) *Review of The U.S. Navy's Exposure Standard for Manufactured Vitreous Fibers*, Washington, DC, National Academy Press, pp. 1–73
- Nielsen, O. (1987) Man made mineral fibers in the indoor climate caused by ceiling of man-made mineral wool. In: Seifert, B., Esdorn, H., Fisher, M., Rüdén, H. & Wegner, J., eds, *Indoor Air, 1987, Proceedings of the 4th International Conference on Indoor Air Quality and Climate*, Vol. 1, Berlin, Institute of Water, Soil and Air Hygiene, pp. 580–583
- Nikitina, O.V., Kogan, F.M., Vanchugova, N.N. & Frash, V.N. (1989) [Comparative oncogenicity of basalt fibers and chrysotile asbestos.] *Gig. Tr. prof. Zbl.*, **4**, 7–11 (in Russian)
- NIOSH (National Institute for Occupational Safety and Health) (1994) Asbestos and other fibers by PCM. In: *NIOSH Manual of Analytical Methods (NMAM)* (4th Ed.) (www.cdc.gov/niosh), Method 7400, Issue 2, Cincinnati, OH
- Noack, K.H. & Böckler-Klusemann, M. (1993) [Asbestos in the Environment.] In: Grohmann, D. & Sonnenschein, G., eds, *Asbest (Special Edition of the Newsletter 'Working Safety')*, Maschinenbau- und Metall-Berufsgenossenschaft, Bielefeld, Bielefelder Verlagsanstalt (in German)
- Oberdörster, G. (1988) Lung clearance of inhaled insoluble and soluble particles. *J. Aerosol Med.*, **1**, 289–330
- Oberdörster, G. (1989) Combined effects of tobacco smoke and asbestos fibers in the lung: Synergism or increased dose to target sites? In: *Biological Interaction of Inhaled Mineral Fibers and Cigarette Smoke, Proceedings of an International Symposium-Workshop*, Columbus, OH, Battelle Press, pp. 195–209
- Oberdörster, G. (1996) Evaluation and use of animal models to assess mechanisms of fibre carcinogenicity. In: Kane, A.B., Boffetta, P. & Wilbourn, J.D., eds., *Mechanisms of Fibre Carcinogenesis* (IARC Scientific Publication No. 140), Lyon, IARC Press, pp. 107–125
- Oberdörster, G. (2000) Determinants of the pathogenicity of man-made vitreous fibers (MMVF). *Int. Arch. occup. environ. Health*, **73** (Suppl.), S60–S68
- Oberdörster, G. (2002) Toxicokinetics and effects of fibrous and nonfibrous particles. *Inhal. Toxicol.*, **14**, 29–56

- Oberdörster, G., Morrow, P.E. & Spurny, K. (1988) Size dependent lymphatic short term clearance of amosite fibers in the lung. *Ann. occup. Hyg.*, **32**, 149–156
- Oberdörster, G., Ferin, J. & Lehnert, B.E. (1994) Correlation between particle size, *in vivo* particle persistence and lung injury. *Environ. Health Perspect.*, **102** (Suppl. 5), 173–179
- Ohyama, M., Otake, T. & Morinaga, K. (2000) The chemiluminescent response from human monocyte-derived macrophages exposed to various mineral fibers of different sizes. *Ind. Health*, **38**, 289–293
- Okayasu, R., Wu, L. & Hei, T.K. (1999) Biological effects of naturally occurring and man-made fibres: *In vitro* cytotoxicity and mutagenesis in mammalian cells. *Br. J. Cancer*, **79**, 1319–1324
- Ong, T., Liu, Y., Zhong, B.-Z., Jones, W.G. & Whong, W.-Z. (1997) Induction of micronucleated and multinucleated cells by man-made fibers *in vitro* in mammalian cells. *J. Toxicol. environ. Health*, **50**, 409–414
- Osgood, C.J. (1994) Refractory ceramic fibers (RCFs) induce germline aneuploidy in *Drosophila* oocytes. *Mutat. Res.*, **324**, 23–27
- Oshimura, M., Hesterberg, T.W., Tsutsui, T. & Barrett, J.C. (1984) Correlation of asbestos-induced cytogenetic effects with cell transformation of Syrian hamster embryo cells in culture. *Cancer Res.*, **44**, 5017–5022
- Ottery, J., Cherie, J.W., Dodgson, J. & Harrison, G.E. (1984) A summary report on the environmental conditions at 13 European MMMF plants. In: *Biological Effects of Man-Made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization, pp. 83–117
- Pache, J.-C., Janssen, Y.M.W., Walsh, E.S., Quinlan, T.R., Zanella, C.L., Low, R.B., Taatjes, D.J. & Mossman, B.T. (1998) Increased epidermal growth factor-receptor protein in a human mesothelial cell line in response to long asbestos fibers. *Am. J. Pathol.*, **152**, 333–340
- Pelin, K., Kivipensas, P. & Linnainmaa, K. (1995) Effects of asbestos and man-made vitreous fibers on cell division in cultured human mesothelial cells in comparison to rodent cells. *Environ. mol. Mutag.*, **25**, 118–125
- Perrault, G., Dion, C. & Cloutier, Y. (1992) Sampling and analysis of mineral fibers on construction sites. *Appl. occup. environ. Hyg.*, **7**, 323–326
- Petersen, R. & Sabroe, S. (1991) Irritative symptoms and exposure to mineral wool. *Am. J. ind. Med.*, **20**, 113–122
- Pigott, G.H. & Ishmael, J. (1992) The effects of intrapleural injections of alumina and aluminosilicate (ceramic) fibres. *Int. J. exp. Pathol.*, **73**, 137–146
- Plato, N., Krantz, S., Anderson, L., Gustavsson, P. & Lundgren, L. (1995a) Characterization of current exposure to man-made vitreous fibres (MMVF) in the prefabricated house industry in Sweden. *Ann. occup. Hyg.*, **39**, 167–179
- Plato, N., Krantz, S., Gustavsson, P., Smith, T.J. & Westerholm, P. (1995b) Fiber exposure assessment in the Swedish rock wool and slag wool production industry in 1938–1990. *Scand. J. Work Environ. Health*, **21**, 345–352
- Plato, N., Westerholm, P., Gustavsson, P., Hemmingsson, T., Hogstedt, C. & Krantz, S. (1995c) Cancer incidence, mortality and exposure–response among Swedish man-made vitreous fiber production workers. *Scand. J. Work Environ. Health*, **21**, 353–361

- Pohlabeln, H., Jöckel, K.-H., Brüske-Hohlfeld, I., Möhner, M., Ahrens, W., Bolm-Audorff, U., Arhelger, R., Römer, W., Kreienbrock, L., Kreuzer, M., Jahn, I. & Wichmann, H.-E. (2000) Lung cancer and exposure to man-made vitreous fibers: Results from a pooled case-control study in Germany. *Am. J. ind. Med.*, **37**, 469–477
- Pott, F. (1989) Carcinogenicity of fibres in experimental animals — Data and evaluation. In: Bates, D.V., Dungworth, D.L., Lee, P.N., McClellan, R.O. & Roe, F.J.C., eds, *Assessment of Inhalation Hazards* (ILSI Monographs), Berlin, Springer-Verlag, pp. 243–253
- Pott, F. (1995) Detection of mineral fibre carcinogenicity with the intraperitoneal test — Recent results and their validity. *Ann. occup. Hyg.*, **39**, 771–779
- Pott, F., Huth, F. & Friedrichs, K.H. (1974) Tumorigenic effect of fibrous dusts in experimental animals. *Environ. Health Perspect.*, **9**, 313–315
- Pott, F., Friedrichs, K.H. & Huth, F. (1976) [Results of animal experiments concerning the carcinogenic effect of fibrous dusts and their interpretation with regard to the carcinogenesis in humans.] *Zbl. Bakteriol. Orig. B*, **162**, 467–505 (in German)
- Pott, F., Huth, F. & Spurny, K. (1980) Tumour induction after intraperitoneal injection of fibrous dust. In: Wagner, J.C., ed., *Biological Effects of Mineral Fibres* (IARC Scientific Publications No. 30), Lyon, IARC Press, pp. 337–342
- Pott, F., Schlipkötter, H.W., Ziem, U., Spurny, K. & Huth, F. (1984a) New results from implantation experiments with mineral fibres. In: *Biological Effects of Man-Made Mineral Fibres* (Proceedings of a WHO/IARC Conference), Vol. 2, Copenhagen, World Health Organization, pp. 286–302
- Pott, F., Ziem, U. & Mohr, U. (1984b) Lung carcinomas and mesotheliomas following intratracheal instillation of glass fibres and asbestos. In: *Proceedings of the VIth International Pneumoconiosis Conference, Bochum, Federal Republic of Germany, 20–23 September 1983*, Vol. 2, Geneva, International Labour Office, pp. 746–756
- Pott, F., Ziem, U., Reiffer, F.-J., Huth, F., Ernst, H. & Mohr, U. (1987) Carcinogenicity studies on fibres, metal compounds, and some other dusts in rats. *Exp. Pathol.*, **82**, 129–152
- Pott, F., Matscheck, A., Ziem, U., Muhle, H. & Huth, F. (1988) Animal experiments with chemically treated fibres. *Ann. occup. Hyg.*, **32** (Suppl. 1), 353–359
- Pott, F., Roller, M., Ziem, U., Reiffer, F.-J., Bellmann, B., Rosenbruch, R. & Huth, F. (1989) Carcinogenicity studies on natural and man-made fibres with the intraperitoneal test in rats. In: Bignon, J., Peto, J. & Saracci, R., eds, *Non-Occupational Exposure to Mineral Fibres* (IARC Scientific Publications No. 90), Lyon, IARC Press, pp. 173–179
- Pott, F., Roller, M., Rippe, R.M., Germann, P.-G. & Bellmann, B. (1991) Tumours by the intraperitoneal and intrapleural routes and their significance for the classification of mineral fibres. In: Brown, R.C., Hoskins, J.A. & Johnson, N.F., eds, *Mechanisms in Fibre Carcinogenesis* (NATO ASI Series 223), New York, Plenum Press, pp. 547–565
- Pott, F., Roller, M., Althoff, G.H., Kamino, K., Bellmann, B. & Ulm, K. (1993) [Estimation of the carcinogenicity of inhaled fibres.] *VDI Berichte*, No. **1075**, 17–77 (in German)
- Pott, F., Dungworth, D.L., Heinrich, U., Muhle, H., Kamino, K., Germann, P.-G., Roller, M., Rippe, R.M. & Mohr, U. (1994) Lung tumours in rats after intratracheal instillation of dusts. *Ann. occup. Hyg.*, **38**, 357–363
- Potter, R.M. & Mattson, S.M. (1991) Glass fiber dissolution in a physiological saline solution. *Glastech. Ber.*, **64**, 16–28

- Quinn, M.M., Smith, T.J., Youk, A.O., Marsh, G.M., Stone, R.A., Buchanich, J.M. & Gula, M.J. (2001) Historical cohort study of US man-made vitreous fiber production workers. VIII. Exposure-specific job analysis. *J. occup. environ. Med.*, **43**, 824–834
- Riboldi, L., Rivolta, G., Barducci, M., Errigo, G. & Picchi, O. (1999) [Respiratory disease caused by MMVF fibres and yarn.] *Med. Lav.*, **90**, 53–66 (in Italian)
- Rice, C., Lockey, J., Lemasters, G., Levin, L. & Gartside, P. (1996) Identification of changes in airborne fibre concentrations in refractory ceramic fibre manufacture related to process or ventilation modifications. *Occup. Hyg.*, **3**, 85–90
- Rice, C.H., Lockey, J.E., Lemasters, G.K., Levin, L.L., Staley, P. & Hansen, K.R. (1997) Estimation of historical and current employee exposure to refractory ceramic fibers during manufacturing and related operations. *Appl. occup. environ. Hyg.*, **12**, 54–61
- Rindel, A.C., Bach, E., Breum, N.O., Hugod, E. & Schneider, T. (1987) Correlating health effect with indoor air quality in kindergartens. *Int. Arch. Occup. Environ. Health*, **59**, 363–373
- Rockwool International (2001) *Statement for IARC, 2001-10-10*, Rockwool International A/S, Hedenhusene, Denmark
- Rödelsperger, K., Teichert, U., Marfels, H., Spurny, K., Arhelger, R. & Voitowitz, H.-J. (1989) Measurement of inorganic fibrous particulates in ambient air and indoors with the scanning electron microscope. In: Bignon, J., Peto, J. & Saracci, R., eds, *Non-Occupational Exposure to Mineral Fibres* (IARC Scientific Publication No. 90), Lyon, IARC Press, pp. 361–366
- Rödelsperger, K., Barbisan, P., Teichert, U., Arhelger, R. & Voitowitz, H.-J. (1998) Indoor emission of mineral wool products. *VDI Berichte*, **1417**, 337–354
- Rödelsperger, K., Jöckel, K.-H., Pohlabein, H., Römer, W. & Voitowitz, H.-J. (2001) Asbestos and man-made vitreous fibers as risk factors for diffuse malignant mesothelioma: Results from a German hospital-based case-control study. *Am. J. ind. Med.*, **39**, 262–275
- Roller, M. & Pott, F. (1998) Carcinogenicity of man-made fibres in experimental animals and its relevance for classification of insulation wools. *Eur. J. Oncol.*, **3**, 231–239
- Roller, M., Pott, F., Kamino, K., Althoff, G.-H. & Bellmann, B. (1996) Results of current intraperitoneal carcinogenicity studies with mineral and vitreous fibers. *Exp. Toxicol. Pathol.*, **48**, 3–12
- Roller, M., Pott, F., Kamino, K., Althoff, G.-H. & Bellmann, B. (1997) Dose-response relationship of fibrous dusts in intraperitoneal studies. *Env. Health Persp.*, **105** (Suppl. 5), 1253–1256
- Rood, A.P. & Streeter, R.R. (1985) Size distribution of airborne superfine man-made mineral fibers determined by transmission electron microscopy. *Am. ind. Hyg. Assoc. J.*, **46**, 257–261
- Rossiter, C.E. (1993) Pulmonary effects of exposure to fine fibreglass: Irregular opacities and small airways obstruction. *Br. J. ind. Med.*, **50**, 382–384 (correspondence)
- Rossiter, C.E., Gilson, J.C., Sheers, G., Thomas, H.F., Trenthowan, W.N., Cherie, J.W. & Harrington, J.M. (1994) Refractory ceramic fiber production workers: Analysis of radiograph readings. *Ann. occup. Hyg.*, **38**, 731–738
- Ruotsalainen, M., Hirvonen, M.-R., Luoto, K. & Savolainen, K.M. (1999) Production of reactive oxygen species by man-made vitreous fibers in human polymorphonuclear leukocytes. *Hum. exp. Toxicol.*, **18**, 354–362

- Rutten, A., Bermudez, E., Mangum, J., Wong, B., Moss, O. & Everitt, J. (1994a) Pleural pathology in hamsters and rats exposed to instilled man-made vitreous fibers. In: Dungworth, D.L., Mauderly, J.L. & Oberdörster, G., eds, *Toxic and Carcinogenic Effects of Solid Particles in the Respiratory Tract* (ILSI Monographs), Washington, DC, ILSI Press, pp. 595–598
- Rutten, A.A.J.J.L., Bermudez, E., Mangum, J.B., Wong, B.A., Moss, O.R. & Everitt, J.I. (1994b) Mesothelial cell proliferation induced by intrapleural instillation of man-made fibers in rats and hamsters. *Fundam. appl. Toxicol.*, **23**, 107–116
- Sali, D., Boffetta, P., Andersen, A., Cherrie, J.W., Chang Claude, J., Hansen, J., Olsen, J.H., Pesatori, A.C., Plato, N., Teppo, L., Westerholm, P., Winter, P. & Saracci, R. (1999) Non-neoplastic mortality of European workers who produce man made vitreous fibers. *Occup. environ. Med.*, **56**, 612–617
- Saracci, R., Simonato, L., Acheson, E.D., Andersen, A., Bertazzi, P.A., Claude, J., Charnay, N., Estève, J., Frenzel-Beyme, R.R., Gardner, M.J., Jensen, O.M., Maasing, R., Olsen, J.H., Teppo, L.H.I., Westerholm, P. & Zocchetti, C. (1984a) The IARC mortality and cancer incidence study of MMMF production workers. In: *Biological Effects of Man-Made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization, pp. 279–310
- Saracci, R., Simonato, L., Acheson, E.D., Andersen, A., Bertazzi, P.A., Claude, J., Charnay, N., Estève, J., Frenzel-Beyme, R.R., Gardner, M.J., Jensen, O.M., Maasing, R., Olsen, J.H., Teppo, L.H.I., Westerholm, P. & Zocchetti, C. (1984b) Mortality and incidence of cancer of workers in the man made vitreous fibres producing industry: An international investigation at 13 European plants. *Br. J. ind. Med.*, **41**, 425–436
- Schins, R.P.F. & Donaldson, K. (2000) Nuclear factor kappa-B activation by particles and fibers. *Inhal. Toxicol.*, **12** (Suppl. 3), 317–326
- Schlesinger, R.B., Ben-Jebria, A., Dahl, A.R., Snipes, M.D. & Ultman, J. (1997) Disposition of inhaled toxicants. In: Massaro, E.J., ed., *Handbook of Human Toxicology*, Boca Raton, FL, CRC Press, pp. 493–550
- Schneider, T. (1979a) Exposures to man-made mineral fibres in user industries in Scandinavia. *Ann. occup. Hyg.*, **22**, 153–162
- Schneider, T. (1979b) The influence of counting rules on the number and on the size distribution of fibers. *Ann. occup. Hyg.*, **21**, 341–350
- Schneider, T. (1984) Review of surveys in industries that use MMMF. In: *Biological Effects of Man-Made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization., pp. 178–190
- Schneider, T. (1986) Man-made mineral fibres and other fibres in the air and settled dust. *Environ. int.*, **12**, 61–65
- Schneider, T. (2000) Synthetic vitreous fibers. In: Spengler, J.D., Samet, J.M. & McCarthy, J.F., eds, *Indoor Air Quality Handbook*, New York, McGraw-Hill, pp. 39.1–39.29
- Schneider, T. & Holst, E. (1983) Man-made mineral fibre size distributions utilizing unbiased and fibre length biased counting methods and the bivariate log-normal distribution. *J. Aerosol. Sci.*, **14**, 139–146
- Schneider, T. & Stokholm, J. (1981) Accumulation of fibres in the eyes of workers handling man-made mineral fibre products. *Scand. J. Work Environ. Health*, **7**, 271–276

- Schneider, T., Holst, E. & Skotte, J. (1983) Size distributions of airborne fibres generated from man-made mineral fibre products. *Ann. occup. Hyg.*, **27**, 157–171
- Schneider, T., Skotte, J. & Nissen, P. (1985) Man-made mineral fibre size fractions and their interrelation. *Scand. J. Work Environ. Health*, **11**, 117–122
- Schneider, T., Nielsen, O., Bredsdorff, P. & Linde, P. (1990) Dust in buildings with man-made mineral fiber ceiling boards. *Scand. J. Work Environ. Health*, **16**, 434–439
- Schneider, T., Burdett, G., Martinon, L., Brochard, P., Guillemin, M., Teichert, U. & Draeger, U. (1996) Ubiquitous fiber exposure in selected sampling sites in Europe. *Scand. J. Work Environ. Health*, **22**, 274–284
- Schnittger, J. (1993) [Measurement and identification of inorganic fibres in ambient air.] In: *Faserförmige Stäube Vorschriften, Wirkungen, Messung, Minderung* (VDI Berichte No. 1075), Düsseldorf, Verein Deutscher Ingenieure Verlag, pp. 283–295 (in German)
- Scholze, H. & Conrath, R. (1987) An *in vitro* study of the chemical durability of siliceous fibres. *Ann. occup. Hyg.*, **31**, 683–692
- Schupp, M. (1990) A global view of the RCF market. *Ceram. Bull.*, **69**, 63–64
- Schürch, S., Gehr, P., Im Hof, V., Geiser, M. & Green, F. (1990) Surfactant displaces particles toward the epithelium in airways and alveoli. *Respir. Physiol.*, **80**, 17–32
- Searl, A., Buchanan, D., Cullen, R.T., Jones, A.D., Miller, B.G. & Soutar, C.A. (1999) Biopersistence and durability of nine mineral fibre types in rat lungs over 12 months. *Ann. occup. Hyg.*, **43**, 143–153
- Sébastien, P. (1994) Biopersistence of man-made vitreous silicate fibers in the human lung. *Environ. Health Perspect.*, **102** (Suppl. 5), 225–228
- Sebring, R.J. & Lehnert, B.E. (1992) Morphometric comparisons of rat alveolar macrophages, pulmonary interstitial macrophages, and blood monocytes. *Exp. Lung Res.*, **18**, 479–496
- Shannon, H.S., Hayes, M., Julian, J.A. & Muir, D.C.F. (1984) Mortality experience of glass fibre workers. *Br. J. ind. Med.*, **41**, 35–38
- Shannon, H.S., Jamieson, E., Julian, J.A., Muir, D.C.F. & Walsh, C. (1987) Mortality experience of Ontario glass fibre workers — Extended follow-up. *Ann. occup. Hyg.*, **31**, 657–662
- Shannon, H.S., Jamieson, E., Julian, J.A. & Muir, D.C.F. (1990) Mortality of glass filament (textile) workers. *Br. J. ind. Med.*, **47**, 533–536
- Shaulian, E. & Karin, M. (2001) AP-1 in cell proliferation and survival. *Oncogene*, **20**, 2390–2400
- Siemiatycki, J., ed. (1991) *Risk Factors for Cancer in the Workplace*, Boca Raton, FL, CRC Press
- Simonato, L., Fletcher, A.C., Cherrie, J., Andersen, A., Bertazzi, P.A., Charnay, N., Claude, J., Dodgson, J., Estève, J., Frentzel-Beyme, R.R., Gardner, M.J., Jensen, O.M., Olsen, J., Saracci, R., Teppo, L.H.I., Westerholm, P., Winkelmann, R., Winter, P.D. & Zocchetti, C. (1986a) The man-made mineral fibre European historical cohort study: Extension of the follow-up. *Scand. J. Work environ. Health*, **12** (Suppl. 1), 34–47 (Corrigendum in *Scand. J. Work environ. Health*, **13**, 192)
- Simonato, L., Fletcher, A.C., Cherrie, J., Andersen, A., Bertazzi, P.A., Charnay, N., Claude, J., Dodgson, J., Estève, J., Frentzel-Beyme, R.R., Gardner, M.J., Jensen, O.M., Olsen, J., Saracci, R., Teppo, L.H.I., Westerholm, P., Winkelmann, R., Winter, P.D. & Zocchetti, C. (1986b) Updating lung cancer mortality among a cohort of man-made mineral fibre production workers in seven European countries. *Cancer Lett.*, **30**, 189–200

- Simonato, L., Fletcher, A.C., Cherrie, J., Andersen, A., Bertazzi, P., Charnay, N., Claude, J., Dodgson, J., Estève, J., Frentzel-Beyme, R., Gardner, M.J., Jensen, O., Olsen, J., Teppo, L., Winkelmann, R., Westerholm, P., Winter, P.D., Zocchetti, C. & Saracci, R. (1987) The International Agency for Research on Cancer historical cohort study of MMMF production workers in seven European countries: Extension of the follow-up. *Ann. occup. Hyg.*, **31**, 603–623
- Skov, P. & Valbjørn, O. and the Danish Indoor Climate Study Group (1987) The 'sick' building syndrome in office environment: The Danish Town Hall study. *Environ. Int.*, **13**, 339–349
- Smith, D.M., Ortiz, L.W., Archuleta, R.F. & Johnson, N.F. (1987) Long-term health effects in hamsters and rats exposed chronically to man-made vitreous fibres. *Ann. occup. Hyg.*, **31**, 731–754
- Smith, T.J., Quinn, M.M., Marsh, G.M., Youk, A.O., Stone, R.A., Buchanich, J.M. & Gula, M.J. (2001) Historical cohort study of US man-made vitreous fiber workers: VII. Overview of the exposure assessment. *J. occup. environ. Med.*, **43**, 809–823
- Snipes, M.B. (1989) Long-term retention and clearance of particles inhaled by mammalian species. *Crit. Reviews in Toxicol.*, **20**, 175–211
- Spurny, K.R. & Stöber, W. (1981) Some aspects of analysis of single fibers in environmental and biological samples. *Int. J. environ. anal. Chem.*, **9**, 265–281
- Stahlhofen, W., Scheuch, G. & Bailey, M.R. (1995) Investigations of retention of inhaled particles in the human bronchial tree. *Radiat. Protect. Dosim.*, **60**, 311–319
- Stanton, M.F. & Wrench, C. (1972) Mechanisms of mesothelioma induction with asbestos and fibrous glass. *J. natl Cancer Inst.*, **48**, 797–821
- Stanton, M.F., Layard, M., Tegeris, A., Miller, E., May, M. & Kent, E. (1977) Carcinogenicity of fibrous glass: Pleural response in the rat in relation to fiber dimension. *J. natl Cancer Inst.*, **58**, 587–603
- Stanton, M.F., Layard, M., Tegeris, A., Miller, E., May, M., Morgan, E. & Smith, A. (1981) Relation of particle dimension to carcinogenicity in amphibole asbestoses and other fibrous minerals. *J. natl Cancer Inst.*, **67**, 965–975
- Steenberg, T., Hjenner, H.K., Lund Jensen, S., Guldberg, M. & Knudsen, T. (2001) Dissolution behaviour of biosoluble HT stone wool fibres. *Glastech. Ber. Glass Sci. Technol.*, **74**, 97–105
- Stone, K.C., Mercer, R.R., Gehr, P., Stockstill, B. & Crapo, J.D. (1992) Allometric relationships of cell numbers and size in the mammalian lung. *Am. J. respir. Cell mol. Biol.*, **6**, 235–243
- Stone, R.A., Youk, A.O., Marsh, G.M., Buchanich, J.M., McHenry, M.B. & Smith, T.J. (2001) Historical cohort study of US man-made vitreous fiber production workers. IV. Quantitative exposure-response analysis of the nested case-control study of respiratory system cancer. *J. occup. environ. Med.*, **43**, 779–792
- Stöber, W., McClellan, R.O. & Morrow, P.E. (1993) Approaches to modeling disposition of inhaled particles and fibers in the lung. In: Gardner *et al.*, eds, *Toxicology of the Lung*, 2nd Ed., New York, Raven Press, pp. 527–601
- Swedish National Board of Occupational Safety and Health (1996) *Provisions on Occupational Exposure Limit Values* (AFS 1996:2). Stockholm, Arbetskyddsstyrelsen (<http://www.av.se>)

- Switala, E.D., Harlan, R.C., Schlaudecker, D.G. & Bender, J.R. (1994) Measurement of respirable glass and total fiber concentrations in the ambient air around a fiberglass wool manufacturing facility and a rural area. *Regul. Toxicol. Pharmacol.*, **20**, S76–S88
- Takahashi, T., Munakata, M., Takekawa, H., Homma, Y. & Kawakami, Y. (1996) Pulmonary fibrosis in a carpenter with long-lasting exposure to fiberglass. *Am. J. ind. Med.*, **30**, 596–600
- Taylor, D.G. (1977) Asbestos fibers in air. Method No. P & CAM 289. In: *NIOSH Manual of Analytical Methods*, 2nd Ed., Cincinnati, OH, National Institute for Occupational Safety and Health
- Thestrup-Pedersen, K., Bach, B. & Pedersen, R. (1990) Allergic investigation in patients with the sick building syndrome. *Contact Derm.*, **23**, 53–55
- Thriene, B., Sobottka, A., Willer, H. & Weidhase, J. (1996) Man-made mineral fibre boards in buildings — Health risks caused by quality deficiencies. *Toxicol. Lett.*, **88**, 299–303
- Tiesler, H. & Draeger, U. (1993) Measurement and identification of insulation product-related fibres in contrast to ubiquitous fibres. In: Kalliokoski, P., Jantunen, M. & Seppänen, O., *Indoor Air 1993 Proceedings of the 6th International Conference on Indoor Air Quality and Climate*, Vol. 4, Helsinki, Jyväskylä, Finland, Gummerus, Oy, pp. 111–116
- Tiesler, H., Teichert, U. & Draeger, U. (1990) [Studies on the fibre dust exposition at building sites caused by insulation material from mineral wool.] *Zb. Arbeitsmed.*, **40**, 307–319 (in German)
- Tiesler, H., Draeger, U. & Rogge, D. (1993) Emission of fibrous particles from installed insulation mineral wool products. In: Kalliokoski, P., Jantunen, M. & Seppänen, O., *Indoor Air 1993 Proceedings of the 6th International Conference on Indoor Air Quality and Climate*, Vol. 4, Helsinki, Jyväskylä, Finland, Gummerus, Oy, pp. 117–121
- TIMA (Thermal Insulation Manufacturers Association) (1993) *Man-made Vitreous Fibers: Nomenclature, Chemical and Physical Properties*, 4th Ed., Eastes, W., ed., Nomenclature Committee of Thermal Insulation Manufacturers' Association, Refractory Ceramic Fibers Coalition (RCFC), Washington, DC
- Timbrell, V. (1965) The inhalation of fibrous dusts. *Ann. N.Y. Acad. Sci.*, **132**, 255–273
- Tran, C.L., Buchanan, D., Cullen, R.T., Searl, A., Jones, A.D. & Donaldson, K. (2000) Inhalation of poorly soluble particles. II. Influence of particle surface area on inflammation and clearance. *Inhal. Toxicol.*, **12**, 1113–1126
- Treadwell, M.D., Mossman, B.T. & Barchowsky, A. (1996) Increased neutrophil adherence to endothelial cells exposed to asbestos. *Toxicol. appl. Pharmacol.*, **139**, 62–70
- Trethowan, W.N., Burge, P.S., Rossiter, C.E., Harrington, J.M. & Calvert, I.A. (1995) Study of the respiratory health of employees in seven European plants that manufacture ceramic fibres. *Occup. environ. Med.*, **52**, 97–104
- TRGS (Technische Regeln für Gefahrstoffe) (1999) [Limit values in the air for non-organic dust fibres.], TRGS 901, German Federal Ministry of Labour and Social Affairs, *Bundes-Arbeitsblatt*, **4**, 42 (in German)
- TRGS (Technische Regeln für Gefahrstoffe) (2001) [Justification for the Classification of Dusts from Natural and Man-Made Mineral Fibres], TRGS 905, German Federal Ministry of Labour and Social Affairs, *Bundesarbeitsblatt*, **6**, 57
- United Kingdom Factories Inspectorate (1987) *Survey of Superfine Man-Made Mineral Fibre Exposure in the UK*, London, Health and Safety Executive Advisory Committee on Toxic Substances, Occupational Medicine and Hygiene Laboratories

- Van der Wal, J.F., Ebens, R. & Tempelman, J. (1987) Man-made mineral fibres in homes caused by thermal insulation. *Atmos. Environ.*, **21**, 13–19
- Van De Weyer, R. & Nolard, N. (1992) [Extrinsic allergic alveolitis in a fiber glass production worker.] *Rev. fr. Mal. respir.*, **Suppl. 3**, 150 (in French)
- Vasama-Neuvonen, K., Pukkala, E., Paakkulainen, H., Mutanen, P., Weiderpass, E., Boffetta, P., Shen, N., Kauppinen, T., Vainio, H. & Partanen, T. (1999) Ovarian cancer and occupational exposures in Finland. *Am. J. ind. Med.*, **36**, 83–89
- Vastag, E., Matthys, H., Zsomboki, G., Köhler, D. & Daikeler, G. (1986) Mucociliary clearance in smokers. *Eur. J. respir. Dis.*, **68**, 107–113
- VDI (Verein Deutscher Ingenieure) (1994) *Indoor Air Pollution Measurement. Measurement of Inorganic Fibrous Particles. Measurement Planning and Procedure. Scanning Electron Microscopy Method* (VDI 3492, part 2), Berlin, Deuth Verlag
- Vetrotex (2001) La Défense, France (<http://www.saint-gobainvetrotex.com>)
- Vorwald, A.J., Durkan, T.M. & Pratt, P.C. (1951) Experimental studies of asbestosis. *AMA Arch. ind. Hyg. occup. Med.*, **3**, 1–43
- Wagner, J.C. (1963) Asbestosis in experimental animals. *Br. J. ind. Med.*, **20**, 1–12
- Wagner, J.C., Berry, G. & Timbrell, V. (1973) Mesotheliomata in rats after inoculation with asbestos and other materials. *Br. J. Cancer*, **28**, 173–185
- Wagner, J.C., Berry, G. & Skidmore, J.W. (1976) Studies of the carcinogenic effects of fiber glass of different diameters following intrapleural inoculation in experimental animals. In: LeVee, W.N. & Schulte, P.A., eds, *Occupational Exposure to Fibrous Glass* (DHEW Publ. No. (NIOSH) 76-151; NTIS Publ. No. PB-258869), Cincinnati, OH, National Institute for Occupational Safety and Health, pp. 193–204
- Wagner, J.C., Berry, G.B., Hill, R.J., Munday, D.E. & Skidmore, J.W. (1984) Animal experiments with MMM(V)F — Effects of inhalation and intrapleural inoculation in rats. In: *Biological Effects of Man-made Mineral Fibres* (Proceedings of a WHO/IARC Conference), Vol 2, Copenhagen, World Health Organization, pp. 209–233
- Walker, A.M., Maxim, L.D. & Utell, M. (2002) Risk analysis for mortality from respiratory tumors in a cohort of refractory ceramic fiber workers. *Regul. Toxicol. Pharmacol.*, **35**, 95–104
- Wang, Q.-E., Han, C.-H., Wu, W.-D., Wang, H.-B., Liu, S.-J. & Kohyama, N. (1999a) Biological effects of man-made mineral fibers (I). Reactive oxygen species production and calcium homeostasis in alveolar macrophages. *Ind. Health*, **37**, 62–67
- Wang, Q.-E., Han, C.-H., Yang, Y.-P., Wang, H.-B., Wu, W.-D., Liu, S.-J. & Kohyama, N. (1999b) Biological effects of man-made mineral fibers (II). Their genetic damages examined by *in vitro* assay. *Ind. Health*, **37**, 342–347
- Warheit, D.B., Overby, L.H., George, G. & Brody, A.R. (1988) Pulmonary macrophages are attracted to inhaled particles through complement activation. *Exp. Lung Res.*, **14**, 51–66
- Wastiaux, A., Blanchard, O. & Honnons, S. (1994) Possible application of urinary analysis to estimate dissolution of some man-made vitreous fibers. *Environ. Health Perspect.*, **102** (Suppl. 5), 217–219
- Watkins, D.K., Chiazze, L. & Fryar, C. (1997) Historical cohort mortality study of a continuous filament fiberglass manufacturing plant. II. Women and minorities. *J. occup. environ. Med.*, **39**, 548–555

- Weiderpass, E., Pukkala, E., Kauppinen, T., Mutanen, P., Paakkulainen, H., Vasama-Neuvonen, K., Boffetta, P. & Partanen, T. (1999) Breast cancer and occupational exposures in women in Finland. *Am. J. ind. Med.*, **36**, 48–53
- Weill, H. & Hughes, J.M. (1996) Review of epidemiological data on morbidity following exposure to man-made vitreous fibres. *J. occup. Health Safety Aust. NZ*, **12**, 313–317
- Weill, H., Hughes, J.M., Hammad, Y.Y., Glindmeyer, H.W., Sharon, G. & Jones, R.N. (1983) Respiratory health of workers exposed to man-made vitreous fibers. *Am. Rev. respir. Dis.*, **128**, 104–112
- WHO (1985) *Reference Methods for Measuring Airborne Man-Made Mineral Fibres (MMMMF)* (Environmental Health Series 4), World Health Organization, Copenhagen
- WHO (1996) *Determination of Airborne Fibre Number Concentrations. A Recommended Method, by Phase Contrast Optical Microscopy (Membrane Filter Method)*, World Health Organization, Geneva (<http://www.who.int/environmental-information>)
- Whong, W.-Z., Gao, H.-G., Zhou, G. & Ong, T. (1999) Genetic alterations of cancer-related genes in glass fiber-induced transformed cells. *J. Toxicol. environ. Health*, **56A**, 397–404
- Wojtczak, J. (1994) [Exposure to ceramic fibers in the occupational environment. I. Production, kinds of ceramic fibers, changes in structure of fibers, preliminary studies in the working environment.] *Med. Prac.*, **45**, 479–486 (in Polish)
- Wojtczak, J., Lao, I. & Krajnow, A. (1996) [Exposure to ceramic fibres in the work environment. II. Occupational exposure to dust in plants producing ceramic fibre: Fibrogenic effect of the fibres.] *Med. Prac.*, **47**, 559–567 (in Polish)
- Wojtczak, J., Kiec-Świerczynska, M. & Maciejewska, A. (1997) [Exposure to ceramic fibres in the environment. III. Occupational exposure to ceramic fibres in plants which produce and apply insulation materials made of ceramic fibres.] *Med. Prac.*, **48**, 51–60 (in Polish)
- Wong, O., Foliart, D. & Trent, L.S. (1991) A case-control study of lung cancer in a cohort of workers potentially exposed to slag wool fibres. *Br. J. ind. Med.*, **48**, 818–824
- Xie, C., Reusse, A., Dai, J., Zay, K., Harnett, J. & Churg, A. (2000) TNF α increases tracheal epithelial asbestos and fiberglass binding via a NF- κ B-dependent mechanism. *Am. J. Physiol. Lung cell. mol. Physiol.*, **279**, L608–L614
- Yamato, H., Tanaka, I., Higashi, T. & Kido, M. (1994a) Clearance of inhaled ceramic fibers from rat lungs. *Environ. Health Perspect.*, **102** (Suppl. 5), 169–171
- Yamato, H., Hori, H., Tanaka, I., Higashi, T., Morimoto, Y. & Kido, M. (1994b) Retention and clearance of inhaled ceramic fibres in rat lungs and development of a dissolution model. *Occup. environ. Med.*, **51**, 275–280
- Yamato, H., Morimoto, Y., Tsuda, T., Ohgami, A., Kohyama, N. & Tanaka, I. (1998) Fiber numbers per unit weight of JFM standard reference samples determined with a scanning electron microscope. *Ind. Health*, **36**, 384–387
- Yamaya, M., Nakayama, K., Hosoda, M., Yanai, M. & Sasaki, H. (2000) A rockwool fibre worker with lung fibrosis. *Lancet*, **355**, 1723–1724
- Yano, E. & Karita, K. (1998) Prevalence of respiratory abnormalities of workers in rock/slag wool producing industries in Japan. In: Keizo, C., Yutaka, H. & Yoshiharu, A., eds, *Advances in the Prevention of Occupational Respiratory Diseases: Proceedings of the 9th International Conference on Occupational Respiratory Diseases, Kyoto, 13–16 October 1997*, Amsterdam, Elsevier, pp. 337–341

- Ye, J., Shi, X., Jones, W., Rojanasakul, Y., Cheng, N., Schwegler-Berry, D., Baron, P., Deye, G.J., Li, C. & Castranova, V. (1999) Critical role of glass fiber length in TNF- α production and transcription factor activation in macrophages. *Am. J. Physiol.*, **276**, L426–L434
- Ye, J., Zeidler, P., Young, S.-H., Martinez, A., Robinson, V.A., Jones, W., Baron, P., Shi, X. & Castranova, V. (2001) Activation of mitogen-activated protein kinase p38 and extracellular signal-regulated kinase is involved in glass fiber-induced tumor necrosis factor- α production in macrophages. *J. Biol. Chem.*, **276**, 5360–5367
- Yegles, M., Janson, X., Dong, H.Y., Renier, A. & Jaurand, M.-C. (1995) Role of fibre characteristics on cytotoxicity and induction of anaphase/telophase aberrations in rat pleural mesothelial cells *in vitro*: Correlations with *in vivo* animal findings. *Carcinogenesis*, **16**, 2751–2758
- Yeung, P. & Rogers, A. (1996) A comparison of synthetic mineral fibres exposures pre- and post the NOHSC national exposure standard and code of practice. *J. occup. Health Safety Austr. NZ*, **12**, 279–288
- Youk, A.O., Marsh, G.M., Stone, R.A., Buchanich, J.M. & Smith, T.J. (2001) Historical cohort study of US man-made vitreous fiber production workers. III. Analysis of exposure-weighted measures of respirable fibers and formaldehyde in the nested case-control study of respiratory system cancer. *J. occup. environ. Med.*, **43**, 767–778
- Yu, C.P., Zhang, L., Oberdörster, G., Mast, R.W., Glass, L.R. & Utell, M.J. (1994) Clearance of refractory ceramic fibers (RCF) from rat lung: Development of a model. *Environ. Res.*, **65**, 243–253
- Yu, C.P., Zhang, L., Oberdörster, G., Mast, R.W., Maxim, D. & Utell, M.J. (1995a) Deposition of refractory ceramic fibers (RCF) in the human respiratory tract and comparison with rodent studies. *Aerosol Sci. Technol.*, **23**, 291–300
- Yu, C.P., Ding, Y.J., Zhang, L., Oberdörster, G., Mast, R.W., Glass, L.R. & Utell, M.J. (1995b) Deposition and clearance modeling of inhaled kaolin refractory ceramic fibers (RCF) in hamsters — Comparison between species. *Inhal. Toxicol.*, **7**, 165–177
- Yu, C.P., Ding, Y.J., Zhang, L., Oberdörster, G., Mast, R.W., Maxim, D. & Utell, M.J. (1996) A clearance model of refractory ceramic fibers (RCF) in the rat lung including fiber dissolution and breakage. *J. Aerosol Sci.*, **27**, 151–159
- Yu, C.P., Ding, Y.J., Zhang, L., Oberdörster, G., Mast, R.W., Maxim, L.D. & Utell, M.J. (1997) Retention modeling of refractory ceramic fibers (RCF) in humans. *Regul. Toxicol. Pharmacol.*, **25**, 18–25
- Yu, C.P., Dai, Y.T., Boymel, P.M., Zoitos, B.K., Oberdörster, G. & Utell, M.J. (1998) A clearance model of man-made vitreous fibers (MMVFs) in the rat lung. *Inhal. Toxicol.*, **10**, 253–274
- Zhong, B.-Z., Whong, W.-Z. & Ong, T.-M. (1997) Detection of mineral-dust-induced DNA damage in two mammalian cell lines using the alkaline single cell gel/comet assay. *Mutat. Res.*, **393**, 181–187
- Zoitos, B.K., de Meringo, A., Rouyer, E., Thélohan, S., Bauer, J., Law, B., Boymel, P.M., Olson, J.R., Christensen, V.R., Guldborg, M., Koenig, A.R. & Perander, M. (1997) *In vitro* measurement of fiber dissolution rate relevant to biopersistence at neutral pH: An interlaboratory round robin. *Inhal. Toxicol.*, **9**, 525–540
- Zoller, T. & Zeller, W.J. (2000) Production of reactive oxygen species by phagocytic cells after exposure to glass wool and stone wool fibres — Effect of fibre preincubation in aqueous solution. *Toxicol. Lett.*, **114**, 1–9